MONODYNE - iodine teat dip liquid Tetradyne LLC

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.

Monodyne

USE DIRECTIONS:

Use at full strength, do not dilute.

For Post-Dip: Dip entire teat in **MONODYNE.** Allow to air dry. If solution in cup becomes visibly dirty or cloudy, then replenish with **MONODYNE** at full strength. Do not return unused product to original container.

PROTECT FROM FREEZING IF FROZEN: SHAKE VIGOROUSLY AFTER THAWING

WARNING: CONTAINS IODINE.

Avoid contamination of food. Avoid contact with eyes. Not for internal use. Not for human use.

KEEP OUT OF REACH OF CHILDREN!

OBSERVE LABEL DIRECTIONS.

FIRST AID:

INTERNAL: If swallowed, do not induce vomiting. Drink large quantities of water. See physician immediately.

EYES: Flush eyes with clear water for 15 minutes. If irritated, obtain medical guidance.

GET MEDICAL ATTENTION IMMEDIATELY.

MONODYNE

SANITIZING IODINE TEAT DIP

This product, when properly used, is effective as an aid in reducing the spread of organisms which may cause mastitis.

Active Ingredient	.1.00% Available Iodine (provides 10,000 ppm titratable iodine)
pH	Minimum 4.0
Emollients	2% Glycerin

Lot#:
Exp. Date:
Net Contents:
Manufactured For:
Tetradyne LLC
PO Box 17003

MONODYNE

SANITIZING IODINE TEAT DIP

USE DIRECTIONS:

Reno, NV 89511

Use at full strength, do not dilute.

For Post-Dip: Dip entire teat in MONO-DYNE. Allow to air dry. If solution in cup becomes visibly dirty or cloudy, then replenish with MONODYNE at full strength. Do not return unused product to original container.

PROTECT FROM FREEZING
IF FROZEN: SHAKE
VIGOROUSLY AFTER THAWING

This product, when properly used, is effective as an aid in reducing the spread of organisms which may cause mastitis.

Active Ingredient 1.00% Available Iodine

(Provides 10,000 ppm

pH Minimum 4.0 Emollients		
Lot #:		
Exp. Date:		
Net Contents:		





WARNING: CONTAINS IODINE.

Avoid contamination of food. Avoid contact with eyes. Not for internal use. Not for human use.

KEEP OUT OF REACH OF CHILDREN!

FIRST AID:

INTERNAL: If swallowed, do not induce vomiting. Drink large quantities of water. See physician immediately.

EYES: Flush eyes with clear water for 15 minutes. If irritated, obtain medical guidance.

GET MEDICAL ATTENTION IMMEDIATELY.

Manufactured For: Tetradyne LLC PO Box 17003 Reno, NV 89511

MONODYNE

iodine teat dip liquid

Product Information

Product Type	OTC ANIMAL DRUG	Item Code (Source)	NDC:66399-096
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety			
	Ingredient Name	Basis of Strength	Strength
	IO DINE (UNII: 9679TC07X4) (IO DINE - UNII:9679TC07X4)	IODINE	10.30 g in 1 L

Inactive Ingredients			
Ingredient Name	Strength		
GLYCERIN (UNII: PDC6 A3C0 OX)	20.29 g in 1 L		

P	Packaging			
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:66399-096- 01	3.78 L in 1 JUG		
2	NDC:66399-096- 02	18.9 L in 1 PAIL		
3	NDC:66399-096- 03	56.7 L in 1 DRUM		
4	NDC:66399-096- 04	113.4 L in 1 DRUM		
5	NDC:66399-096- 05	207.9 L in 1 DRUM		
6	NDC:66399-096- 06	945 L in 1 CONTAINER, FLEXIBLE INTERMEDIATE BULK		
7	NDC:66399-096- 07	1039.5 L in 1 CONTAINER, FLEXIBLE INTERMEDIATE BULK		

Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
unapproved drug other		09/10/2001		

Labeler - Tetradyne LLC (130969293)

Revised: 3/2013 Tetradyne LLC