

LBEL NATURAL FINISH MOISTURIZING FOUNDATION SPF 25 (CLAIRE 1) - BEIGE-
 octinoxate and titanium dioxide liquid
 LBEL NATURAL FINISH MOISTURIZING FOUNDATION SPF 25 (CLAIRE 2) - BEIGE-
 octinoxate and titanium dioxide liquid
 LBEL NATURAL FINISH MOISTURIZING FOUNDATION SPF 25 (CLAIRE 3) - BEIGE-
 octinoxate and titanium dioxide liquid
 LBEL NATURAL FINISH MOISTURIZING FOUNDATION SPF 25 (CLAIRE 4) - BEIGE-
 octinoxate and titanium dioxide liquid
 LBEL NATURAL FINISH MOISTURIZING FOUNDATION SPF 25 (MEDIUM 5) - BROWN-
 octinoxate and titanium dioxide liquid
 LBEL NATURAL FINISH MOISTURIZING FOUNDATION SPF 25 (MEDIUM 6) - BROWN-
 octinoxate and titanium dioxide liquid
 LBEL NATURAL FINISH MOISTURIZING FOUNDATION SPF 25 (MEDIUM 7) - BROWN-
 octinoxate and titanium dioxide liquid
 LBEL NATURAL FINISH MOISTURIZING FOUNDATION SPF 25 (OBSCURE 8) - BROWN-
 octinoxate and titanium dioxide liquid
 LBEL NATURAL FINISH MOISTURIZING FOUNDATION SPF 25 (OBSCURE 9) - BROWN-
 octinoxate and titanium dioxide liquid
 LBEL NATURAL FINISH MOISTURIZING FOUNDATION SPF 25 (MEDIUM 6A) -
 BROWN- octinoxate and titanium dioxide liquid
 LBEL NATURAL FINISH MOISTURIZING FOUNDATION SPF 25 (MEDIUM 6B) - BROWN-
 octinoxate and titanium dioxide liquid
 LBEL NATURAL FINISH MOISTURIZING FOUNDATION SPF 25 (OBSCURE 8A) -
 BROWN- octinoxate and titanium dioxide liquid
 LBEL NATURAL FINISH MOISTURIZING FOUNDATION SPF 25 (OBSCURE 8B) -
 BROWN- octinoxate and titanium dioxide liquid
 LBEL NATURAL FINISH MOISTURIZING FOUNDATION SPF 25 (OBSCURE 8C) -
 BROWN- octinoxate and titanium dioxide liquid
 LBEL NATURAL FINISH MOISTURIZING FOUNDATION SPF 25 (OBSCURE 10) -
 BROWN- octinoxate and titanium dioxide liquid
 LBEL NATURAL FINISH MOISTURIZING FOUNDATION SPF 25 (DORE 6) - BEIGE-
 octinoxate and titanium dioxide liquid
 Ventura Corporation LTD

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

L'BEL NATURAL FINISH MOISTURIZING FOUNDATION SPF 25

Drug Facts

<i>Active Ingredients</i>	<i>Purpose</i>
Octinoxate 6.5 %	Sunscreen
Titanium Dioxide 1.6%	Sunscreen

Uses

- Helps prevent sunburn

Warnings

- **Skin Cancer / Skin Aging Alert:** Spending time in the sun increases your risk of skin cancer and early skin aging. This product has been shown only to help prevent sunburn, **not** skin cancer or early

skin aging.

- **For external use only.**
- **Do not use** on damaged or broken skin.
- **When using this product** keep out of eyes. Rinse with water to remove.
- **Stop use and ask a doctor if** rash occurs
- **Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Apply liberally and evenly 15 minutes before sun exposure.
- Reapply at least every 2 hours
- Use a water resistant sunscreen if swimming or sweating.
- Children under 6 months of age: Ask a doctor

Other information

- Protect the product in this container from excessive heat and direct sun.

Inactive ingredients

Water, cyclopentasiloxane, cyclohexasiloxane, propylene glycol dicaprylate/dicaprate, peg/ppg-18/18 dimethicone, trimethylsiloxysilicate, dimethicone/vinyl dimethicone crosspolymer, xylitylglucoside, octyldodecanol, oleth-5, polymethyl methacrylate, anhydroxylitol, glycerin, linoleic acid, peg/ppg-19/19 dimethicone, microcrystalline wax, c12-15 alkyl benzoate, xylitol, diazolidinyl urea, alumina, petrolatum, tocopheryl acetate, triethoxycaprylylsilane, phospholipids, ribes nigrum (black currant) seed oil, silica, methylparaben, propylparaben, fragrance, copernicia cerifera (carnauba) wax, tribehenin, cholesterol, methicone, bht, menthoxypropanediol, euphorbia cerifera (candelilla) wax, beeswax, cetearyl alcohol, cetearyl glucoside, polyglyceryl-2 dipolyhydroxystearate, glycosphingolipids, ceramide 2, decyl glucoside, linolenic acid, peg-10 rapeseed sterol, palmitoyl oligopeptide.

May contain:

Titanium dioxide, iron oxides , iron oxides, iron oxides.

PR: Distributed by Ventura Corporation, Ltd. San Juan, Puerto Rico 00926.

PRINCIPAL DISPLAY PANEL - 30 mL Tube Carton - (Claire 1) - Beige

EFFET
PARFAIT

natural finish
moisturizing

foundation

SPF 25

30 ml e (1 fl.oz.)

L'BEL

Drug Facts

Active Ingredients
 Octinoxate 6.5 %
 Titanium Dioxide 1.6 %

Purpose
 Sunscreen

Uses
 ■ Helps prevent sunburn.

Warnings
 ■ **Skin Cancer / Skin Aging Alert:** Spending time in the sun increases your risk of skin cancer and early skin aging. This product has been shown only to help prevent sunburn, not skin cancer or early skin aging.
 ■ For external use only.
 ■ Do not use on damaged or broken skin.
 ■ When using this product keep out of eyes. Rinse with water to remove.
 ■ Stop use and ask a doctor if rash occurs.

Drug Facts (continued)
 ■ Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.
 ■ Apply liberally and evenly 15 minutes before sun exposure.
 ■ Reapply at least every 2 hours.
 ■ Use a water resistant sunscreen if swimming or sweating.
 ■ Children under 6 months of age. Ask a doctor.
Other information
 ■ Protect the product in this container from excessive heat and direct sun.
Inactive ingredients Water, cyclopentasiloxane, cyclohexasiloxane, propylene glycol dicaprylate/dicaprate, peg/ppg-18/18 dimethicone, trimethylsilyloxyacetate, dimethicone/

Drug Facts (continued)
 vinyl dimethicone crosspolymer, xylitylglucoside, octyldodecanol, oleth-5, polymethyl methacrylate, anhydroxytolitol, glycerin, linoleic acid, peg/ppg-19/19 dimethicone, microcrystalline wax, c12-15 alkyl benzoate, xylitol, diazolidinyl urea, alumina, petrolatum, toconeryl acetate, triethoxycaprylsilane, phospholipids, ribes nigrum (black currant) seed oil, silica, methylparaben, propylparaben, fragrance, copernicia cerifera (carnauba) wax, tibehehin, cholesterol, methicone, bht, menthoxypropanedid, euphorbia cerifera (candelilla) wax, beeswax, cetearyl alcohol, cetearyl glucoside, polyglyceryl-2 dipolyhydroxystearate, glycosphingolipids, ceramide 2, decyl glucoside, inolenic acid, peg-10 rapeseed sterol, palmitoyl oligopeptide. May contain: titanium dioxide, iron oxides, iron oxides, iron oxides.



**EFFET
PARFAIT**

natural finish
moisturizing
foundation
SPF 25

30 ml e (1 fl.oz.)

L'BEL

US: Distributed by Ventura International Ltd, DBA Belcorp USA, San Francisco, CA 94111. **PUERTO RICO:** Distributed by Ventura Corporation, Ltd, San Juan, Puerto Rico 00926. Made in Colombia.

www.lbel.com



PRINCIPAL DISPLAY PANEL - 30 mL Tube Carton - (Claire 2) - Beige

EFFET
PARFAIT

natural finish
moisturizing

foundation

SPF 25

30 mL e (1 fl.oz.)

L'BEL

Drug Facts

Active Ingredients
 Octinoxate 6.5 %
 Titanium Dioxide 1.6 %

Purpose
 Sunscreen

Uses
 ■ Helps prevent sunburn.

Warnings
 ■ **Skin Cancer / Skin Aging Alert:** Spending time in the sun increases your risk of skin cancer and early skin aging. This product has been shown only to help prevent sunburn, not skin cancer or early skin aging.
 ■ For external use only.
 ■ Do not use on damaged or broken skin.
 ■ When using this product keep out of eyes. Rinse with water to remove.
 ■ Stop use and ask a doctor if rash occurs.

Drug Facts (continued)
 ■ Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.
 ■ Apply liberally and evenly 15 minutes before sun exposure.
 ■ Reapply at least every 2 hours.
 ■ Use a water resistant sunscreen if swimming or sweating.
 ■ Children under 6 months of age. Ask a doctor.
Other information
 ■ Protect the product in this container from excessive heat and direct sun.
Inactive ingredients Water, cyclopentasiloxane, cyclohexasiloxane, propylene glycol dicaprylate/dicaprate, peg/ppg-18/18 dimethicone, trimethylsilyl silicate, dimethicone

Drug Facts (continued)
 vinyl dimethicone crosspolymer, xylitylglucoside, octyldodecanol, oleth-5, polymethyl methacrylate, anhydroxytolitol, glycerin, linoleic acid, peg/ppg-19/19 dimethicone, microcrystalline wax, c12-15 alkyl benzoate, xylitol, diazolidinyl urea, alumina, petrolatum, toconeryl acetate, triethoxycaprylsilane, phospholipids, ribes nigrum (black currant) seed oil, silica, methylparaben, propylparaben, fragrance, copernicia cerifera (carnauba) wax, tibehehin, cholesterol, methicone, bht, menthoxypropanedid, euphorbia cerifera (candelilla) wax, beeswax, cetearyl alcohol, cetearyl glucoside, polyglyceryl-2 dipolyhydroxystearate, glycosphingolipids, ceramide 2, decyl glucoside, inolenic acid, peg-10 rapeseed sterol, palmitoyl oligopeptide. May contain: titanium dioxide, iron oxides, iron oxides, iron oxides.



**EFFET
PARFAIT**

natural finish
moisturizing
foundation
SPF 25

30 ml e (1 fl.oz.)

L'BEL

US: Distributed by Ventura International Ltd, DBA Belcorp USA, San Francisco, CA 94111. **PUERTO RICO:** Distributed by Ventura Corporation, Ltd, San Juan, Puerto Rico 00926. Made in Colombia.

www.lbel.com



PRINCIPAL DISPLAY PANEL - 30 mL Tube Carton - (Claire 3) - Beige

EFFET
PARFAIT

natural finish
moisturizing

foundation

SPF 25

30 mL e (1 fl.oz.)

L'BEL

Drug Facts

Active Ingredients
 Octinoxate 6.5 %
 Titanium Dioxide 1.6 %

Purpose
 Sunscreen

Uses
 ■ Helps prevent sunburn.

Warnings
 ■ **Skin Cancer / Skin Aging Alert:** Spending time in the sun increases your risk of skin cancer and early skin aging. This product has been shown only to help prevent sunburn, not skin cancer or early skin aging.
 ■ For external use only.
 ■ Do not use on damaged or broken skin.
 ■ When using this product keep out of eyes. Rinse with water to remove.
 ■ Stop use and ask a doctor if rash occurs.

Drug Facts (continued)
 ■ Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.
 ■ Apply liberally and evenly 15 minutes before sun exposure.
 ■ Reapply at least every 2 hours.
 ■ Use a water resistant sunscreen if swimming or sweating.
 ■ Children under 6 months of age. Ask a doctor.
Other information
 ■ Protect the product in this container from excessive heat and direct sun.
Inactive ingredients Water, cyclopentasiloxane, cyclohexasiloxane, propylene glycol dicaprylate/dicaprate, peg/ppg-18/18 dimethicone, trimethylsilyl silicate, dimethicone

Drug Facts (continued)
 vinyl dimethicone crosspolymer, xylitylglucoside, octyldodecanol, oleth-5, polymethyl methacrylate, anhydroxytolitol, glycerin, linoleic acid, peg/ppg-19/19 dimethicone, microcrystalline wax, c12-15 alkyl benzoate, xylitol, diazolidinyl urea, alumina, petrolatum, tocopheryl acetate, triethoxycaprylsilane, phospholipids, ribes nigrum (black currant) seed oil, silica, methylparaben, propylparaben, fragrance, copernicia cerifera (carnauba) wax, tibehehin, cholesterol, methicone, bht, menthoxypropanedid, euphorbia cerifera (candelilla) wax, beeswax, cetearyl alcohol, cetearyl glucoside, polyglyceryl-2 dipolyhydroxystearate, glycosphingolipids, ceramide 2, decyl glucoside, inolenic acid, peg-10 rapeseed sterol, palmitoyl oligopeptide. May contain: titanium dioxide, iron oxides, iron oxides, iron oxides.



**EFFET
PARFAIT**

natural finish
moisturizing
foundation
SPF 25

30 ml e (1 fl.oz.)

L'BEL

US: Distributed by Ventura International Ltd, DBA Belcorp USA, San Francisco, CA 94111. **PUERTO RICO:** Distributed by Ventura Corporation, Ltd, San Juan, Puerto Rico 00926. Made in Colombia.

www.lbel.com



PRINCIPAL DISPLAY PANEL - 30 mL Tube Carton - (Claire 4) - Beige

EFFET
PARFAIT

natural finish
moisturizing

foundation

SPF 25

30 mL e (1 fl.oz.)

L'BEL

Drug Facts

Active Ingredients
 Octinoxate 6.5 %
 Titanium Dioxide 1.6 %

Purpose
 Sunscreen

Uses
 ■ Helps prevent sunburn.

Warnings
 ■ **Skin Cancer / Skin Aging Alert:** Spending time in the sun increases your risk of skin cancer and early skin aging. This product has been shown only to help prevent sunburn, not skin cancer or early skin aging.
 ■ For external use only.
 ■ Do not use on damaged or broken skin.
 ■ When using this product keep out of eyes. Rinse with water to remove.
 ■ Stop use and ask a doctor if rash occurs.

Drug Facts (continued)
 ■ Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.
 ■ Apply liberally and evenly 15 minutes before sun exposure.
 ■ Reapply at least every 2 hours.
 ■ Use a water resistant sunscreen if swimming or sweating.
 ■ Children under 6 months of age. Ask a doctor.
 ■ Protect the product in this container from excessive heat and direct sun.

Other information
 ■ **Inactive ingredients** Water, cyclopentasiloxane, cyclohexasiloxane, propylene glycol dicaprylate/dicaprate, peg/ppg-18/18 dimethicone, trimethylsilyl silicate, dimethicone

Drug Facts (continued)
 vinyl dimethicone crosspolymer, xylitylglucoside, octyldodecanol, oleth-5, polymethyl methacrylate, anhydroxytolitol, glycerin, linoleic acid, peg/ppg-19/19 dimethicone, microcrystalline wax, c12-15 alkyl benzoate, xylitol, diazolidinyl urea, alumina, petrolatum, tocopheryl acetate, triethoxycaprylsilane, phospholipids, ribes nigrum (black currant) seed oil, silica, methylparaben, propylparaben, fragrance, copernicia cerifera (carnauba) wax, tibehehin, cholesterol, methicone, bht, menthoxypropanedid, euphorbia cerifera (candelilla) wax, beeswax, cetearyl alcohol, cetearyl glucoside, polyglyceryl-2 dipolyhydroxystearate, glycosphingolipids, ceramide 2, decyl glucoside, inolenic acid, peg-10 rapeseed sterol, palmitoyl oligopeptide, titanium dioxide, iron oxides, iron oxides, iron oxides.



**EFFET
PARFAIT**

natural finish
moisturizing
foundation
SPF 25

30 ml e (1 fl.oz.)

L'BEL

US: Distributed by Ventura International Ltd, DBA Belcorp USA, San Francisco, CA 94111. **PUERTO RICO:** Distributed by Ventura Corporation, Ltd, San Juan, Puerto Rico 00926. Made in Colombia.

www.lbel.com



PRINCIPAL DISPLAY PANEL - 30 mL Tube Carton - (Medium 5) - Brown

EFFET
PARFAIT

natural finish
moisturizing

foundation

SPF 25

30 ml e (1 fl.oz.)

L'BEL

Drug Facts

Active Ingredients
 Octinoxate 6.5 %
 Titanium Dioxide 1.6 %

Purpose
 Sunscreen
 Sunscreen

Uses
 ■ Helps prevent sunburn.

Warnings
 ■ **Skin Cancer / Skin Aging Alert:** Spending time in the sun increases your risk of skin cancer and early skin aging. This product has been shown only to help prevent sunburn, not skin cancer or early skin aging.
 ■ For external use only.
 ■ Do not use on damaged or broken skin.
 ■ When using this product keep out of eyes. Rinse with water to remove.
 ■ Stop use and ask a doctor if rash occurs.

Drug Facts (continued)
 ■ Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.
Directions
 ■ Apply liberally and evenly 15 minutes before sun exposure.
 ■ Reapply at least every 2 hours.
 ■ Use a water resistant sunscreen if swimming or sweating.
 ■ Children under 6 months of age. Ask a doctor.
Other information
 ■ Protect the product in this container from excessive heat and direct sun.
Inactive ingredients Water, cyclopentasiloxane, cyclohexasiloxane, propylene glycol dicaprylate/dicaprate, peg/ppg-18/18 dimethicone, trimethylsilyloxyethyl dimethicone

Drug Facts (continued)
 vinyl dimethicone crosspolymer, xylitylglucoside, octyldodecanol, oleth-5, polymethyl methacrylate, anhydroxytolitol, glycerin, linoleic acid, peg/ppg-19/19 dimethicone, microcrystalline wax, c12-15 alkyl benzoate, xylitol, diazolidinyl urea, alumina, petrolatum, tocopheryl acetate, triethoxycaprylsilane, phospholipids, ribes nigrum (black currant) seed oil, silica, methylparaben, propylparaben, fragrance, copernicia cerifera (carnauba) wax, tibehehin, cholesterol, methicone, bht, menthoxypropanedid, euphorbia cerifera (candelilla) wax, beeswax, cetearyl alcohol, cetearyl glucoside, polyglyceryl-2 dipolyhydroxystearate, glycosphingolipids, ceramide 2, decyl glucoside, inolenic acid, peg-10 rapeseed sterol, palmitoyl oligopeptide. May contain: titanium dioxide, iron oxides, iron oxides, iron oxides.



**EFFET
PARFAIT**

natural finish
moisturizing
foundation
SPF 25

30 ml e (1 fl.oz.)

L'BEL

US: Distributed by Ventura International Ltd, DBA Belcorp USA, San Francisco, CA 94111. **PUERTO RICO:** Distributed by Ventura Corporation, Ltd, San Juan, Puerto Rico 00926. Made in Colombia.

www.lbel.com



PRINCIPAL DISPLAY PANEL - 30 mL Tube Carton - (Medium 6) - Brown

EFFET
PARFAIT

natural finish
moisturizing
foundation

SPF 25

30 mL e (1 fl.oz.)

L'BEL

Drug Facts

Active Ingredients
 Octinoxate 6.5%
 Titanium Dioxide 1.6%

Purpose
 Sunscreen

Uses
 ■ Helps prevent sunburn.

Warnings
 ■ **Skin Cancer / Skin Aging Alert:** Spending time in the sun increases your risk of skin cancer and early skin aging. This product has been shown only to help prevent sunburn, not skin cancer or early skin aging.
 ■ For external use only.
 ■ Do not use on damaged or broken skin.
 ■ When using this product keep out of eyes. Rinse with water to remove.
 ■ Stop use and ask a doctor if rash occurs.

Drug Facts (continued)
 ■ Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.
 ■ Apply liberally and evenly 15 minutes before sun exposure.
 ■ Reapply at least every 2 hours.
 ■ Use a water resistant sunscreen if swimming or sweating.
 ■ Children under 6 months of age. Ask a doctor.
Other information
 ■ Protect the product in this container from excessive heat and direct sun.
Inactive ingredients Water, cyclopentasiloxane, cyclohexasiloxane, propylene glycol dicaprylate/dicaprate, peg/ppg-18/18 dimethicone, trimethylsilyl silicate, dimethicone

Drug Facts (continued)
 vinyl dimethicone crosspolymer, xylitylglucoside, octyldodecanol, oleth-5, polymethyl methacrylate, anhydroxytolitol, glycerin, linoleic acid, peg/ppg-19/19 dimethicone, microcrystalline wax, c12-15 alkyl benzoate, xylitol, diazolidinyl urea, alumina, petrolatum, tocopheryl acetate, triethoxycaprylsilane, phospholipids, ribes nigrum (black currant) seed oil, silica, methylparaben, propylparaben, fragrance, copernicia cerifera (carnauba) wax, tibehehin, cholesterol, methicone, bht, menthoxypropanedid, euphorbia cerifera (candelilla) wax, beeswax, cetearyl alcohol, cetearyl glucoside, polyglyceryl-2 dipolyhydroxystearate, glycosphingolipids, ceramide 2, decyl glucoside, inolenic acid, peg-10 rapeseed sterol, palmitoyl oligopeptide. May contain: titanium dioxide, iron oxides, iron oxides, iron oxides.



**EFFET
PARFAIT**

natural finish
moisturizing
foundation
SPF 25

30 ml e (1 fl.oz.)

L'BEL

US: Distributed by Ventura International Ltd, DBA Belcorp USA, San Francisco, CA 94111. **PUERTO RICO:** Distributed by Ventura Corporation, Ltd, San Juan, Puerto Rico 00926. Made in Colombia.

www.lbel.com



PRINCIPAL DISPLAY PANEL - 30 mL Tube Carton - (Medium 7) - Brown

EFFET
PARFAIT

natural finish
moisturizing
foundation

SPF 25

30 mL e (1 fl.oz.)

L'BEL

Drug Facts

Active Ingredients
 Octinoxate 6.5 %
 Titanium Dioxide 1.6 %

Purpose
 Sunscreen

Uses
 ■ Helps prevent sunburn.

Warnings
 ■ **Skin Cancer / Skin Aging Alert:** Spending time in the sun increases your risk of skin cancer and early skin aging. This product has been shown only to help prevent sunburn, not skin cancer or early skin aging.
 ■ For external use only.
 ■ Do not use on damaged or broken skin.
 ■ When using this product keep out of eyes. Rinse with water to remove.
 ■ Stop use and ask a doctor if rash occurs.

Drug Facts (continued)
 ■ Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.
 ■ Apply liberally and evenly 15 minutes before sun exposure.
 ■ Reapply at least every 2 hours.
 ■ Use a water resistant sunscreen if swimming or sweating.
 ■ Children under 6 months of age. Ask a doctor.
 ■ Protect the product in this container from excessive heat and direct sun.

Other information
 ■ **Inactive ingredients** Water, cyclopentasiloxane, cyclohexasiloxane, propylene glycol dicaprylate/dicaprate, peg/ppg-18/18 dimethicone, trimethylsilyl silicate, dimethicone

Drug Facts (continued)
 vinyl dimethicone crosspolymer, xylitylglucoside, octyldodecanol, oleth-5, polymethyl methacrylate, anhydroxytolitol, glycerin, linoleic acid, peg/ppg-19/19 dimethicone, microcrystalline wax, c12-15 alkyl benzoate, xylitol, diazolidinyl urea, alumina, petrolatum, tocopheryl acetate, triethoxycaprylsilane, phospholipids, ribes nigrum (black currant) seed oil, silica, methylparaben, propylparaben, fragrance, copernicia cerifera (carnauba) wax, tibehehin, cholesterol, methicone, bht, menthoxypropanedid, euphorbia cerifera (candelilla) wax, beeswax, cetearyl alcohol, cetearyl glucoside, polyglyceryl-2 dipolyhydroxystearate, glycosphingolipids, ceramide 2, decyl glucoside, inolenic acid, peg-10 rapeseed sterol, palmitoyl oligopeptide. May contain: titanium dioxide, iron oxides, iron oxides, iron oxides.



**EFFET
PARFAIT**

natural finish
moisturizing
foundation
SPF 25

30 ml e (1 fl.oz.)

L'BEL

US: Distributed by Ventura International Ltd, DBA Belcorp USA, San Francisco, CA 94111. **PUERTO RICO:** Distributed by Ventura Corporation, Ltd, San Juan, Puerto Rico 00926. Made in Colombia.

www.lbel.com



PRINCIPAL DISPLAY PANEL - 30 mL Tube Carton - (Obscure 8) - Brown

EFFET
PARFAIT

natural finish
moisturizing
foundation

SPF 25

30 mL e (1 fl.oz.)

L'BEL

Drug Facts

Active Ingredients
 Octinoxate 6.5 %
 Titanium Dioxide 1.6 %

Purpose
 Sunscreen
 Sunscreen

Uses
 ■ Helps prevent sunburn.

Warnings
 ■ **Skin Cancer / Skin Aging Alert:** Spending time in the sun increases your risk of skin cancer and early skin aging. This product has been shown only to help prevent sunburn, not skin cancer or early skin aging.
 ■ For external use only.
 ■ Do not use on damaged or broken skin.
 ■ When using this product keep out of eyes. Rinse with water to remove.
 ■ Stop use and ask a doctor if rash occurs.

Drug Facts (continued)
 ■ Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.
 ■ Apply liberally and evenly 15 minutes before sun exposure.
 ■ Reapply at least every 2 hours.
 ■ Use a water resistant sunscreen if swimming or sweating.
 ■ Children under 6 months of age. Ask a doctor.
Other information
 ■ Protect the product in this container from excessive heat and direct sun.
Inactive ingredients Water, cyclopentasiloxane, cyclohexasiloxane, propylene glycol dicaprylate/dicaprate, peg/ppg-18/18 dimethicone, trimethylsilyl silicate, dimethicone

Drug Facts (continued)
 vinyl dimethicone crosspolymer, xylitylglucoside, octyldodecanol, oleth-5, polymethyl methacrylate, anhydroxylytol, glycerin, linoleic acid, peg/ppg-19/19 dimethicone, microcrystalline wax, c12-15 alkyl benzoate, xylitol, diazolidinyl urea, alumina, petrolatum, tocopheryl acetate, triethoxycaprylsilane, phospholipids, ribes nigrum (black currant) seed oil, silica, methylparaben, propylparaben, fragrance, copernicia cerifera (carnauba) wax, tibehehin, cholesterol, methicone, bht, menthoxypropanedid, euphorbia cerifera (candelilla) wax, beeswax, cetearyl alcohol, cetearyl glucoside, polyglyceryl-2 dipolyhydroxystearate, glycosphingolipids, ceramide 2, decyl glucoside, inolenic acid, peg-10 rapeseed sterol, palmitoyl oligopeptide, titanium dioxide, iron oxides, iron oxides, iron oxides.



**EFFET
PARFAIT**

natural finish
moisturizing
foundation
SPF 25

30 ml e (1 fl.oz.)

L'BEL

US: Distributed by Ventura International Ltd, DBA Belcorp USA, San Francisco, CA 94111. **PUERTO RICO:** Distributed by Ventura Corporation, Ltd, San Juan, Puerto Rico 00926. Made in Colombia.

www.lbel.com



PRINCIPAL DISPLAY PANEL - 30 mL Tube Carton - (Obscure 9) - Brown

EFFET
PARFAIT

natural finish
moisturizing

foundation

SPF 25

30 mL e (1 fl.oz.)

L'BEL

Drug Facts

Active Ingredients
 Octinoxate 6.5 %
 Titanium Dioxide 1.6 %

Purpose
 Sunscreen

Uses
 ■ Helps prevent sunburn.

Warnings
 ■ **Skin Cancer / Skin Aging Alert:** Spending time in the sun increases your risk of skin cancer and early skin aging. This product has been shown only to help prevent sunburn, not skin cancer or early skin aging.
 ■ For external use only.
 ■ Do not use on damaged or broken skin.
 ■ When using this product keep out of eyes. Rinse with water to remove.
 ■ Stop use and ask a doctor if rash occurs.

Drug Facts (continued)
 ■ Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.
 ■ Apply liberally and evenly 15 minutes before sun exposure.
 ■ Reapply at least every 2 hours.
 ■ Use a water resistant sunscreen if swimming or sweating.
 ■ Children under 6 months of age. Ask a doctor.
Other information
 ■ Protect the product in this container from excessive heat and direct sun.
Inactive ingredients Water, cyclopentasiloxane, cyclohexasiloxane, propylene glycol dicaprylate/dicaprate, peg/ppg-18/18 dimethicone, trimethylsilyloxyethylacetate, dimethicone/

Drug Facts (continued)
 vinyl dimethicone crosspolymer, xylitylglucoside, octyldodecanol, oleth-5, polymethyl methacrylate, anhydroxylytol, glycerin, linoleic acid, peg/ppg-19/19 dimethicone, microcrystalline wax, c12-15 alkyl benzoate, xylitol, diazolidinyl urea, alumina, petrolatum, toconeryl acetate, triethoxycaprylylsilane, phospholipids, ribes nigrum (black currant) seed oil, silica, methylparaben, propylparaben, fragrance, copernicia cerifera (carnauba) wax, tibehehin, cholesterol, methicone, bht, menthoxypropanedid, euphorbia cerifera (candelilla) wax, beeswax, cetearyl alcohol, cetearyl glucoside, polyglyceryl-2 dipolyhydroxystearate, glycosphingolipids, ceramide 2, decyl glucoside, inolenic acid, peg-10 rapeseed sterol, palmitoyl oligopeptide. May contain: titanium dioxide, iron oxides, iron oxides, iron oxides.



**EFFET
PARFAIT**

natural finish
moisturizing
foundation
SPF 25

30 ml e (1 fl.oz.)

L'BEL

US: Distributed by Ventura International Ltd, DBA Belcorp USA, San Francisco, CA 94111. **PUERTO RICO:** Distributed by Ventura Corporation, Ltd, San Juan, Puerto Rico 00926. Made in Colombia.

www.lbel.com



PRINCIPAL DISPLAY PANEL - 30 mL Tube Carton - (Medium 6A) - Brown

EFFET
PARFAIT

natural finish
moisturizing
foundation

SPF 25

30 ml e (1 fl.oz.)

L'BEL

Drug Facts

Active Ingredients
 Octinoxate 6.5 %
 Titanium Dioxide 1.6 %

Purpose
 Sunscreen

Uses
 ■ Helps prevent sunburn.

Warnings
 ■ **Skin Cancer / Skin Aging Alert:** Spending time in the sun increases your risk of skin cancer and early skin aging. This product has been shown only to help prevent sunburn, not skin cancer or early skin aging.
 ■ For external use only.
 ■ Do not use on damaged or broken skin.
 ■ When using this product keep out of eyes. Rinse with water to remove.
 ■ Stop use and ask a doctor if rash occurs.

Drug Facts (continued)
 ■ Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.
 ■ Apply liberally and evenly 15 minutes before sun exposure.
 ■ Reapply at least every 2 hours.
 ■ Use a water resistant sunscreen if swimming or sweating.
 ■ Children under 6 months of age. Ask a doctor.
 ■ Protect the product in this container from excessive heat and direct sun.

Other information
 ■ **Inactive ingredients** Water, cyclopentasiloxane, cyclohexasiloxane, propylene glycol dicaprylate/dicaprate, peg/ppg-18/18 dimethicone, trimethylsilyl silicate, dimethicone

Drug Facts (continued)
 vinyl dimethicone crosspolymer, xylitylglucoside, octyldodecanol, oleth-5, polymethyl methacrylate, anhydroxylytol, glycerin, linoleic acid, peg/ppg-19/19 dimethicone, microcrystalline wax, c12-15 alkyl benzoate, xylitol, diazolidinyl urea, alumina, petrolatum, tocopheryl acetate, triethoxycaprylsilane, phospholipids, ribes nigrum (black currant) seed oil, silica, methylparaben, propylparaben, fragrance, copernicia cerifera (carnauba) wax, tibehehin, cholesterol, methicone, bht, menthoxypropanedid, euphorbia cerifera (candelilla) wax, beeswax, cetearyl alcohol, cetearyl glucoside, polyglyceryl-2 dipolyhydroxystearate, glycosphingolipids, ceramide 2, decyl glucoside, inolenic acid, peg-10 rapeseed sterol, palmitoyl oligopeptide. May contain: titanium dioxide, iron oxides, iron oxides, iron oxides.



**EFFET
PARFAIT**

natural finish
moisturizing
foundation
SPF 25

30 ml e (1 fl.oz.)

L'BEL

US: Distributed by Ventura International Ltd, DBA Belcorp USA, San Francisco, CA 94111. **PUERTO RICO:** Distributed by Ventura Corporation, Ltd, San Juan, Puerto Rico 00926. Made in Colombia.

www.lbel.com



PRINCIPAL DISPLAY PANEL - 30 mL Tube Carton - (Medium 6B) - Brown

EFFET
PARFAIT

natural finish
moisturizing
foundation

SPF 25

30 ml e (1 fl.oz.)

L'BEL

Drug Facts

Active Ingredients
 Octinoxate 6.5 %
 Titanium Dioxide 1.6 %

Purpose
 Sunscreen

Uses
 ■ Helps prevent sunburn.

Warnings
 ■ **Skin Cancer / Skin Aging Alert:** Spending time in the sun increases your risk of skin cancer and early skin aging. This product has been shown only to help prevent sunburn, not skin cancer or early skin aging.
 ■ For external use only.
 ■ Do not use on damaged or broken skin.
 ■ When using this product keep out of eyes. Rinse with water to remove.
 ■ Stop use and ask a doctor if rash occurs.

Drug Facts (continued)
 ■ Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.
 ■ Apply liberally and evenly 15 minutes before sun exposure.
 ■ Reapply at least every 2 hours.
 ■ Use a water resistant sunscreen if swimming or sweating.
 ■ Children under 6 months of age. Ask a doctor.
Other information
 ■ Protect the product in this container from excessive heat and direct sun.
Inactive ingredients Water, cyclopentasiloxane, cyclohexasiloxane, propylene glycol dicaprylate/dicaprate, peg/ppg-18/18 dimethicone, trimethylsilyloxyethyl dimethicone

Drug Facts (continued)
 vinyl dimethicone crosspolymer, xylitylglucoside, octyldodecanol, oleth-5, polymethyl methacrylate, anhydroxytolitol, glycerin, linoleic acid, peg/ppg-19/19 dimethicone, microcrystalline wax, c12-15 alkyl benzoate, xylitol, diazolidinyl urea, alumina, petrolatum, tocopheryl acetate, triethoxycaprylsilane, phospholipids, ribes nigrum (black currant) seed oil, silica, methylparaben, propylparaben, fragrance, copernicia cerifera (carnauba) wax, tibehehin, cholesterol, methicone, bht, menthoxypropanedid, euphorbia cerifera (candelilla) wax, beeswax, cetearyl alcohol, cetearyl glucoside, polyglyceryl-2 dipolyhydroxystearate, glycosphingolipids, ceramide 2, decyl glucoside, inolenic acid, peg-10 rapeseed sterol, palmitoyl oligopeptide. May contain: titanium dioxide, iron oxides, iron oxides, iron oxides.



**EFFET
PARFAIT**

natural finish
moisturizing
foundation
SPF 25

30 ml e (1 fl.oz.)

L'BEL

US: Distributed by Ventura International Ltd, DBA Belcorp USA, San Francisco, CA 94111. **PUERTO RICO:** Distributed by Ventura Corporation, Ltd, San Juan, Puerto Rico 00926. Made in Colombia.

www.lbel.com



PRINCIPAL DISPLAY PANEL - 30 mL Tube Carton - (Obscure 8A) - Brown

EFFET
PARFAIT

natural finish
moisturizing
foundation

SPF 25

30 mL e (1 fl.oz.)

L'BEL

Drug Facts

Active Ingredients
 Octinoxate 6.5 %
 Titanium Dioxide 1.6 %

Purpose
 Sunscreen

Uses
 ■ Helps prevent sunburn.

Warnings
 ■ **Skin Cancer / Skin Aging Alert:** Spending time in the sun increases your risk of skin cancer and early skin aging. This product has been shown only to help prevent sunburn, not skin cancer or early skin aging.
 ■ For external use only.
 ■ Do not use on damaged or broken skin.
 ■ When using this product keep out of eyes. Rinse with water to remove.
 ■ Stop use and ask a doctor if rash occurs.

Drug Facts (continued)
 ■ Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.
 ■ Apply liberally and evenly 15 minutes before sun exposure.
 ■ Reapply at least every 2 hours.
 ■ Use a water resistant sunscreen if swimming or sweating.
 ■ Children under 6 months of age. Ask a doctor.
 ■ Protect the product in this container from excessive heat and direct sun.

Other information
 ■ **Inactive ingredients** Water, cyclopentasiloxane, cyclohexasiloxane, propylene glycol dicaprylate/dicaprate, peg/ppg-18/18 dimethicone, trimethylsilyl silicate, dimethicone

Drug Facts (continued)
 vinyl dimethicone crosspolymer, xylitylglucoside, octyldodecanol, oleth-5, polymethyl methacrylate, anhydroxytolitol, glycerin, linoleic acid, peg/ppg-19/19 dimethicone, microcrystalline wax, c12-15 alkyl benzoate, xylitol, diazolidinyl urea, alumina, petrolatum, tocopheryl acetate, triethoxycaprylsilane, phospholipids, ribes nigrum (black currant) seed oil, silica, methylparaben, propylparaben, fragrance, copernicia cerifera (carnauba) wax, tibehehin, cholesterol, methicone, bht, menthoxypropanedid, euphorbia cerifera (candelilla) wax, beeswax, cetearyl alcohol, cetearyl glucoside, polyglyceryl-2 dipolyhydroxystearate, glycosphingolipids, ceramide 2, decyl glucoside, inolenic acid, peg-10 rapeseed sterol, palmitoyl oligopeptide, titanium dioxide, iron oxides, iron oxides, iron oxides.



**EFFET
PARFAIT**

natural finish
moisturizing
foundation
SPF 25

30 ml e (1 fl.oz.)

L'BEL

US: Distributed by Ventura International Ltd, DBA Belcorp USA, San Francisco, CA 94111. **PUERTO RICO:** Distributed by Ventura Corporation, Ltd, San Juan, Puerto Rico 00926. Made in Colombia.

www.lbel.com



PRINCIPAL DISPLAY PANEL - 30 mL Tube Carton - (Obscure 8B) - Brown

EFFET
PARFAIT

natural finish
moisturizing
foundation

SPF 25

30 mL e (1 fl.oz.)

L'BEL

Drug Facts

Active Ingredients
 Octinoxate 6.5%
 Titanium Dioxide 1.6%

Purpose
 Sunscreen

Uses
 ■ Helps prevent sunburn.

Warnings
 ■ **Skin Cancer / Skin Aging Alert:** Spending time in the sun increases your risk of skin cancer and early skin aging. This product has been shown only to help prevent sunburn, not skin cancer or early skin aging.
 ■ For external use only.
 ■ Do not use on damaged or broken skin.
 ■ When using this product keep out of eyes. Rinse with water to remove.
 ■ Stop use and ask a doctor if rash occurs.

Drug Facts (continued)
 ■ Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.
 ■ Apply liberally and evenly 15 minutes before sun exposure.
 ■ Reapply at least every 2 hours.
 ■ Use a water resistant sunscreen if swimming or sweating.
 ■ Children under 6 months of age. Ask a doctor.
Other information
 ■ Protect the product in this container from excessive heat and direct sun.
Inactive ingredients Water, cyclopentasiloxane, cyclohexasiloxane, propylene glycol dicaprylate/dicaprate, peg/ppg-18/18 dimethicone, trimethylsilyloxyethyl dimethicone

Drug Facts (continued)
 vinyl dimethicone crosspolymer, xylitylglucoside, octyldodecanol, oleth-5, polymethyl methacrylate, anhydroxylytol, glycerin, linoleic acid, peg/ppg-19/19 dimethicone, microcrystalline wax, c12-15 alkyl benzoate, xylitol, diazolidinyl urea, alumina, petrolatum, tocopheryl acetate, triethoxycaprylsilane, phospholipids, ribes nigrum (black currant) seed oil, silica, methylparaben, propylparaben, fragrance, copernicia cerifera (carnauba) wax, tibehehin, cholesterol, methicone, bht, menthoxypropanedid, euphorbia cerifera (candelilla) wax, beeswax, cetearyl alcohol, cetearyl glucoside, polyglyceryl-2 dipolyhydroxystearate, glycosphingolipids, ceramide 2, decyl glucoside, inolenic acid, peg-10 rapeseed sterol, palmitoyl oligopeptide. May contain: titanium dioxide, iron oxides, iron oxides, iron oxides.



**EFFET
PARFAIT**

natural finish
moisturizing
foundation
SPF 25

30 ml e (1 fl.oz.)

L'BEL

US: Distributed by Ventura International Ltd, DBA Belcorp USA, San Francisco, CA 94111. **PUERTO RICO:** Distributed by Ventura Corporation, Ltd, San Juan, Puerto Rico 00926. Made in Colombia.

www.lbel.com



PRINCIPAL DISPLAY PANEL - 30 mL Tube Carton - (Obscure 8C) - Brown

EFFET
PARFAIT

natural finish
moisturizing
foundation

SPF 25

30 mL e (1 fl.oz.)

L'BEL

Drug Facts

Active Ingredients
 Octinoxate 6.5 %
 Titanium Dioxide 1.6 %

Purpose
 Sunscreen

Uses
 ■ Helps prevent sunburn.

Warnings
 ■ **Skin Cancer / Skin Aging Alert:** Spending time in the sun increases your risk of skin cancer and early skin aging. This product has been shown only to help prevent sunburn, not skin cancer or early skin aging.
 ■ For external use only.
 ■ Do not use on damaged or broken skin.
 ■ When using this product keep out of eyes. Rinse with water to remove.
 ■ Stop use and ask a doctor if rash occurs.

Drug Facts (continued)
 ■ Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.
 ■ Apply liberally and evenly 15 minutes before sun exposure.
 ■ Reapply at least every 2 hours.
 ■ Use a water resistant sunscreen if swimming or sweating.
 ■ Children under 6 months of age. Ask a doctor.
 ■ Protect the product in this container from excessive heat and direct sun.

Other information
 ■ **Inactive ingredients** Water, cyclopentasiloxane, cyclohexasiloxane, propylene glycol dicaprylate/dicaprate, peg/ppg-18/18 dimethicone, trimethylsilyl silicate, dimethicone

Drug Facts (continued)
 vinyl dimethicone crosspolymer, xylitylglucoside, octyldodecanol, oleth-5, polymethyl methacrylate, anhydroxytolitol, glycerin, linoleic acid, peg/ppg-19/19 dimethicone, microcrystalline wax, c12-15 alkyl benzoate, xylitol, diazolidinyl urea, alumina, petrolatum, tocopheryl acetate, triethoxycaprylsilane, phospholipids, ribes nigrum (black currant) seed oil, silica, methylparaben, propylparaben, fragrance, copernicia cerifera (carnauba) wax, tibeherin, cholesterol, methicone, bht, menthoxypropanedid, euphorbia cerifera (candelilla) wax, beeswax, cetearyl alcohol, cetearyl glucoside, polyglyceryl-2 dipolyhydroxystearate, glycosphingolipids, ceramide 2, decyl glucoside, inolenic acid, peg-10 rapeseed sterol, palmitoyl oligopeptide. May contain: titanium dioxide, iron oxides, iron oxides, iron oxides.



**EFFET
PARFAIT**

natural finish
moisturizing
foundation
SPF 25

30 ml e (1 fl.oz.)

L'BEL

US: Distributed by Ventura International Ltd, DBA Belcorp USA, San Francisco, CA 94111. **PUERTO RICO:** Distributed by Ventura Corporation, Ltd, San Juan, Puerto Rico 00926. Made in Colombia.

www.lbel.com



PRINCIPAL DISPLAY PANEL - 30 mL Tube Carton - (Obscure 10) - Brown

EFFET
PARFAIT

natural finish
moisturizing
foundation

SPF 25

30 mL e (1 fl.oz.)

L'BEL

Drug Facts

Active Ingredients
 Octinoxate 6.5 %
 Titanium Dioxide 1.6 %

Purpose
 Sunscreen

Uses
 ■ Helps prevent sunburn.

Warnings
 ■ **Skin Cancer / Skin Aging Alert:** Spending time in the sun increases your risk of skin cancer and early skin aging. This product has been shown only to help prevent sunburn, not skin cancer or early skin aging.
 ■ For external use only.
 ■ Do not use on damaged or broken skin.
 ■ When using this product keep out of eyes. Rinse with water to remove.
 ■ Stop use and ask a doctor if rash occurs.

Drug Facts (continued)
 ■ Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.
 ■ Apply liberally and evenly 15 minutes before sun exposure.
 ■ Reapply at least every 2 hours.
 ■ Use a water resistant sunscreen if swimming or sweating.
 ■ Children under 6 months of age. Ask a doctor.
 ■ Protect the product in this container from excessive heat and direct sun.

Other information
 ■ **Inactive ingredients** Water, cyclopentasiloxane, cyclohexasiloxane, propylene glycol dicaprylate/dicaprate, peg/ppg-18/18 dimethicone, trimethylsilyl silicate, dimethicone

Drug Facts (continued)
 vinyl dimethicone crosspolymer, xylitylglucoside, octyldodecanol, oleth-5, polymethyl methacrylate, anhydroxytolitol, glycerin, linoleic acid, peg/ppg-19/19 dimethicone, microcrystalline wax, c12-15 alkyl benzoate, xylitol, diazolidinyl urea, alumina, petrolatum, tocopheryl acetate, triethoxycaprylsilane, phospholipids, ribes nigrum (black currant) seed oil, silica, methylparaben, propylparaben, fragrance, copernicia cerifera (carnauba) wax, tibehehin, cholesterol, methicone, bht, menthoxypropanedid, euphorbia cerifera (candelilla) wax, beeswax, cetearyl alcohol, cetearyl glucoside, polyglyceryl-2 dipolyhydroxystearate, glycosphingolipids, ceramide 2, decyl glucoside, inolenic acid, peg-10 rapeseed sterol, palmitoyl oligopeptide. May contain: titanium dioxide, iron oxides, iron oxides, iron oxides.



**EFFET
PARFAIT**

natural finish
moisturizing
foundation
SPF 25

30 ml e (1 fl.oz.)

L'BEL

US: Distributed by Ventura International Ltd, DBA Belcorp USA, San Francisco, CA 94111. **PUERTO RICO:** Distributed by Ventura Corporation, Ltd, San Juan, Puerto Rico 00926. Made in Colombia.

www.lbel.com



PRINCIPAL DISPLAY PANEL - 30 mL Tube Carton - (Dore 6) - Beige

EFFET
PARFAIT

natural finish
moisturizing

foundation

SPF 25

30 ml e (1 fl.oz.)

L'BEL

Drug Facts

Active Ingredients
 Octinoxate 6.5%
 Titanium Dioxide 1.6%

Purpose
 Sunscreen

Uses
 ■ Helps prevent sunburn.

Warnings
 ■ **Skin Cancer / Skin Aging Alert:** Spending time in the sun increases your risk of skin cancer and early skin aging. This product has been shown only to help prevent sunburn, not skin cancer or early skin aging.
 ■ For external use only.
 ■ Do not use on damaged or broken skin.
 ■ When using this product keep out of eyes. Rinse with water to remove.
 ■ Stop use and ask a doctor if rash occurs.

Drug Facts (continued)
 ■ Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.
 ■ Apply liberally and evenly 15 minutes before sun exposure.
 ■ Reapply at least every 2 hours.
 ■ Use a water resistant sunscreen if swimming or sweating.
 ■ Children under 6 months of age. Ask a doctor.
Other information
 ■ Protect the product in this container from excessive heat and direct sun.
Inactive ingredients Water, cyclopentasiloxane, cyclohexasiloxane, propylene glycol dicaprylate/dicaprate, peg/ppg-18/18 dimethicone, trimethylsilyl silicate, dimethicone

Drug Facts (continued)
 vinyl dimethicone crosspolymer, xylitylglucoside, octyldodecanol, oleth-5, polymethyl methacrylate, anhydroxytolitol, glycerin, linoleic acid, peg/ppg-19/19 dimethicone, microcrystalline wax, c12-15 alkyl benzoate, xylitol, diazolidinyl urea, alumina, petrolatum, toconeryl acetate, triethoxycaprylsilane, phospholipids, ribes nigrum (black currant) seed oil, silica, methylparaben, propylparaben, fragrance, copernicia cerifera (carnauba) wax, tribehenin, cholesterol, methicone, bht, menthoxypropanedid, euphorbia cerifera (candelilla) wax, beeswax, cetearyl alcohol, cetearyl glucoside, polyglyceryl-2 dipolyhydroxystearate, glycosphingolipids, ceramide 2, decyl glucoside, inolenic acid, peg-10 rapeseed sterol, palmitoyl oligopeptide. May contain: titanium dioxide, iron oxides, iron oxides, iron oxides.

EFFET PARFAIT

natural finish
 moisturizing
foundation
SPF 25

30 ml e (1 fl.oz.)



L'BEL

US: Distributed by Ventura International Ltd, DBA Belcorp USA, San Francisco, CA 94111. **PUERTO RICO:** Distributed by Ventura Corporation, Ltd, San Juan, Puerto Rico 00926. Made in Colombia.

www.lbel.com



LBEL NATURAL FINISH MOISTURIZING FOUNDATION SPF 25 (CLAIRE 1) - BEIGE

octinoxate and titanium dioxide liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:13537-241
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Octinoxate (UNII: 4Y5P7MUD51) (Octinoxate - UNII:4Y5P7MUD51)	Octinoxate	0.065 g in 1 mL
Titanium Dioxide (UNII: 15FIX9V2JP) (Titanium Dioxide - UNII:15FIX9V2JP)	Titanium Dioxide	0.016 g in 1 mL

Inactive Ingredients

Ingredient Name	Strength
water (UNII: 059QF0KO0R)	
cyclomethicone 5 (UNII: 0THT5PCI0R)	
cyclomethicone 6 (UNII: XHK3U310BA)	
propylene glycol dicaprylate/dicaprate (UNII: O4446S9CRA)	
peg/ppg-18/18 dimethicone (UNII: 9H0AO7T794)	
xylitylglucoside (UNII: O0IEZ166FB)	
octyldodecanol (UNII: 461N1O614Y)	
oleth-5 (UNII: 1GH33785AY)	
anhydroxylitol (UNII: 8XWR7NN42F)	
glycerin (UNII: PDC6A3C0OX)	
linoleic acid (UNII: 9KJL21T0QJ)	
peg/ppg-19/19 dimethicone (UNII: EHH90CO7TL)	
microcrystalline wax (UNII: XOF597Q3KY)	
alkyl (c12-15) benzoate (UNII: A9EJ3J61HQ)	
xylitol (UNII: VCQ006KQ1E)	
diazolidinyl urea (UNII: H5RIZ3MPW4)	
aluminum oxide (UNII: LMI26O6933)	
petrolatum (UNII: 4T6H12BN9U)	
.alpha.-tocopherol acetate (UNII: 9E8X80D2L0)	
triethoxycaprylylsilane (UNII: LDC331P08E)	
ribes nigrum seed oil (UNII: GKE1188837)	
silicon dioxide (UNII: ETJ7Z6XBU4)	
methylparaben (UNII: A218C7HI9T)	
propylparaben (UNII: Z8IX2SC1OH)	
carnauba wax (UNII: R12CBM0EIZ)	
tribehenin (UNII: 8OC9U7TQZ0)	
cholesterol (UNII: 97C5T2UQ7J)	
butylated hydroxytoluene (UNII: 1P9D0Z171K)	
3-((1-menthyl)oxy)propane-1,2-diol (UNII: KD6TZ2Q1CH)	
candelilla wax (UNII: WL0328HX19)	
yellow wax (UNII: 2ZA36H0S2V)	

cetostearyl alcohol (UNII: 2DMT128M1S)
cetearyl glucoside (UNII: 09FUA47KNA)
polyglyceryl-2 dipolyhydroxystearate (UNII: 9229XJ4V12)
ceramide 2 (UNII: C04977SRJ5)
decyl glucoside (UNII: Z17H97EA6Y)
linolenic acid (UNII: 0RBV727H71)
peg-10 rapeseed sterol (UNII: 258O76T85M)
palmitoyl oligopeptide (UNII: HO4ZT5S86C)
ferric oxide red (UNII: 1K09F3G675)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:13537-241-02	1 in 1 BOX		
1	NDC:13537-241-01	30 mL in 1 BOTTLE, PLASTIC		
2	NDC:13537-241-04	1 in 1 BOX		
2	NDC:13537-241-03	27 mL in 1 BOTTLE, PLASTIC		
3	NDC:13537-241-06	1 in 1 BOX		
3	NDC:13537-241-05	4.5 mL in 1 BOTTLE, PLASTIC		
4	NDC:13537-241-08	1 in 1 BOX		
4	NDC:13537-241-07	3 mL in 1 TUBE		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH FINAL	part352	12/16/2013	

LBEL NATURAL FINISH MOISTURIZING FOUNDATION SPF 25 (CLAIRE 2) - BEIGE

octinoxate and titanium dioxide liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:13537-242
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Octinoxate (UNII: 4Y5P7MUD51) (Octinoxate - UNII:4Y5P7MUD51)	Octinoxate	0.065 g in 1 mL
Titanium Dioxide (UNII: 15FIX9V2JP) (Titanium Dioxide - UNII:15FIX9V2JP)	Titanium Dioxide	0.016 g in 1 mL

Inactive Ingredients

Ingredient Name	Strength
water (UNII: 059QF0KO0R)	
cyclomethicone 5 (UNII: 0THT5PCI0R)	

cyclomethicone 6 (UNII: XHK3U310BA)
propylene glycol dicaprylate/dicaprate (UNII: O4446S9CRA)
peg/ppg-18/18 dimethicone (UNII: 9H0AO7T794)
xylitylglucoside (UNII: O0IEZ166FB)
octyldodecanol (UNII: 461N1O614Y)
oleth-5 (UNII: 1GH33785AY)
anhydroxylitol (UNII: 8XWR7NN42F)
glycerin (UNII: PDC6A3C0OX)
linoleic acid (UNII: 9KJL21T0QJ)
peg/ppg-19/19 dimethicone (UNII: EHH90CO7TL)
microcrystalline wax (UNII: XOF597Q3KY)
alkyl (c12-15) benzoate (UNII: A9EJ3J61HQ)
xylitol (UNII: VCQ006KQ1E)
diazolidinyl urea (UNII: H5RIZ3MPW4)
aluminum oxide (UNII: LM26O6933)
petrolatum (UNII: 4T6H12BN9U)
.alpha.-tocopherol acetate (UNII: 9E8X80D2L0)
triethoxycaprylylsilane (UNII: LDC331P08E)
ribes nigrum seed oil (UNII: GKE1188837)
silicon dioxide (UNII: ETJ7Z6XBU4)
methylparaben (UNII: A218C7HI9T)
propylparaben (UNII: Z8IX2SC1OH)
carnauba wax (UNII: R12CBM0EIZ)
tribehenin (UNII: 8OC9U7TQZ0)
cholesterol (UNII: 97C5T2UQ7J)
butylated hydroxytoluene (UNII: 1P9D0Z171K)
3-((1-menthyl)oxy)propane-1,2-diol (UNII: KD6TZ2QICH)
candelilla wax (UNII: WL0328HX19)
yellow wax (UNII: 2ZA36H0S2V)
cetostearyl alcohol (UNII: 2DMT128M1S)
cetearyl glucoside (UNII: 09FUA47KNA)
polyglyceryl-2 dipolyhydroxystearate (UNII: 9229XJ4V12)
ceramide 2 (UNII: C04977SRJ5)
decyl glucoside (UNII: Z17H97EA6Y)
linolenic acid (UNII: 0RBV727H71)
peg-10 rapeseed sterol (UNII: 258O76T85M)
palmitoyl oligopeptide (UNII: HO4ZT5S86C)
ferric oxide red (UNII: 1K09F3G675)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:13537-242-02	1 in 1 BOX		
1	NDC:13537-242-01	30 mL in 1 BOTTLE, PLASTIC		
2	NDC:13537-242-04	1 in 1 BOX		
2	NDC:13537-242-03	27 mL in 1 BOTTLE, PLASTIC		
3	NDC:13537-242-06	1 in 1 BOX		
3	NDC:13537-242-05	4.5 mL in 1 BOTTLE, PLASTIC		
4	NDC:13537-242-08	1 in 1 BOX		

4 | NDC:13537-242-07 | 3 mL in 1 TUBE

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH FINAL	part352	12/16/2013	

LBEL NATURAL FINISH MOISTURIZING FOUNDATION SPF 25 (CLAIRE 3) - BEIGE

octinoxate and titanium dioxide liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:13537-243
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Octinoxate (UNII: 4Y5P7MUD51) (Octinoxate - UNII:4Y5P7MUD51)	Octinoxate	0.065 g in 1 mL
Titanium Dioxide (UNII: 15FIX9V2JP) (Titanium Dioxide - UNII:15FIX9V2JP)	Titanium Dioxide	0.016 g in 1 mL

Inactive Ingredients

Ingredient Name	Strength
water (UNII: 059QF0KO0R)	
cyclomethicone 5 (UNII: 0THT5PCI0R)	
cyclomethicone 6 (UNII: XHK3U310BA)	
propylene glycol dicaprylate/dicaprate (UNII: O4446S9CRA)	
peg/ppg-18/18 dimethicone (UNII: 9H0AO7T794)	
xylitylglucoside (UNII: O0IEZ166FB)	
octyldodecanol (UNII: 461N1O614Y)	
oleth-5 (UNII: 1GH33785AY)	
anhydroxylitol (UNII: 8XWR7NN42F)	
glycerin (UNII: PDC6A3C0OX)	
linoleic acid (UNII: 9KJL21T0QJ)	
peg/ppg-19/19 dimethicone (UNII: EHH90CO7TL)	
microcrystalline wax (UNII: XOF597Q3KY)	
alkyl (c12-15) benzoate (UNII: A9EJ3J61HQ)	
xylitol (UNII: VCQ006KQ1E)	
diazolidinyl urea (UNII: H5RIZ3MPW4)	
aluminum oxide (UNII: LM26O6933)	
petrolatum (UNII: 4T6H12BN9U)	
.alpha.-tocopherol acetate (UNII: 9E8X80D2L0)	
triethoxycaprylylsilane (UNII: LDC331P08E)	
ribes nigrum seed oil (UNII: GKE1188837)	
silicon dioxide (UNII: ETJ7Z6XBU4)	

methylparaben (UNII: A2I8C7H9T)
propylparaben (UNII: Z8IX2SC1OH)
carnauba wax (UNII: R12CBM0EIZ)
tribehenin (UNII: 8OC9U7TQZ0)
cholesterol (UNII: 97C5T2UQ7J)
butylated hydroxytoluene (UNII: 1P9D0Z171K)
3-((1-menthyl)oxy)propane-1,2-diol (UNII: KD6TZ2QICH)
candelilla wax (UNII: WL0328HX19)
yellow wax (UNII: 2ZA36H0S2V)
cetostearyl alcohol (UNII: 2DMT128M1S)
cetearyl glucoside (UNII: 09FUA47KNA)
polyglyceryl-2 dipolyhydroxystearate (UNII: 9229XJ4V12)
ceramide 2 (UNII: C04977SRJ5)
decyl glucoside (UNII: Z17H97EA6Y)
linolenic acid (UNII: 0RBV727H71)
peg-10 rapeseed sterol (UNII: 258O76T85M)
palmitoyl oligopeptide (UNII: HO4ZT5S86C)
ferric oxide red (UNII: 1K09F3G675)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:13537-243-02	1 in 1 BOX		
1	NDC:13537-243-01	30 mL in 1 BOTTLE, PLASTIC		
2	NDC:13537-243-04	1 in 1 BOX		
2	NDC:13537-243-03	27 mL in 1 BOTTLE, PLASTIC		
3	NDC:13537-243-06	1 in 1 BOX		
3	NDC:13537-243-05	4.5 mL in 1 BOTTLE, PLASTIC		
4	NDC:13537-243-08	1 in 1 BOX		
4	NDC:13537-243-07	3 mL in 1 TUBE		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH FINAL	part352	12/16/2013	

LBEL NATURAL FINISH MOISTURIZING FOUNDATION SPF 25 (CLAIRE 4) - BEIGE

octinoxate and titanium dioxide liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:13537-244
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Octinoxate (UNII: 4Y5P7MUD51) (Octinoxate - UNII:4Y5P7MUD51)	Octinoxate	0.065 g in 1 mL
Titanium Dioxide (UNII: 15FIX9V2JP) (Titanium Dioxide - UNII:15FIX9V2JP)	Titanium Dioxide	0.016 g in 1 mL
Inactive Ingredients		
Ingredient Name	Strength	
water (UNII: 059QF0KO0R)		
cyclomethicone 5 (UNII: 0THT5PCI0R)		
cyclomethicone 6 (UNII: XHK3U310BA)		
propylene glycol dicaprylate/dicaprate (UNII: O4446S9CRA)		
peg/ppg-18/18 dimethicone (UNII: 9H0AO7T794)		
xylitylglucoside (UNII: O0IEZ166FB)		
octyldodecanol (UNII: 461N1O614Y)		
oleth-5 (UNII: 1GH33785AY)		
anhydroxylitol (UNII: 8XWR7NN42F)		
glycerin (UNII: PDC6A3C0OX)		
linoleic acid (UNII: 9KJL21T0QJ)		
peg/ppg-19/19 dimethicone (UNII: EHH90CO7TL)		
microcrystalline wax (UNII: XOF597Q3KY)		
alkyl (c12-15) benzoate (UNII: A9EJ3J61HQ)		
xylitol (UNII: VCQ006KQ1E)		
diazolidinyl urea (UNII: H5RIZ3MPW4)		
aluminum oxide (UNII: LM26O6933)		
petrolatum (UNII: 4T6H12BN9U)		
.alpha.-tocopherol acetate (UNII: 9E8X80D2L0)		
triethoxycaprylylsilane (UNII: LDC331P08E)		
ribes nigrum seed oil (UNII: GKE1188837)		
silicon dioxide (UNII: ETJ7Z6XBU4)		
methylparaben (UNII: A218C7H9T)		
propylparaben (UNII: Z8IX2SC1OH)		
carnauba wax (UNII: R12CBM0EIZ)		
tribehenin (UNII: 8OC9U7TQZ0)		
cholesterol (UNII: 97C5T2UQ7J)		
butylated hydroxytoluene (UNII: 1P9D0Z171K)		
3-((1-menthyl)oxy)propane-1,2-diol (UNII: KD6TZ2QICH)		
candelilla wax (UNII: WL0328HX19)		
yellow wax (UNII: 2ZA36H0S2V)		
cetostearyl alcohol (UNII: 2DMT128M1S)		
cetearyl glucoside (UNII: 09FUA47KNA)		
polyglyceryl-2 dipolyhydroxystearate (UNII: 9229XJ4V12)		
ceramide 2 (UNII: C04977SRJ5)		
decyl glucoside (UNII: Z17H97EA6Y)		
linolenic acid (UNII: 0RBV727H71)		
peg-10 rapeseed sterol (UNII: 258O76T85M)		
palmitoyl oligopeptide (UNII: HO4ZT5S86C)		
ferric oxide red (UNII: 1K09F3G675)		

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:13537-244-02	1 in 1 BOX		
1	NDC:13537-244-01	30 mL in 1 BOTTLE, PLASTIC		
2	NDC:13537-244-04	1 in 1 BOX		
2	NDC:13537-244-03	27 mL in 1 BOTTLE, PLASTIC		
3	NDC:13537-244-06	1 in 1 BOX		
3	NDC:13537-244-05	4.5 mL in 1 BOTTLE, PLASTIC		
4	NDC:13537-244-08	1 in 1 BOX		
4	NDC:13537-244-07	3 mL in 1 TUBE		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH FINAL	part352	12/16/2013	

LBEL NATURAL FINISH MOISTURIZING FOUNDATION SPF 25 (MEDIUM 5) - BROWN

octinoxate and titanium dioxide liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:13537-245
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Octinoxate (UNII: 4Y5P7MUD51) (Octinoxate - UNII:4Y5P7MUD51)	Octinoxate	0.065 g in 1 mL
Titanium Dioxide (UNII: 15FIX9V2JP) (Titanium Dioxide - UNII:15FIX9V2JP)	Titanium Dioxide	0.016 g in 1 mL

Inactive Ingredients

Ingredient Name	Strength
water (UNII: 059QF0KO0R)	
cyclomethicone 5 (UNII: 0THT5PCI0R)	
cyclomethicone 6 (UNII: XHK3U310BA)	
propylene glycol dicaprylate/dicaprate (UNII: O4446S9CRA)	
peg/ppg-18/18 dimethicone (UNII: 9H0AO7T794)	
xylitylglucoside (UNII: O0IEZ166FB)	
octyldodecanol (UNII: 461N1O614Y)	
oleth-5 (UNII: 1GH33785AY)	
anhydroxylitol (UNII: 8XWR7NN42F)	
glycerin (UNII: PDC6A3C0OX)	
linoleic acid (UNII: 9KJL21T0QJ)	
peg/ppg-19/19 dimethicone (UNII: EHH90CO7TL)	
microcrystalline wax (UNII: XOF597Q3KY)	

alkyl (c12-15) benzoate (UNII: A9EJ3J61HQ)
xylitol (UNII: VCQ006KQ1E)
diazolidinyl urea (UNII: H5RIZ3MPW4)
aluminum oxide (UNII: LM26O6933)
petrolatum (UNII: 4T6H12BN9U)
.alpha.-tocopherol acetate (UNII: 9E8X80D2L0)
triethoxycaprylylsilane (UNII: LDC331P08E)
ribes nigrum seed oil (UNII: GKE1188837)
silicon dioxide (UNII: ETJ7Z6XBU4)
methylparaben (UNII: A28C7H9T)
propylparaben (UNII: Z8IX2SC1OH)
carnauba wax (UNII: R12CBM0EIZ)
tribehenin (UNII: 8OC9U7TQZ0)
cholesterol (UNII: 97C5T2UQ7J)
butylated hydroxytoluene (UNII: 1P9D0Z171K)
3-((1-menthyl)oxy)propane-1,2-diol (UNII: KD6TZ2QICH)
candelilla wax (UNII: WL0328HX19)
yellow wax (UNII: 2ZA36H0S2V)
cetostearyl alcohol (UNII: 2DMT128M1S)
cetearyl glucoside (UNII: 09FUA47KNA)
polyglyceryl-2 dipolyhydroxystearate (UNII: 9229XJ4V12)
ceramide 2 (UNII: C04977SRJ5)
decyl glucoside (UNII: Z17H97EA6Y)
linolenic acid (UNII: 0RBV727H71)
peg-10 rapeseed sterol (UNII: 258O76T85M)
palmitoyl oligopeptide (UNII: HO4ZT5S86C)
ferric oxide red (UNII: 1K09F3G675)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:13537-245-02	1 in 1 BOX		
1	NDC:13537-245-01	30 mL in 1 BOTTLE, PLASTIC		
2	NDC:13537-245-04	1 in 1 BOX		
2	NDC:13537-245-03	27 mL in 1 BOTTLE, PLASTIC		
3	NDC:13537-245-06	1 in 1 BOX		
3	NDC:13537-245-05	4.5 mL in 1 BOTTLE, PLASTIC		
4	NDC:13537-245-08	1 in 1 BOX		
4	NDC:13537-245-07	3 mL in 1 TUBE		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH FINAL	part352	12/16/2013	

LBEL NATURAL FINISH MOISTURIZING FOUNDATION SPF 25 (MEDIUM 6) - BROWN

octinoxate and titanium dioxide liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:13537-246
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Octinoxate (UNII: 4Y5P7MUD51) (Octinoxate - UNII:4Y5P7MUD51)	Octinoxate	0.065 g in 1 mL
Titanium Dioxide (UNII: 15FIX9V2JP) (Titanium Dioxide - UNII:15FIX9V2JP)	Titanium Dioxide	0.016 g in 1 mL

Inactive Ingredients

Ingredient Name	Strength
water (UNII: 059QF0KO0R)	
cyclomethicone 5 (UNII: 0THT5PCI0R)	
cyclomethicone 6 (UNII: XHK3U310BA)	
propylene glycol dicaprylate/dicaprate (UNII: O4446S9CRA)	
peg/ppg-18/18 dimethicone (UNII: 9H0AO7T794)	
xylitylglucoside (UNII: O0IEZ166FB)	
octyldodecanol (UNII: 461N1O614Y)	
oleth-5 (UNII: 1GH33785AY)	
anhydroxylitol (UNII: 8XWR7NN42F)	
glycerin (UNII: PDC6A3C0OX)	
linoleic acid (UNII: 9KJL21T0QJ)	
peg/ppg-19/19 dimethicone (UNII: EHH90CO7TL)	
microcrystalline wax (UNII: XOF597Q3KY)	
alkyl (c12-15) benzoate (UNII: A9EJ3J61HQ)	
xylitol (UNII: VCQ006KQ1E)	
diazolidinyl urea (UNII: H5RIZ3MPW4)	
aluminum oxide (UNII: LMI26O6933)	
petrolatum (UNII: 4T6H12BN9U)	
.alpha.-tocopherol acetate (UNII: 9E8X80D2L0)	
triethoxycaprylylsilane (UNII: LDC331P08E)	
ribes nigrum seed oil (UNII: GKE1188837)	
silicon dioxide (UNII: ETJ7Z6XBU4)	
methylparaben (UNII: A218C7H9T)	
propylparaben (UNII: Z8IX2SC1OH)	
carnauba wax (UNII: R12CBM0EIZ)	
tribehenin (UNII: 8OC9U7TQZ0)	
cholesterol (UNII: 97C5T2UQ7J)	
butylated hydroxytoluene (UNII: 1P9D0Z171K)	
3-((1-menthyl)oxy)propane-1,2-diol (UNII: KD6TZ2QICH)	
candelilla wax (UNII: WL0328HX19)	
yellow wax (UNII: 2ZA36H0S2V)	
cetostearyl alcohol (UNII: 2DMT128M1S)	
cetearyl glucoside (UNII: 09FUA47KNA)	

polyglyceryl-2 dipolyhydroxystearate (UNII: 9229XJ4V12)

ceramide 2 (UNII: C04977SRJ5)

decyl glucoside (UNII: Z17H97EA6Y)

linolenic acid (UNII: 0RBV727H71)

peg-10 rapeseed sterol (UNII: 258O76T85M)

palmitoyl oligopeptide (UNII: HO4ZT5S86C)

ferric oxide red (UNII: 1K09F3G675)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:13537-246-02	1 in 1 BOX		
1	NDC:13537-246-01	30 mL in 1 BOTTLE, PLASTIC		
2	NDC:13537-246-04	1 in 1 BOX		
2	NDC:13537-246-03	27 mL in 1 BOTTLE, PLASTIC		
3	NDC:13537-246-06	1 in 1 BOX		
3	NDC:13537-246-05	4.5 mL in 1 BOTTLE, PLASTIC		
4	NDC:13537-246-08	1 in 1 BOX		
4	NDC:13537-246-07	3 mL in 1 TUBE		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH FINAL	part352	12/16/2013	

LBEL NATURAL FINISH MOISTURIZING FOUNDATION SPF 25 (MEDIUM 7) - BROWN

octinoxate and titanium dioxide liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:13537-247
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Octinoxate (UNII: 4Y5P7MUD51) (Octinoxate - UNII:4Y5P7MUD51)	Octinoxate	0.065 g in 1 mL
Titanium Dioxide (UNII: 15FIX9V2JP) (Titanium Dioxide - UNII:15FIX9V2JP)	Titanium Dioxide	0.016 g in 1 mL

Inactive Ingredients

Ingredient Name	Strength
water (UNII: 059QF0KO0R)	
cyclomethicone 5 (UNII: 0THT5PCI0R)	
cyclomethicone 6 (UNII: XHK3U310BA)	
propylene glycol dicaprylate/dicaprate (UNII: O4446S9CRA)	

peg/ppg-18/18 dimethicone (UNII: 9H0AO7T794)
xylitylglucoside (UNII: O0IEZ166FB)
octyldodecanol (UNII: 461N1O614Y)
oleth-5 (UNII: 1GH33785AY)
anhydroxylitol (UNII: 8XWR7NN42F)
glycerin (UNII: PDC6A3C0OX)
linoleic acid (UNII: 9KJL21T0QJ)
peg/ppg-19/19 dimethicone (UNII: EHH90CO7TL)
microcrystalline wax (UNII: XOF597Q3KY)
alkyl (c12-15) benzoate (UNII: A9EJ3J61HQ)
xylitol (UNII: VCQ006KQ1E)
diazolidinyl urea (UNII: H5RIZ3MPW4)
aluminum oxide (UNII: LM26O6933)
petrolatum (UNII: 4T6H12BN9U)
.alpha.-tocopherol acetate (UNII: 9E8X80D2L0)
triethoxycaprylylsilane (UNII: LDC331P08E)
ribes nigrum seed oil (UNII: GKE1188837)
silicon dioxide (UNII: ETJ7Z6XBU4)
methylparaben (UNII: A2I8C7HI9T)
propylparaben (UNII: Z8IX2SC1OH)
carnauba wax (UNII: R12CBM0EIZ)
tribehenin (UNII: 8OC9U7TQZ0)
cholesterol (UNII: 97C5T2UQ7J)
butylated hydroxytoluene (UNII: 1P9D0Z171K)
3-((1-menthyl)oxy)propane-1,2-diol (UNII: KD6TZ2Q1CH)
candelilla wax (UNII: WL0328HX19)
yellow wax (UNII: 2ZA36H0S2V)
cetostearyl alcohol (UNII: 2DMT128M1S)
cetearyl glucoside (UNII: 09FUA47KNA)
polyglyceryl-2 dipolyhydroxystearate (UNII: 9229XJ4V12)
ceramide 2 (UNII: C04977SRJ5)
decyl glucoside (UNII: Z17H97EA6Y)
linolenic acid (UNII: 0RBV727H71)
peg-10 rapeseed sterol (UNII: 258O76T85M)
palmitoyl oligopeptide (UNII: HO4ZT5S86C)
ferric oxide red (UNII: 1K09F3G675)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:13537-247-02	1 in 1 BOX		
1	NDC:13537-247-01	30 mL in 1 BOTTLE, PLASTIC		
2	NDC:13537-247-04	1 in 1 BOX		
2	NDC:13537-247-03	27 mL in 1 BOTTLE, PLASTIC		
3	NDC:13537-247-06	1 in 1 BOX		
3	NDC:13537-247-05	4.5 mL in 1 BOTTLE, PLASTIC		
4	NDC:13537-247-08	1 in 1 BOX		
4	NDC:13537-247-07	3 mL in 1 TUBE		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH FINAL	part352	12/16/2013	

LBEL NATURAL FINISH MOISTURIZING FOUNDATION SPF 25 (OBSCURE 8) - BROWN

octinoxate and titanium dioxide liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:13537-248
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Octinoxate (UNII: 4Y5P7MUD51) (Octinoxate - UNII:4Y5P7MUD51)	Octinoxate	0.065 g in 1 mL
Titanium Dioxide (UNII: 15FIX9V2JP) (Titanium Dioxide - UNII:15FIX9V2JP)	Titanium Dioxide	0.016 g in 1 mL

Inactive Ingredients

Ingredient Name	Strength
water (UNII: 059QF0KO0R)	
cyclomethicone 5 (UNII: 0THT5PCI0R)	
cyclomethicone 6 (UNII: XHK3U310BA)	
propylene glycol dicaprylate/dicaprate (UNII: O4446S9CRA)	
peg/ppg-18/18 dimethicone (UNII: 9H0AO7T794)	
xylitylglucoside (UNII: O0IEZ166FB)	
octyldodecanol (UNII: 461N1O614Y)	
oleth-5 (UNII: 1GH33785AY)	
anhydroxylitol (UNII: 8XWR7NN42F)	
glycerin (UNII: PDC6A3C0OX)	
linoleic acid (UNII: 9KJL21T0QJ)	
peg/ppg-19/19 dimethicone (UNII: EHH90CO7TL)	
microcrystalline wax (UNII: XOF597Q3KY)	
alkyl (c12-15) benzoate (UNII: A9EJ3J61HQ)	
xylitol (UNII: VCQ006KQ1E)	
diazolidinyl urea (UNII: H5RIZ3MPW4)	
aluminum oxide (UNII: LM26O6933)	
petrolatum (UNII: 4T6H12BN9U)	
.alpha.-tocopherol acetate (UNII: 9E8X80D2L0)	
triethoxycaprylylsilane (UNII: LDC331P08E)	
ribes nigrum seed oil (UNII: GKE1188837)	
silicon dioxide (UNII: ETJ7Z6XBU4)	
methylparaben (UNII: A218C7H9T)	
propylparaben (UNII: Z8IX2SC1OH)	
carnauba wax (UNII: R12CBM0EIZ)	

tribehenin (UNII: 8OC9U7TQZ0)
cholesterol (UNII: 97C5T2UQ7J)
butylated hydroxytoluene (UNII: 1P9D0Z171K)
3-((1-menthyl)oxy)propane-1,2-diol (UNII: KD6TZ2QICH)
candelilla wax (UNII: WL0328HX19)
yellow wax (UNII: 2ZA36H0S2V)
cetostearyl alcohol (UNII: 2DMT128M1S)
cetearyl glucoside (UNII: 09FUA47KNA)
polyglyceryl-2 dipolyhydroxystearate (UNII: 9229XJ4V12)
ceramide 2 (UNII: C04977SRJ5)
decyl glucoside (UNII: Z17H97EA6Y)
linolenic acid (UNII: 0RBV727H71)
peg-10 rapeseed sterol (UNII: 258O76T85M)
palmitoyl oligopeptide (UNII: HO4ZT5S86C)
ferric oxide red (UNII: 1K09F3G675)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:13537-248-02	1 in 1 BOX		
1	NDC:13537-248-01	30 mL in 1 BOTTLE, PLASTIC		
2	NDC:13537-248-04	1 in 1 BOX		
2	NDC:13537-248-03	27 mL in 1 BOTTLE, PLASTIC		
3	NDC:13537-248-06	1 in 1 BOX		
3	NDC:13537-248-05	4.5 mL in 1 BOTTLE, PLASTIC		
4	NDC:13537-248-08	1 in 1 BOX		
4	NDC:13537-248-07	3 mL in 1 TUBE		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH FINAL	part352	12/16/2013	

LBEL NATURAL FINISH MOISTURIZING FOUNDATION SPF 25 (OBSCURE 9) - BROWN

octinoxate and titanium dioxide liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:13537-249
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Octinoxate (UNII: 4Y5P7MUD51) (Octinoxate - UNII:4Y5P7MUD51)	Octinoxate	0.065 g in 1 mL
Titanium Dioxide (UNII: 15FIX9V2JP) (Titanium Dioxide - UNII:15FIX9V2JP)	Titanium Dioxide	0.016 g in 1 mL

Inactive Ingredients

Ingredient Name	Strength
water (UNII: 059QF0KO0R)	
cyclomethicone 5 (UNII: 0THT5PCI0R)	
cyclomethicone 6 (UNII: XHK3U310BA)	
propylene glycol dicaprylate/dicaprate (UNII: O4446S9CRA)	
peg/ppg-18/18 dimethicone (UNII: 9H0AO7T794)	
xylitylglucoside (UNII: O0IEZ166FB)	
octyldodecanol (UNII: 461N1O614Y)	
oleth-5 (UNII: 1GH33785AY)	
anhydroxylitol (UNII: 8XWR7NN42F)	
glycerin (UNII: PDC6A3C0OX)	
linoleic acid (UNII: 9KJL21T0QJ)	
peg/ppg-19/19 dimethicone (UNII: EHH90CO7TL)	
microcrystalline wax (UNII: XOF597Q3KY)	
alkyl (c12-15) benzoate (UNII: A9EJ3J61HQ)	
xylitol (UNII: VCQ006KQ1E)	
diazolidinyl urea (UNII: H5RIZ3MPW4)	
aluminum oxide (UNII: LMI26O6933)	
petrolatum (UNII: 4T6H12BN9U)	
.alpha.-tocopherol acetate (UNII: 9E8X80D2L0)	
triethoxycaprylylsilane (UNII: LDC331P08E)	
ribes nigrum seed oil (UNII: GKE1188837)	
silicon dioxide (UNII: ETJ7Z6XBU4)	
methylparaben (UNII: A2I8C7HI9T)	
propylparaben (UNII: Z8IX2SC1OH)	
carnauba wax (UNII: R12CBM0EIZ)	
tribehenin (UNII: 8OC9U7TQZ0)	
cholesterol (UNII: 97C5T2UQ7J)	
butylated hydroxytoluene (UNII: 1P9D0Z171K)	
3-((1-menthyl)oxy)propane-1,2-diol (UNII: KD6TZ2Q1CH)	
candelilla wax (UNII: WL0328HX19)	
yellow wax (UNII: 2ZA36H0S2V)	
cetostearyl alcohol (UNII: 2DMT128M1S)	
cetearyl glucoside (UNII: 09FUA47KNA)	
polyglyceryl-2 dipolyhydroxystearate (UNII: 9229XJ4V12)	
ceramide 2 (UNII: C04977SRJ5)	
decyl glucoside (UNII: Z17H97EA6Y)	
linolenic acid (UNII: 0RBV727H71)	
peg-10 rapeseed sterol (UNII: 258O76T85M)	
palmitoyl oligopeptide (UNII: HO4ZT5S86C)	
ferric oxide red (UNII: 1K09F3G675)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:13537-249-02	1 in 1 BOX		

1	NDC:13537-249-01	30 mL in 1 BOTTLE, PLASTIC		
2	NDC:13537-249-04	1 in 1 BOX		
2	NDC:13537-249-03	27 mL in 1 BOTTLE, PLASTIC		
3	NDC:13537-249-06	1 in 1 BOX		
3	NDC:13537-249-05	4.5 mL in 1 BOTTLE, PLASTIC		
4	NDC:13537-249-08	1 in 1 BOX		
4	NDC:13537-249-07	3 mL in 1 TUBE		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH FINAL	part352	12/16/2013	

LBEL NATURAL FINISH MOISTURIZING FOUNDATION SPF 25 (MEDIUM 6A) - BROWN

octinoxate and titanium dioxide liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:13537-299
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Octinoxate (UNII: 4Y5P7MUD51) (Octinoxate - UNII:4Y5P7MUD51)	Octinoxate	0.065 g in 1 mL
Titanium Dioxide (UNII: 15FIX9V2JP) (Titanium Dioxide - UNII:15FIX9V2JP)	Titanium Dioxide	0.016 g in 1 mL

Inactive Ingredients

Ingredient Name	Strength
water (UNII: 059QF0KO0R)	
cyclomethicone 5 (UNII: 0THT5PCI0R)	
cyclomethicone 6 (UNII: XHK3U310BA)	
propylene glycol dicaprylate/dicaprate (UNII: O4446S9CRA)	
peg/ppg-18/18 dimethicone (UNII: 9H0AO7T794)	
xylitylglucoside (UNII: O0IEZ166FB)	
octyldodecanol (UNII: 461N1O614Y)	
oleth-5 (UNII: 1GH33785AY)	
anhydroxylitol (UNII: 8XWR7NN42F)	
glycerin (UNII: PDC6A3C0OX)	
linoleic acid (UNII: 9KJL21T0QJ)	
peg/ppg-19/19 dimethicone (UNII: EHH90CO7TL)	
microcrystalline wax (UNII: XOF597Q3KY)	
alkyl (c12-15) benzoate (UNII: A9EJ3J61HQ)	
xylitol (UNII: VCQ006KQ1E)	
diazolidinyl urea (UNII: H5RIZ3MPW4)	

aluminum oxide (UNII: LM26O6933)
petrolatum (UNII: 4T6H12BN9U)
.alpha.-tocopherol acetate (UNII: 9E8X80D2L0)
triethoxycaprylsilane (UNII: LDC331P08E)
ribes nigrum seed oil (UNII: GKE1188837)
silicon dioxide (UNII: ETJ7Z6XBU4)
methylparaben (UNII: A218C7HI9T)
propylparaben (UNII: Z8IX2SC1OH)
carnauba wax (UNII: R12CBM0EIZ)
tribehenin (UNII: 8OC9U7TQZ0)
cholesterol (UNII: 97C5T2UQ7J)
butylated hydroxytoluene (UNII: 1P9D0Z171K)
3-((1-menthyl)oxy)propane-1,2-diol (UNII: KD6TZ2QICH)
candelilla wax (UNII: WL0328HX19)
yellow wax (UNII: 2ZA36H0S2V)
cetostearyl alcohol (UNII: 2DMT128M1S)
cetearyl glucoside (UNII: 09FUA47KNA)
polyglyceryl-2 dipolyhydroxystearate (UNII: 9229XJ4V12)
ceramide 2 (UNII: C04977SRJ5)
decyl glucoside (UNII: Z17H97EA6Y)
linolenic acid (UNII: 0RBV727H71)
peg-10 rapeseed sterol (UNII: 258O76T85M)
palmitoyl oligopeptide (UNII: HO4ZT5S86C)
ferric oxide red (UNII: 1K09F3G675)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:13537-299-02	1 in 1 BOX		
1	NDC:13537-299-01	30 mL in 1 BOTTLE, PLASTIC		
2	NDC:13537-299-04	1 in 1 BOX		
2	NDC:13537-299-03	27 mL in 1 BOTTLE, PLASTIC		
3	NDC:13537-299-06	1 in 1 BOX		
3	NDC:13537-299-05	4.5 mL in 1 BOTTLE, PLASTIC		
4	NDC:13537-299-08	1 in 1 BOX		
4	NDC:13537-299-07	3 mL in 1 TUBE		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH FINAL	part352	12/16/2013	

LBEL NATURAL FINISH MOISTURIZING FOUNDATION SPF 25 (MEDIUM 6B) - BROWN

octinoxate and titanium dioxide liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:13537-251
Route of Administration	TOPICAL		
Active Ingredient/Active Moiety			
	Ingredient Name	Basis of Strength	Strength
	Octinoxate (UNII: 4Y5P7MUD51) (Octinoxate - UNII:4Y5P7MUD51)	Octinoxate	0.065 g in 1 mL
	Titanium Dioxide (UNII: 15FIX9V2JP) (Titanium Dioxide - UNII:15FIX9V2JP)	Titanium Dioxide	0.016 g in 1 mL
Inactive Ingredients			
	Ingredient Name	Strength	
	water (UNII: 059QF0KO0R)		
	cyclomethicone 5 (UNII: 0THT5PCI0R)		
	cyclomethicone 6 (UNII: XHK3U310BA)		
	propylene glycol dicaprylate/dicaprate (UNII: O4446S9CRA)		
	peg/ppg-18/18 dimethicone (UNII: 9H0AO7T794)		
	xylitylglucoside (UNII: O0IEZ166FB)		
	octyldodecanol (UNII: 461N1O614Y)		
	oleth-5 (UNII: 1GH33785AY)		
	anhydroxylitol (UNII: 8XWR7NN42F)		
	glycerin (UNII: PDC6A3C0OX)		
	linoleic acid (UNII: 9KJL21T0QJ)		
	peg/ppg-19/19 dimethicone (UNII: EHH90CO7TL)		
	microcrystalline wax (UNII: XOF597Q3KY)		
	alkyl (c12-15) benzoate (UNII: A9EJ3J61HQ)		
	xylitol (UNII: VCQ006KQ1E)		
	diazolidinyl urea (UNII: H5RIZ3MPW4)		
	aluminum oxide (UNII: LMI26O6933)		
	petrolatum (UNII: 4T6H12BN9U)		
	.alpha.-tocopherol acetate (UNII: 9E8X80D2L0)		
	triethoxycaprylylsilane (UNII: LDC331P08E)		
	ribes nigrum seed oil (UNII: GKE1188837)		
	silicon dioxide (UNII: ETJ7Z6XBU4)		
	methylparaben (UNII: A218C7H9T)		
	propylparaben (UNII: Z8IX2SC1OH)		
	carnauba wax (UNII: R12CBM0EIZ)		
	tribehenin (UNII: 8OC9U7TQZ0)		
	cholesterol (UNII: 97C5T2UQ7J)		
	butylated hydroxytoluene (UNII: 1P9D0Z171K)		
	3-((1-menthyl)oxy)propane-1,2-diol (UNII: KD6TZ2QICH)		
	candelilla wax (UNII: WL0328HX19)		
	yellow wax (UNII: 2ZA36H0S2V)		
	cetostearyl alcohol (UNII: 2DMT128M1S)		
	cetearyl glucoside (UNII: 09FUA47KNA)		
	polyglyceryl-2 dipolyhydroxystearate (UNII: 9229XJ4V12)		
	ceramide 2 (UNII: C04977SRJ5)		
	decyl glucoside (UNII: Z17H97EA6Y)		
	linolenic acid (UNII: 0RBV727H71)		

peg-10 rapeseed sterol (UNII: 258O76T85M)

palmitoyl oligopeptide (UNII: HO4ZT5S86C)

ferric oxide red (UNII: 1K09F3G675)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:13537-251-02	1 in 1 BOX		
1	NDC:13537-251-01	30 mL in 1 BOTTLE, PLASTIC		
2	NDC:13537-251-04	1 in 1 BOX		
2	NDC:13537-251-03	27 mL in 1 BOTTLE, PLASTIC		
3	NDC:13537-251-06	1 in 1 BOX		
3	NDC:13537-251-05	4.5 mL in 1 BOTTLE, PLASTIC		
4	NDC:13537-251-08	1 in 1 BOX		
4	NDC:13537-251-07	3 mL in 1 TUBE		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH FINAL	part352	12/16/2013	

LBEL NATURAL FINISH MOISTURIZING FOUNDATION SPF 25 (OBSCURE 8A) - BROWN

octinoxate and titanium dioxide liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:13537-252
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Octinoxate (UNII: 4Y5P7MUD51) (Octinoxate - UNII:4Y5P7MUD51)	Octinoxate	0.065 g in 1 mL
Titanium Dioxide (UNII: 15FIX9V2JP) (Titanium Dioxide - UNII:15FIX9V2JP)	Titanium Dioxide	0.016 g in 1 mL

Inactive Ingredients

Ingredient Name	Strength
water (UNII: 059QF0KO0R)	
cyclomethicone 5 (UNII: 0THT5PCI0R)	
cyclomethicone 6 (UNII: XHK3U310BA)	
propylene glycol dicaprylate/dicaprate (UNII: O4446S9CRA)	
peg/ppg-18/18 dimethicone (UNII: 9H0AO7T794)	
xylitylglucoside (UNII: O0IEZ166FB)	
octyldodecanol (UNII: 461N1O614Y)	
oleth-5 (UNII: 1GH33785AY)	

anhydroxylitol (UNII: 8XWR7NN42F)
glycerin (UNII: PDC6A3C00X)
linoleic acid (UNII: 9KJL21T0QJ)
peg/ppg-19/19 dimethicone (UNII: EHH90CO7TL)
microcrystalline wax (UNII: XOF597Q3KY)
alkyl (c12-15) benzoate (UNII: A9EJ3J61HQ)
xylitol (UNII: VCQ006KQ1E)
diazolidinyl urea (UNII: H5RIZ3MPW4)
aluminum oxide (UNII: LMI26O6933)
petrolatum (UNII: 4T6H12BN9U)
.alpha.-tocopherol acetate (UNII: 9E8X80D2L0)
triethoxycaprylsilane (UNII: LDC331P08E)
ribes nigrum seed oil (UNII: GKE1188837)
silicon dioxide (UNII: ETJ7Z6XBU4)
methylparaben (UNII: A218C7H9T)
propylparaben (UNII: Z8IX2SC1OH)
carnauba wax (UNII: R12CBM0EIZ)
tribehenin (UNII: 8OC9U7TQZ0)
cholesterol (UNII: 97C5T2UQ7J)
butylated hydroxytoluene (UNII: 1P9D0Z171K)
3-((1-menthyl)oxy)propane-1,2-diol (UNII: KD6TZ2QICH)
candelilla wax (UNII: WL0328HX19)
yellow wax (UNII: 2ZA36H0S2V)
cetostearyl alcohol (UNII: 2DMT128M1S)
cetearyl glucoside (UNII: 09FUA47KNA)
polyglyceryl-2 dipolyhydroxystearate (UNII: 9229XJ4V12)
ceramide 2 (UNII: C04977SRJ5)
decyl glucoside (UNII: Z17H97EA6Y)
linolenic acid (UNII: 0RBV727H71)
peg-10 rapeseed sterol (UNII: 258O76T85M)
palmitoyl oligopeptide (UNII: HO4ZT5S86C)
ferric oxide red (UNII: 1K09F3G675)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:13537-252-02	1 in 1 BOX		
1	NDC:13537-252-01	30 mL in 1 BOTTLE, PLASTIC		
2	NDC:13537-252-04	1 in 1 BOX		
2	NDC:13537-252-03	27 mL in 1 BOTTLE, PLASTIC		
3	NDC:13537-252-06	1 in 1 BOX		
3	NDC:13537-252-05	4.5 mL in 1 BOTTLE, PLASTIC		
4	NDC:13537-252-08	1 in 1 BOX		
4	NDC:13537-252-07	3 mL in 1 TUBE		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH FINAL	part352	12/16/2013	

LBEL NATURAL FINISH MOISTURIZING FOUNDATION SPF 25 (OBSCURE 8B) - BROWN

octinoxate and titanium dioxide liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:13537-253
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Octinoxate (UNII: 4Y5P7MUD51) (Octinoxate - UNII:4Y5P7MUD51)	Octinoxate	0.065 g in 1 mL
Titanium Dioxide (UNII: 15FIX9V2JP) (Titanium Dioxide - UNII:15FIX9V2JP)	Titanium Dioxide	0.016 g in 1 mL

Inactive Ingredients

Ingredient Name	Strength
water (UNII: 059QF0KO0R)	
cyclomethicone 5 (UNII: 0THT5PCI0R)	
cyclomethicone 6 (UNII: XHK3U310BA)	
propylene glycol dicaprylate/dicaprate (UNII: O4446S9CRA)	
peg/ppg-18/18 dimethicone (UNII: 9H0AO7T794)	
xylitylglucoside (UNII: O0IEZ166FB)	
octyldodecanol (UNII: 461N1O614Y)	
oleth-5 (UNII: 1GH33785AY)	
anhydroxylitol (UNII: 8XWR7NN42F)	
glycerin (UNII: PDC6A3C0OX)	
linoleic acid (UNII: 9KJL21T0QJ)	
peg/ppg-19/19 dimethicone (UNII: EHH90CO7TL)	
microcrystalline wax (UNII: XOF597Q3KY)	
alkyl (c12-15) benzoate (UNII: A9EJ3J61HQ)	
xylitol (UNII: VCQ006KQ1E)	
diazolidinyl urea (UNII: H5RIZ3MPW4)	
aluminum oxide (UNII: LMI26O6933)	
petrolatum (UNII: 4T6H12BN9U)	
.alpha.-tocopherol acetate (UNII: 9E8X80D2L0)	
triethoxycaprylylsilane (UNII: LDC331P08E)	
ribes nigrum seed oil (UNII: GKE1188837)	
silicon dioxide (UNII: ETJ7Z6XBU4)	
methylparaben (UNII: A218C7H9T)	
propylparaben (UNII: Z8IX2SC1OH)	
carnauba wax (UNII: R12CBM0EIZ)	
tribehenin (UNII: 8OC9U7TQZ0)	
cholesterol (UNII: 97C5T2UQ7J)	
butylated hydroxytoluene (UNII: 1P9D0Z171K)	
3-((1-menthyl)oxy)propane-1,2-diol (UNII: KD6TZ2QICH)	

candelilla wax (UNII: WL0328HX19)	
yellow wax (UNII: 2ZA36H0S2V)	
cetostearyl alcohol (UNII: 2DMT128M1S)	
cetearyl glucoside (UNII: 09FUA47KNA)	
polyglyceryl-2 dipolyhydroxystearate (UNII: 9229XJ4V12)	
ceramide 2 (UNII: C04977SRJ5)	
decyl glucoside (UNII: Z17H97EA6Y)	
linolenic acid (UNII: 0RBV727H71)	
peg-10 rapeseed sterol (UNII: 258O76T85M)	
palmitoyl oligopeptide (UNII: HO4ZT5S86C)	
ferric oxide red (UNII: 1K09F3G675)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:13537-253-02	1 in 1 BOX		
1	NDC:13537-253-01	30 mL in 1 BOTTLE, PLASTIC		
2	NDC:13537-253-04	1 in 1 BOX		
2	NDC:13537-253-03	27 mL in 1 BOTTLE, PLASTIC		
3	NDC:13537-253-06	1 in 1 BOX		
3	NDC:13537-253-05	4.5 mL in 1 BOTTLE, PLASTIC		
4	NDC:13537-253-08	1 in 1 BOX		
4	NDC:13537-253-07	3 mL in 1 TUBE		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH FINAL	part352	12/16/2013	

LBEL NATURAL FINISH MOISTURIZING FOUNDATION SPF 25 (OBSCURE 8C) - BROWN

octinoxate and titanium dioxide liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:13537-254
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Octinoxate (UNII: 4Y5P7MUD51) (Octinoxate - UNII:4Y5P7MUD51)	Octinoxate	0.065 g in 1 mL
Titanium Dioxide (UNII: 15FIX9V2JP) (Titanium Dioxide - UNII:15FIX9V2JP)	Titanium Dioxide	0.016 g in 1 mL

Inactive Ingredients

Ingredient Name	Strength
-----------------	----------

water (UNII: 059QF0KO0R)
cyclomethicone 5 (UNII: 0THT5PCI0R)
cyclomethicone 6 (UNII: XHK3U310BA)
propylene glycol dicaprylate/dicaprate (UNII: O4446S9CRA)
peg/ppg-18/18 dimethicone (UNII: 9H0AO7T794)
xylitylglucoside (UNII: O0IEZ166FB)
octyldodecanol (UNII: 461N1O614Y)
oleth-5 (UNII: 1GH33785AY)
anhydroxylitol (UNII: 8XWR7NN42F)
glycerin (UNII: PDC6A3C0OX)
linoleic acid (UNII: 9KJL21T0QJ)
peg/ppg-19/19 dimethicone (UNII: EHH90CO7TL)
microcrystalline wax (UNII: XOF597Q3KY)
alkyl (c12-15) benzoate (UNII: A9EJ3J61HQ)
xylitol (UNII: VCQ006KQ1E)
diazolidinyl urea (UNII: H5RIZ3MPW4)
aluminum oxide (UNII: LM26O6933)
petrolatum (UNII: 4T6H12BN9U)
.alpha.-tocopherol acetate (UNII: 9E8X80D2L0)
triethoxycaprylylsilane (UNII: LDC331P08E)
ribes nigrum seed oil (UNII: GKE1188837)
silicon dioxide (UNII: ETJ7Z6XBU4)
methylparaben (UNII: A2I8C7HI9T)
propylparaben (UNII: Z8IX2SC1OH)
carnauba wax (UNII: R12CBM0EIZ)
tribehenin (UNII: 8OC9U7TQZ0)
cholesterol (UNII: 97C5T2UQ7J)
butylated hydroxytoluene (UNII: 1P9D0Z171K)
3-((1-menthyl)oxy)propane-1,2-diol (UNII: KD6TZ2Q1CH)
candelilla wax (UNII: WL0328HX19)
yellow wax (UNII: 2ZA36H0S2V)
cetostearyl alcohol (UNII: 2DMT128M1S)
cetearyl glucoside (UNII: 09FUA47KNA)
polyglyceryl-2 dipolyhydroxystearate (UNII: 9229XJ4V12)
ceramide 2 (UNII: C04977SRJ5)
decyl glucoside (UNII: Z17H97EA6Y)
linolenic acid (UNII: 0RBV727H71)
peg-10 rapeseed sterol (UNII: 258O76T85M)
palmitoyl oligopeptide (UNII: HO4ZT5S86C)
ferric oxide red (UNII: 1K09F3G675)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:13537-254-02	1 in 1 BOX		
1	NDC:13537-254-01	30 mL in 1 BOTTLE, PLASTIC		
2	NDC:13537-254-04	1 in 1 BOX		
2	NDC:13537-254-03	27 mL in 1 BOTTLE, PLASTIC		
3	NDC:13537-254-06	1 in 1 BOX		

3	NDC:13537-254-05	4.5 mL in 1 BOTTLE, PLASTIC		
4	NDC:13537-254-08	1 in 1 BOX		
4	NDC:13537-254-07	3 mL in 1 TUBE		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH FINAL	part352	12/16/2013	

LBEL NATURAL FINISH MOISTURIZING FOUNDATION SPF 25 (OBSCURE 10) - BROWN

octinoxate and titanium dioxide liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:13537-255
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Octinoxate (UNII: 4Y5P7MUD51) (Octinoxate - UNII:4Y5P7MUD51)	Octinoxate	0.065 g in 1 mL
Titanium Dioxide (UNII: 15FIX9V2JP) (Titanium Dioxide - UNII:15FIX9V2JP)	Titanium Dioxide	0.016 g in 1 mL

Inactive Ingredients

Ingredient Name	Strength
water (UNII: 059QF0K00R)	
cyclomethicone 5 (UNII: 0THT5PCI0R)	
cyclomethicone 6 (UNII: XHK3U310BA)	
propylene glycol dicaprylate/dicaprate (UNII: O4446S9CRA)	
peg/ppg-18/18 dimethicone (UNII: 9H0AO7T794)	
xylitylglucoside (UNII: O0IEZ166FB)	
octyldodecanol (UNII: 461N1O614Y)	
oleth-5 (UNII: 1GH33785AY)	
anhydroxylitol (UNII: 8XWR7NN42F)	
glycerin (UNII: PDC6A3C00X)	
linoleic acid (UNII: 9KJL21T0QJ)	
peg/ppg-19/19 dimethicone (UNII: EHH90CO7TL)	
microcrystalline wax (UNII: XOF597Q3KY)	
alkyl (c12-15) benzoate (UNII: A9EJ3J61HQ)	
xylitol (UNII: VCQ006KQ1E)	
diazolidinyl urea (UNII: H5RIZ3MPW4)	
aluminum oxide (UNII: LM26O6933)	
petrolatum (UNII: 4T6H12BN9U)	
.alpha.-tocopherol acetate (UNII: 9E8X80D2L0)	
triethoxycaprylylsilane (UNII: LDC331P08E)	

ribes nigrum seed oil (UNII: GKE1188837)	
silicon dioxide (UNII: ETJ7Z6XBU4)	
methylparaben (UNII: A28C7H9T)	
propylparaben (UNII: Z8IX2SC1OH)	
carnauba wax (UNII: R12CBM0EIZ)	
tribehenin (UNII: 8OC9U7TQZ0)	
cholesterol (UNII: 97C5T2UQ7J)	
butylated hydroxytoluene (UNII: 1P9D0Z171K)	
3-((1-menthyl)oxy)propane-1,2-diol (UNII: KD6TZ2QICH)	
candelilla wax (UNII: WL0328HX19)	
yellow wax (UNII: 2ZA36H0S2V)	
cetostearyl alcohol (UNII: 2DMT128M1S)	
cetearyl glucoside (UNII: 09FUA47KNA)	
polyglyceryl-2 dipolyhydroxystearate (UNII: 9229XJ4V12)	
ceramide 2 (UNII: C04977SRJ5)	
decyl glucoside (UNII: Z17H97EA6Y)	
linolenic acid (UNII: 0RBV727H71)	
peg-10 rapeseed sterol (UNII: 258O76T85M)	
palmitoyl oligopeptide (UNII: HO4ZT5S86C)	
ferric oxide red (UNII: 1K09F3G675)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:13537-255-02	1 in 1 BOX		
1	NDC:13537-255-01	30 mL in 1 BOTTLE, PLASTIC		
2	NDC:13537-255-04	1 in 1 BOX		
2	NDC:13537-255-03	27 mL in 1 BOTTLE, PLASTIC		
3	NDC:13537-255-06	1 in 1 BOX		
3	NDC:13537-255-05	4.5 mL in 1 BOTTLE, PLASTIC		
4	NDC:13537-255-08	1 in 1 BOX		
4	NDC:13537-255-07	3 mL in 1 TUBE		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH FINAL	part352	12/16/2013	

LBEL NATURAL FINISH MOISTURIZING FOUNDATION SPF 25 (DORE 6) - BEIGE

octinoxate and titanium dioxide liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:13537-256
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Octinoxate (UNII: 4Y5P7MUD51) (Octinoxate - UNII:4Y5P7MUD51)	Octinoxate	0.065 g in 1 mL
Titanium Dioxide (UNII: 15FIX9V2JP) (Titanium Dioxide - UNII:15FIX9V2JP)	Titanium Dioxide	0.016 g in 1 mL

Inactive Ingredients

Ingredient Name	Strength
water (UNII: 059QF0K00R)	
cyclomethicone 5 (UNII: 0THT5PCI0R)	
cyclomethicone 6 (UNII: XHK3U310BA)	
propylene glycol dicaprylate/dicaprate (UNII: O4446S9CRA)	
peg/ppg-18/18 dimethicone (UNII: 9H0AO7T794)	
xylitylglucoside (UNII: O0IEZ166FB)	
octyldodecanol (UNII: 461N1O614Y)	
oleth-5 (UNII: 1GH33785AY)	
anhydroxylitol (UNII: 8XWR7NN42F)	
glycerin (UNII: PDC6A3C0OX)	
linoleic acid (UNII: 9KJL21T0QJ)	
peg/ppg-19/19 dimethicone (UNII: EHH90CO7TL)	
microcrystalline wax (UNII: XOF597Q3KY)	
alkyl (c12-15) benzoate (UNII: A9EJ3J61HQ)	
xylitol (UNII: VCQ006KQ1E)	
diazolidinyl urea (UNII: H5RIZ3MPW4)	
aluminum oxide (UNII: LM26O6933)	
petrolatum (UNII: 4T6H12BN9U)	
.alpha.-tocopherol acetate (UNII: 9E8X80D2L0)	
triethoxycaprylylsilane (UNII: LDC331P08E)	
ribes nigrum seed oil (UNII: GKE1188837)	
silicon dioxide (UNII: ETJ7Z6XBU4)	
methylparaben (UNII: A218C7H9T)	
propylparaben (UNII: Z8IX2SC1OH)	
carnauba wax (UNII: R12CBM0EIZ)	
tribehenin (UNII: 8OC9U7TQZ0)	
cholesterol (UNII: 97C5T2UQ7J)	
butylated hydroxytoluene (UNII: 1P9D0Z171K)	
3-((1-menthyl)oxy)propane-1,2-diol (UNII: KD6TZ2QICH)	
candelilla wax (UNII: WL0328HX19)	
yellow wax (UNII: 2ZA36H0S2V)	
cetostearyl alcohol (UNII: 2DMT128M1S)	
cetearyl glucoside (UNII: 09FUA47KNA)	
polyglyceryl-2 dipolyhydroxystearate (UNII: 9229XJ4V12)	
ceramide 2 (UNII: C04977SRJ5)	
decyl glucoside (UNII: Z17H97EA6Y)	
linolenic acid (UNII: 0RBV727H71)	
peg-10 rapeseed sterol (UNII: 258O76T85M)	
palmitoyl oligopeptide (UNII: HO4ZT5S86C)	
ferric oxide red (UNII: 1K09F3G675)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:13537-256-02	1 in 1 BOX		
1	NDC:13537-256-01	30 mL in 1 BOTTLE, PLASTIC		
2	NDC:13537-256-04	1 in 1 BOX		
2	NDC:13537-256-03	27 mL in 1 BOTTLE, PLASTIC		
3	NDC:13537-256-06	1 in 1 BOX		
3	NDC:13537-256-05	4.5 mL in 1 BOTTLE, PLASTIC		
4	NDC:13537-256-08	1 in 1 BOX		
4	NDC:13537-256-07	3 mL in 1 TUBE		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH FINAL	part352	12/16/2013	

Labeler - Ventura Corporation LTD (602751344)

Establishment

Name	Address	ID/FEI	Business Operations
Bel Star S.A. (Colombia)		880160197	MANUFACTURE(13537-241, 13537-242, 13537-243, 13537-244, 13537-245, 13537-246, 13537-247, 13537-248, 13537-249, 13537-299, 13537-251, 13537-252, 13537-253, 13537-254, 13537-255, 13537-256)

Revised: 12/2013

Ventura Corporation LTD