OXYGEN- oxygen gas Professionals PRN LLC dba Genesis Oxygen & Sleep Therapy

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.

Oxygen

Principal for Oxygen Product

OXYGEN, COMPRESSED USP UN 1072

DANGER:

MAY CAUSE OR INTENSIFY FIRE; OXIDIZER. CONTAINS GAS UNDER PRESSURE; MAY EXPLODE IF HEATED.

Do not handle until all safety precautions have been read and understood. Keep and store away from clothing and other combustible materials. Keep valves and fittings free from grease and oil. Use and store only outdoors or in a well-ventilated place. In case of fire: Stop leak if safe to do so. Use a back flow preventive device in the piping. Use only with equipment of compatible materials of construction and rated for cylinder pressure. Use only with equipment cleaned for oxygen service. Open valve slowly. Close valve after each use and when empty. Protect from sunlight when ambient temperature exceeds 52 °C (125 °F). Read and follow the Safety Data Sheet (SDS) before use.



WARNING: No smoking or vaping. For emergency use only when administered by properly trained personnel for oxygen deficiency and resuscitation. For all other medical applications, Rx only. Uninterrupted use of high concentrations of oxygen over a long duration, without monitoring its effect on oxygen content of arterial blood, may be harmful. Do not attempt to use on patients who have stopped breathing unless used in conjunction with resuscitative equipment. Produced by Air Liquefaction. ©Applied Home Healthcare Equipment 2023



CAS NO: 7782-44-7

Contents	Size
165 Liters	□ M6
248 Liters	ОС
415 Liters	
682 Liters	ΠE
6900 Liters	ΠН
Liters	□ Other



Zanesville, OH 43701 1(800) 624-2922

OXYGEN COMPRESSED USP

UN 1072

DANGER:

MAY CAUSE OR INTENSIFY FIRE; OXIDIZER. CONTAINS GAS UNDER PRESSURE; MAY EXPLODE IF HEATED.

Do not handle until all safety precautions have been read and understood. Keep and store away from clothing and other combustible materials. Keep valves and fittings free from grease and oil. Use and store only outdoors or in a well-ventilated place. In case of fire: Stop leak if safe to do so. Use a back flow preventive device in the piping. Use only with equipment of compatible materials of construction and rated for cylinder pressure. Use only with equipment cleaned for oxygen service. Open valve slowly. Close valve after each use and when empty. Protect from sunlight when ambient temperature exceeds 52 °c (125 °F). Read and follow the Safety Data Sheet (SDS) before use.

CAS NO: 7782-44-7


DO NOT REMOVE THIS PRODUCT LABEL.

WARNING: No smoking or vaping. For emergency use only when administered by properly trained personnel for oxygen deficiency

and resuscitation. For all other medical applications, Rx only.

Uninterrupted use of high concentrations of oxygen over a long duration, without monitoring its effect on oxygen

content of arterial blood, may be harmful. Do not attempt to use on patients who have stopped breathing unless used in conjunction with resuscitative equipment. Produced by Air Liquefaction.



Do not handle until all safety precautions have been read and understood. Keep and store away from do thing and other combustible materials. Keep valves and fittings free from grease and oil. Use and store only outdoors or in a well-ventilated place. Wear cold insulating gloves, face shield, and eye protection. In case of fire: Stop leak if safe to do so. Use a back flow preventive device in the piping. Use only with equipment of compatible materials of construction and rated for cylinder pressure. Use only with equipment cleaned for oxygen service. DO NOT change or force fit connections. Avoid spills. Do not walk on or roll equipment over spills. Close valve after each use and when empty. Always keep container in upright position. Read and follow the Safety Data Sheet (SDS) before use.

FIRST AID:

IF ON SKIN: <u>Thaw frosted parts with lukewarm water. Do not rub affected</u> area. Get immediate medical advice/attention.

DO NOT REMOVE THIS PRODUCT LABEL.

Warning: For emergency use only when administered by properly trained personnel for oxygen deficiency and resuscitation. For all other medical applications, **Rx only.** Uninterrupted use of high concentrations of oxygen over a long duration, without monitoring its effect on oxygen content of arterial blood, may be harmful. Do not attempt to use on patients who have stopped breathing unless used in conjunction with resuscitative equipment. Produced by Air Liquefaction.

Supplied Home Healthcare Equipment 2014

Representative Labeling pursuant to 21 CFR 207.3 (10) Company name and contact information are printed in this area

OXYGEN, REFRIGERATED LIQUID USP UN 1073

CONTENTS LITERS

CAS NO: 7782-44-7

DANGER:

MAY CAUSE OR INTENSIFY FIRE; OXIDIZER. CONTAINS
REFRIGERATED GAS; MAY CAUSE CRYOGENIC BURNS OR
INJURY. COMBUSTIBLES IN CONTACT WITH LIQUID OXYGEN MAY EXPLODE ON
IGNITION OR IMPACT.

Do not handle until all safety precautions have been read and understood. Keep and store away from clothing and other combustible materials. Keep valves and fittings free from grease and oil. Use and store only outdoors or in a well-ventilated place. Wear cold insulating gloves, face shield, and eye protection. In case of fire: Stop leak if safe to do so. Use a back flow preventive device in the piping. Use only with equipment of compatible materials of construction and rated for cylinder pressure. Use only with equipment cleaned for oxygen service. DO NOT change or force fit connections. Avoid spills. Do not walk on or roll equipment over spills. Close valve after each use and when empty. Always keep container in upright position. Read and follow the Safety Data Sheet (SDS) before use. FIRST AID:

IF ON SKIN: Thaw frosted parts with lukewarm water. Do not rub affected area. Get immediate medical advice/attention.

DO NOT REMOVE THIS PRODUCT LABEL.

Warning: For emergency use only when administered by properly trained personnel for oxygen deficiency and resuscitation. For all other medical applications, Rx only. Uninterrupted use of high concentrations of oxygen over a long duration, without monitoring its effect on oxygen content of arterial blood, may be harmful. Do not attempt to use on patients who have stopped breathing unless used in conjunction with resuscitative equipment. Produced by Air Liquefaction.



Representative Labeling pursuant to 21 CFR 207.3 (10)

OXYGEN

oxygen gas

Product Information					
Product Type	HUMAN PRESCRIPTION DRUG	Item Code (Source)	NDC:61869-0001		
Route of Administration	RESPIRATORY (INHALATION)				

Active Ingredient/Active Moiety				
Ingredient Name	Basis of Strength	Strength		
OXYGEN (UNII: S88TT14065) (OXYGEN - UNII:S88TT14065)	OXYGEN	99 L in 100 L		

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:61869- 0001-1	682 L in 1 CYLINDER; Type 0: Not a Combination Product	12/24/2009	
2	NDC:61869- 0001-2	415 L in 1 CYLINDER; Type 0: Not a Combination Product	12/24/2009	
3	NDC:61869- 0001-3	248 L in 1 CYLINDER; Type 0: Not a Combination Product	12/24/2009	
4	NDC:61869- 0001-4	165 L in 1 CYLINDER; Type 0: Not a Combination Product	12/24/2009	
5	NDC:61869- 0001-5	6900 L in 1 CYLINDER; Type 0: Not a Combination Product	12/24/2009	
6	NDC:61869- 0001-6	46 L in 1 DEWAR; Type 0: Not a Combination Product	12/24/2009	
7	NDC:61869- 0001-7	1738 L in 1 CYLINDER; Type 0: Not a Combination Product	12/24/2009	
8	NDC:61869- 0001-8	3455 L in 1 CYLINDER; Type 0: Not a Combination Product	12/24/2009	

Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
unapproved medical gas		02/01/2004		

Labeler - Professionals PRN LLC dba Genesis Oxygen & Sleep Therapy (068412534)

Establishment					
Name	Address	ID/FEI	Business Operations		
Professionals PRN LLC dba Genesis Oxygen & Sleep Therapy		068412534	manufacture(61869-0001)		

Revised: 11/2024 Professionals PRN LLC dba Genesis Oxygen & Sleep Therapy