

UNBLEMISH DUAL INTENSIVE ACNE TREATMENT- benzoyl peroxide lotion

Rodan & Fields

Drug Facts

Active ingredient

Benzoyl peroxide 2.5%

Purpose

Acne treatment

Uses

- for the treatment of acne
- helps keep skin clear of new acne blemishes, acne pimples, blackheads + whiteheads

Warnings

For external use only

Do not use if you

- have very sensitive skin
- are sensitive to benzoyl peroxide

When using this product

- skin irritation may occur, characterized by redness, burning, itching, peeling or possibly swelling. Irritation may be reduced by using the product less frequently or in a lower concentration.
- skin irritation and dryness is more likely to occur if you use another topical acne medication at the same time. If irritation occurs, only use one topical acne medication at a time.
- avoid unnecessary sun exposure and use a sunscreen
- avoid contact with the eyes, lips and mouth
- avoid contact with hair and dyed fabrics, which may be bleached by this product

Stop use and ask a doctor if

- irritation becomes severe

Keep out of reach of children. If swallowed get medical help or contact a Poison Control Center right away.

Directions

- clean the skin thoroughly before applying this product
- dispense 1-2 pumps from each side. Blend product evenly.

- cover the entire affected area with a thin even layer one to three times daily, as needed
- because excessive drying of the skin may occur, start with one application daily, then gradually increase to two or three times daily if needed or as directed by a doctor
- if bothersome dryness or peeling occurs, reduce application to once a day or every other day
- do not rinse product off face
- if going outside, apply sunscreen after using this product. If irritation or sensitivity develops, stop use of both products and ask a doctor.
- wash hands after application to help avoid staining fabrics

Other information store 15-30°C (59-86°F)

Inactive ingredients allantoin, aloe barbadensis leaf juice, aminomethyl propanol, aqua/eau/water, benzyl alcohol, BHT, biosaccharide gum-1, C13-14 isoalkane, carbomer, ceramide AP, ceramide EOP, ceramide NP, chamomilla recutita (matricaria) flower extract, cholesterol, citronellol, corn starch modified, disodium EDTA, ethoxydiglycol, ethylhexylglycerin, fragrance/parfum, geraniol, glycerin, laureth-7, leuconostoc/radish root ferment filtrate, limonene, linalool, niacinamide, panthenol, PEG-7 glyceryl cocoate, phenoxyethanol, phytosphingosine, polyacrylamide, punica granatum fruit extract, sodium lauroyl lactylate, xanthan gum, yucca glauca root extract

Questions? 1-888-995-5656

Principal Display Panel - 45mL / 1.5 Fl. Oz. Carton Label

RODAN+FIELDS

UNBLEMISH

DUAL INTENSIVE ACNE TREATMENT

Benzoyl Peroxide Lotion

R+F

2 x 22.5 mL /

2 x 0.76 Fl. Oz. U.S.


RODAN
+
FIELDS

RODAN+FIELDS

UNBLEMISH

DUAL INTENSIVE ACNE TREATMENT

Benzoyl Peroxide Lotion



2 x 22.5 mL /
2 x 0.76 Fl. Oz. U.S.



This dual-chamber system delivers 2.5% Benzoyl Peroxide into your pores to help clear + prevent blemishes while hydrating and visibly plumping.

It all starts with science. This dermatologist-developed potent treatment is formulated with 2.5% Benzoyl Peroxide and Ceramides to specifically address adult skin with acne and visible signs of aging to help clear, hydrate + visibly plump.

Use this treatment if you want to... minimize clogged pores to help clear acne and prevent new breakouts while addressing visible signs of aging, as it nourishes + visibly firms for clear, youthful-looking skin.

It's popular because it performs. In an 8-week clinical and consumer study*:

- 97% had less acne
- 93% had less oily skin
- 93% had smoother skin
- 83% had more radiant skin

*Using the Unblemish Regimen Steps 1-3.

Results may vary.

This is part of our dermatologist-developed Unblemish Regimen, and is powered by:

- **2.5% Benzoyl Peroxide** - Clears current blemishes while preventing the development of new ones
- **Pomegranate + Chamomile Extracts** - Calms visible redness
- **Ceramides** - Condition, hydrate and visibly plump



Dist. Rodan & Fields Beauty, LLC
San Ramon, CA 94583 USA
Made in USA with US and Imported Materials
Please Recycle.
rodanandfields.com

6000-07-0079 0B

Drug Facts

Active ingredient	Purpose
Benzoyl peroxide 2.5%	Acne treatment

Uses

- for the treatment of acne
- helps keep skin clear of new acne blemishes, acne pimples, blackheads + whiteheads

Warnings

For external use only

- Do not use** if you
- have very sensitive skin
 - are sensitive to benzoyl peroxide

When using this product

- skin irritation may occur, characterized by redness, burning, itching, peeling or possibly swelling. Irritation may be reduced by using the product less frequently or in a lower concentration.
- skin irritation and dryness is more likely to occur if you use another topical acne medication at the same time. If irritation occurs, only use one topical acne medication at a time.
- avoid unnecessary sun exposure and use a sunscreen
- avoid contact with the eyes, lips and mouth
- avoid contact with hair and dyed fabrics, which may be bleached by this product

Stop use and ask a doctor if • irritation becomes severe

Keep out of reach of children. If swallowed get medical help or contact a Poison Control Center right away.

Directions

- clean the skin thoroughly before applying this product
- dispense 1-2 pumps from each side. Blend product evenly.
- cover the entire affected area with a thin even layer one to three times daily, as needed
- because excessive drying of the skin may occur, start with one application daily, then gradually increase to two or three times daily if needed or as directed by a doctor
- if bothersome dryness or peeling occurs, reduce application to once a day or every other day
- do not rinse product off face
- if going outside, apply sunscreen after using this product. If irritation or sensitivity develops, stop use of both products and ask a doctor.
- wash hands after application to help avoid staining fabrics

Other information store 15-30°C (59-86°F)

Inactive ingredients allantoin, aloe barbadensis leaf juice, aminomethyl propanol, aqua/eau/water, benzyl alcohol, BHT, biosaccharide gum-1, C13-14 isoalkane, carbomer, ceramide AP, ceramide EOP, ceramide NP, chamomilla recutita (matricaria) flower extract, cholesterol, citronellol, corn starch modified, disodium EDTA, ethoxydiglycol, ethylhexylglycerin, fragrance/parfum, geraniol, glycerin, laureth-7, leucostoc/radish root ferment filtrate, limonene, linalool, niacinamide, panthenol, PEG-7 glyceryl cocoate, phenoxyethanol, phytosphingosine, polyacrylamide, punica granatum fruit extract, sodium lauroyl lactylate, xanthan gum, yucca glauca root extract

Questions? 1-888-995-5656

When both lotion and gel are combined equally, Benzoyl Peroxide is 2.5%



Principal Display Panel - 45mL / 1.5 Fl. Oz. Tube Label

RODAN+FIELDS

UNBLEMISH

Dual Intensive Acne Treatment

Benzoyl Peroxide

Lotion

3

RODAN+FIELDS

UNBLEMISH

Dual Intensive Acne Treatment

Benzoyl Peroxide
Lotion

3

Active Ingredient: Benzoyl Peroxide 2.5% - Acne treatment

Uses: For the treatment of acne. Helps keep skin clear of new acne blemishes, acne pimples, blackheads and whiteheads.

Warnings: For external use only. Do not use if you have very sensitive skin or are sensitive to benzoyl peroxide. **When using this product** avoid unnecessary sun exposure and use a sunscreen. Avoid contact with the eyes, lips, and mouth. Avoid contact with hair and dyed fabrics, which may be bleached by this product. Skin irritation may occur, characterized by redness, burning, itching, peeling, or possibly swelling. Irritation may be reduced by using the product less frequently or in a lower concentration. Skin irritation and dryness are more likely to occur if you use another topical acne medication at the same time. If irritation occurs, only use one topical acne medication at a time. **Stop use and ask a doctor if irritation becomes severe. Keep out of reach of children.** If swallowed, get medical help or contact a poison control center right away.

Directions: Apply to clean skin. Use 1-2 pumps from each side, blend + apply evenly over face. Avoid eye area. Do not rinse. If drying or peeling occurs, reduce to once daily use + gradually increase to twice daily. Use sunscreen before going outside. Stop use + seek medical attention if irritation or sensitivity develops. Wash hands after use to help avoid staining fabrics.

Other Information: Store at 15-30°C.

Dist. Rodan & Fields Beauty, LLC
San Ramon, CA 94583

Made in USA with US and
Imported Materials

Questions?

1-888-995-5656

rodanandfields.com

2 x 22.5 mL / 2 x 0.76 Fl. Oz. U.S.
6000-07-0053 OC-E

UNBLEMISH DUAL INTENSIVE ACNE TREATMENT

benzoyl peroxide lotion

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:14222-2120
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
BENZOYL PEROXIDE (UNII: W9WZ N9A0GM) (BENZOYL PEROXIDE - UNII:W9WZ N9A0GM)	BENZOYL PEROXIDE	0.025 g in 1 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
DIETHYLENE GLYCOL MONOETHYL ETHER (UNII: A1A18X02B)	
GLYCERIN (UNII: PDC6A3C0OX)	
POLYACRYLAMIDE (10000 MW) (UNII: E2KR9C9V2I)	
.BETA.-CITRONELLOL, (R)- (UNII: P01OUT964K)	
ALLANTOIN (UNII: 344S277G0Z)	
ALOE VERA LEAF (UNII: ZY81Z83H0X)	
AMINOMETHYLPROPANOL (UNII: LU49E6626Q)	
BENZYL ALCOHOL (UNII: LKG8494WBH)	
BIOSACCHARIDE GUM-1 (UNII: BB4PU4V09H)	
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)	
C13-14 ISOPARAFFIN (UNII: E4F12ROE70)	
CARBOXPOLYMETHYLENE (UNII: 0A5MM307FC)	
CERAMIDE 1 (UNII: 5THT33P7X7)	
CERAMIDE AP (UNII: F1X8L2B00J)	
CERAMIDE NP (UNII: 4370DF050B)	
CHOLESTEROL (UNII: 97C5T2UQ7J)	
EDETATE DISODIUM ANHYDROUS (UNII: 8NLQ36F6MM)	
ETHYLHEXYLGLYCERIN (UNII: 147D247K3P)	
GERANIOL (UNII: L837108USY)	
LAURETH-7 (UNII: Z95S6G8201)	
LEUCONOSTOC/RADISH ROOT FERMENT FILTRATE (UNII: D2QHA03458)	
LIMONENE, (+)- (UNII: GFD7C86Q1W)	
LINALOOL, (+/-)- (UNII: D81QY6I88E)	
MATRICARIA CHAMOMILLA FLOWERING TOP (UNII: 3VNC7T6Z02)	
NIACINAMIDE (UNII: 25X51I8RD4)	
PANTHENOL (UNII: WW9CM0O67Z)	
PEG-7 GLYCERYL COCOATE (UNII: VNX7251543)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
PHYTOSPHINGOSINE (UNII: GIN46U9Q2Q)	
POMEGRANATE (UNII: 56687D1Z4D)	
SODIUM LAUROYL LACTYLATE (UNII: 7243K85WFO)	
STARCH, CORN (UNII: O8232NY3SJ)	
XANTHAN GUM (UNII: TTV12P4NEE)	
YUCCA GLAUCA ROOT (UNII: 1A15YBH7N1)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:14222-2120-1	1 in 1 CARTON	02/13/2019	

1	45 mL in 1 BOTTLE, PUMP; Type 0: Not a Combination Product		
Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M006	02/13/2019	

Labeler - Rodan & Fields (051659584)

Revised: 9/2025

Rodan & Fields