ZYREXAL- viatmin c, thiamine, vitamin b6, folate, vitamin b12, vitamin b3, d-ribose, coenzyme q-10 tablet

Vivera Pharmaceuticals, Inc.

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.

$Zyrexal^{TM}$

FACTS

ZyrexalTM is an orally administered prescription tablet formulation for the clinical dietary management of suboptimal nutritional status in patients where advanced folate supplementation is required and nutritional supplementation in physiologically stressful conditions for maintenance of good health is needed.

WARNINGS AND PRECAUTIONS

This product is contraindicated in patients with a known hypersensitivity to any of the ingredients. Zyrexal[™] tablets should only be used under the direction and supervision of a licensed medical practitioner. Use with caution in patients that may have a medical condition, are pregnant, lactating, trying to conceive, under the age of 18, or taking medications.

Tell your doctor if you have: kidney problems, thyroid disease. This medication should be used as directed during pregnancy or while breast-feeding. Consult your doctor about the risks and benefits. Folic acid alone is improper therapy in the treatment of pernicious anemia and other megaloblastic anemias where vitamin B12 is deficient. Folic acid in doses above 0.1 mg daily may obscure pernicious anemia in that hematologic remission can occur while neurological manifestations progress.

Allergic sensitization has been reported following both oral and parenteral administration of folic acid. You should call your doctor for medical advice about serious adverse events. To report adverse side effects or to obtain product information, contact ViveraTM Pharmaceuticals, at 1-844-484-8372.

DOSAGE & ADMINISTRATION

Usual adult dose is one (1) tablet once or twice daily or as prescribed by a licensed medical practitioner.*

HOW SUPPLIED

Zyrexal[™] tablets are supplied as a coated, white, flat, round tablet with "915" printed on one side, dispensed in a child-resistant bottle of 30ct. (72380-915-10*)

STORAGE AND HANDLING

Store at 20°-25°C (68°-77°F); excursions permitted to 15°-30°C (59°-86°F) [See USP Controlled Room Temperature.] Protect from heat, light and moisture.

If you are pregnant or nursing, ask a healthcare professional.

KEEP OUT OF THE REACH OF CHILDREN. Do not use if seal is broken or missing.

* This product is a prescription-folate with or without other dietary ingredients that – due to increased folate levels (AUG 2 1973 FR 20750), requires an Rx on the label because of increased risk associated with masking of B12 deficiency (pernicious anemia). Based on our assessment of the risk of obscuring pernicious anemia, this product requires licensed medical supervision, an Rx status, and a National Drug Code (NDC) – or similarly-formatted product code, as required by pedigree reporting requirements and supply-chain control as well as – in some cases, for insurance-reimbursement applications.

Package Label

NDC# 72380-915-10

VIVERATM PHARMACEUTICALS

ZyrexalTM

30 Tablets

Dispensed by Prescription Only

Supplement Facts

Servings size: 1 Tablet	Servings per container: 30	
Amo	unt Per Serving %	Daily Value
Vitamin C (As Ascorbic Acid)	125mg	138%
Thiamine (As Thiamine HCL)	25mg	2,083%
Vitamin B6 (As Pyridoxal Phosph	ate) 12.5mg	735%
Folate	1700 mcg DFE	425%
(1	mg Folic Acid)	
Vitamin B12 (As Methylcobalamin	n) 1mg	41,666%
Vitamin B3 (As Niacinamide)	60mg	375%
D-Ribose	50mg	*
CoEnzyme Q-10 (As Ubiquinone)	75mg	*

^{* %} Daily Values have not been established.

Other ingredients: Microcrystalline Cellulose,

Magnesium Stearate, Silicone Dioxide

Dosage: Adult dose is one (1) tablet once or twice daily or as prescribed by a licensed medical practitioner.

If you are pregnant or nursing, ask a healthcare professional.

KEEP OUT OF REACH OF CHILDREN

STORAGE: Store at 20°-25°C (68°-77°F); excusions permitted to 15°-30°C (59°-86°F) [See USP Controlled Room Temperature.] Protect from heat, light, and moisture.

Manufactured for:

Vivera Pharmaceuticals, Inc. 11100 Greenstone Ave. Santa Fe Springs, CA 90670

MADE IN THE U.S.A.

REV120519

LOT NO:

EXP. DATE:

MFG. DATE:

3 72380 00005 6

Dosage: Adult dose is one (1) tablet once or twice daily or as prescribed by a licensed medical practitioner.

If you are pregnant or nursing, ask a healthcare professional.

KEEP OUT OF REACH OF CHILDREN

STORAGE: Store at 20°-25°C (68°-77°F); excusions permitted to 15°-30°C (59°-86°F) [See USP Controlled Room Temperature.] Protect from heat, light, and moisture.

Manufactured for: Vivera Pharmaceuticals, Inc. 11100 Greenstone Ave. Santa Fe Springs, CA 90670

MADE IN THE U.S.A.

NDC# 72380-915-10 VIVERA



30 Tablets Dispensed by Prescription Only Supplement Facts Servings size: 1 Tablet Servings per container: 30 ount Per Serving Vitamin C (As Ascorbic Acid 125mg 138% Thiamine (As Thiamine HCL) 25mg 2,083% Vitamin B6 (As Pyridoxal Phosp 12.5mg 735% 1700 mcg DFE 425% (1 mg Folic Acid) Vitamin B12 (As Methylcob 41.666% Vitamin B3 (As No. 375% 60ma 50mg CoEnzyme Q-10 (As Ubiquinon 75mg

Other ingredients: Microcrystalline Cellulose, Magnesium Stearate, Silicone Dioxide

MFG. DATE LOT NO:

EXP. DATE MADE IN THE U.S.A. REV120519

suboptimal nutritional status in patients where advanced supplementation in physiologically stressful conditions is an orally administered prescription table formulation for the clinical dietary management of supplementation is required and nutritional

should only be used under the direction and supervision of a icensed medical practitioner. Use with caution in patients tha have a medical condition, are pregnant, lactating, trying ypersensitivity to any of the ingredients. Zyrexal" tablets product is contraindicated in patients with a known conceive, under the age of 18, or taking medications. maintenance of good health is needed. WARNINGS AND PRECAUTIONS may.

your doctor if you have: kidney problems, thyroid disea

This medication should be used as directed during pregnancy or while breast-feeding. Consult your doctor about the risks anemias where vitamin B12 is deficient. Folic acid in doses treatment of pernicious anemia and other megaloblastic hematologic remission can occur while neurological benefits. Folic acid alone is improper therapy in the above 0.1 mg daily may obscure pernicious anemia in manifestations progress. and He H

report adverse side effects or to obtain product information doctor for medical advice about serious adverse events Alkegic sensitization has been reported following both oral and parenteral administration of folic acid. You should call contact Vivera" Pharmaceuticals, at 1-844-484-8372

Usual adult dose is one (1) tablet once or twice daily or as prescribed by a licensed medical practitioner." DOSAGE & ADMINISTRATION

Zyrexal" tablets are supplied as a coated, white, flat, round tablet with "915" printed on one side, dispensed in a child-resistant bottle of 30ct (72380-915-10*) HOW SUPPLIED

use if

Store at 20°-25°C (68°-77°F); excursions permitted to 15°

STORAGE AND HANDLING

30°C (59°-86°F) [See USP Controlled Room]

KEEP OUT OF THE REACH OF CHILDREN. Do not Protect from heat, light and moisture seal is broken or missing

ment of the risk of absouring pen *This product is a prescription-



11100 Greenstone Ave. Santa Fe Springs, CA 90670 844) 484-8372

RES

Zyrexal"

ZYREXAL

viatmin c, thiamine, vitamin b6, folate, vitamin b12, vitamin b3, d-ribose, coenzyme q-10 tablet

Product Information Product Type HUMAN PRESCRIPTION DRUG Item Code (Source) NDC:72380-915 Route of Administration ORAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ASCORBIC ACID (UNII: PQ6CK8PD0R) (ASCORBIC ACID - UNII:PQ6CK8PD0R)	ASCORBIC ACID	125 mg
THIAMINE HYDRO CHLORIDE (UNII: M572600E5P) (THIAMINE ION - UNII:4ABT0J945J)	THIAMINE HYDROCHLORIDE	25 mg
PYRIDO XINE (UNII: KV2JZ1BI6Z) (PYRIDO XINE - UNII:KV2JZ1BI6Z)	PYRIDO XINE	12.5 mg
FOLIC ACID (UNII: 935E97BOY8) (FOLIC ACID - UNII:935E97BOY8)	FOLIC ACID	1 mg
METHYLCOBALAMIN (UNII: BR1SN1JS2W) (METHYLCOBALAMIN - UNII:BR1SN1JS2W)	METHYLCOBALAMIN	1 mg
NIACINAMIDE (UNII: 25X5118 RD4) (NIACINAMIDE - UNII:25X5118 RD4)	NIACINAMIDE	60 mg
.BETAD-RIBOSE (UNII: IVV837V11N) (.BETAD-RIBOSE - UNII:IVV837V11N)	.BETAD-RIBOSE	50 mg
UBIDECARENONE (UNII: EJ27X76M46) (UBIDECARENONE - UNII:EJ27X76M46)	UBIDECARENONE	75 mg

Inactive Ingredients	
Ingredient Name	Strength
MICRO CRYSTALLINE CELLULO SE (UNII: OP1R32D61U)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
SILICON DIO XIDE (UNII: ETJ7Z6 XBU4)	

Product Characteristics			
Color	white	Score	no score
Shape	ROUND	Size	16 mm
Flavor		Imprint Code	9 15
Contains			

	Packaging			
ı	# Item Code	Package Description	Marketing Start Date	Marketing End Date
	1 NDC:72380-915-10	30 in 1 BOTTLE; Type 0: Not a Combination Product	02/07/2020	

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		02/07/2020	

Labeler - Vivera Pharmaceuticals, Inc. (081244342)

Revised: 2/2020 Vivera Pharmaceuticals, Inc.