

EXTRA STRENGTH ACETAMINOPHEN- acetaminophen tablet
Geri-Care Pharmaceutical Corp

gc219

Active Ingredients

Acetaminophen 500 mg

Purpose

Pain Reliever/Fever Reducer

Uses

- temporarily relieves minor aches and pains
- temporarily reduces fever

Warnings

Liver warning: This product contains acetaminophen.

Severe liver damage may occur if you take:

- more than 8 tablets (4,000 mg of acetaminophen) in 24 hours
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

Allergy alert: acetaminophen may cause severe skin reactions.

Symptoms may include:

- skin reddening
- blisters
- rash

If a skin reaction occurs, stop use and seek medical help right away.

Do not use

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.

Ask a doctor before use if you have

liver disease.

Ask a doctor or pharmacist before use if you are

taking the blood thinning drug warfarin.

Stop use and ask a doctor if

- pain gets worse or lasts more than 10 days
- fever gets worse or lasts more than 3 days

- new symptom occur
- redness or swelling is present

These could be signs of a serious condition.

If pregnant or breast-feeding, ask a health professional before use..

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away. Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

Directions

- **do not take more than directed**
- adults and children 12 years and over: Take 2 tablets every 6 hours, as needed; not more than 6 tablets in 24 hours. Do not take for more than 10 days unless directed by a doctor.
- children under 12 years: ask a doctor

Other Information

- store at 20°C-25°C (68°F-77°F)

Inactive Ingredients

povidone, sodium starch glycolate, starch, stearic acid.

Questions or comments?

1-800-540-3765

NDC 57896-219-01

GERI-CARE®

EXTRA STRENGTH ACETAMINOPHEN 500 mg

PAIN RELIEVER/ FEVER REDUCER

Compare to the active ingredient in Extra Strength **TYLENOL®***

100 Tablets 500 mg each

TAMPER EVIDENT: Do not use if imprinted seal under cap is missing or broken.

Drug Facts

Active ingredient (in each tablet) **Purposes**
Acetaminophen 500 mg.....Pain Reliever/Fever Reducer

Uses

- temporarily relieves minor aches and pains
- temporarily reduces fever

Warnings

Liver warning: This product contains acetaminophen. Severe liver damage may occur if you take:

- more than 8 tablets (4,000 mg of acetaminophen) in 24 hours
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

Allergy alert: acetaminophen may cause severe skin reactions. Symptoms may include: • skin reddening • blisters • rash. If a skin reaction occurs, stop use and seek medical help right away.

Do not use • with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.

- if you are allergic to acetaminophen or any of the inactive ingredients in this product

Ask a doctor before use if you have liver disease.

Ask a doctor or pharmacist before use if you are taking the blood thinning drug warfarin.

Stop use and ask a doctor if

- pain gets worse or lasts more than 10 days
- fever gets worse or lasts more than 3 days
- new symptoms occur
- redness or swelling is present

These could be signs of a serious condition.

If pregnant or breast-feeding, ask a health professional before use. **Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away. Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

Directions • do not take more than directed

- adults and children 12 years and over: Take 2 tablets every 6 hours, as needed; not more than 6 tablets in 24 hours. Do not take for more than 10 days unless directed by a doctor.
- children under 12 years: ask a doctor

Other information • store at 20°C-25°C (68°F-77°F)

Inactive ingredients: povidone, sodium starch glycolate, starch, stearic acid.

Questions or comments? 1-800-540-3765

*This product is not manufactured or distributed by the owner of the trademark TYLENOL®.

DIST. BY: GERI-CARE PHARMACEUTICALS CORP.
1296 Towbin Avenue, Lakewood, NJ 08701

REV 1124AAG

3 57896 21901 7

EXTRA STRENGTH ACETAMINOPHEN

acetaminophen tablet

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:57896-219	
Route of Administration	ORAL			
Active Ingredient/Active Moiety				
	Ingredient Name	Basis of Strength	Strength	
	ACETAMINOPHEN (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)	ACETAMINOPHEN	500 mg	
Inactive Ingredients				
	Ingredient Name		Strength	
	STARCH, CORN (UNII: O8232NY3SJ)			
	POVIDONE (UNII: FZ989GH94E)			
	SODIUM STARCH GLYCOLATE TYPE A CORN (UNII: AG9B65PV6B)			
	STEARIC ACID (UNII: 4ELV7Z65AP)			
Product Characteristics				
Color	white (WHITE)	Score	no score	
Shape	ROUND (Round)	Size	12mm	
Flavor		Imprint Code	GC;216	
Contains				
Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:57896-219-01	100 in 1 BOTTLE; Type 0: Not a Combination Product	11/01/2024	
2	NDC:57896-219-20	200 in 1 BOTTLE; Type 0: Not a Combination Product	11/01/2024	
3	NDC:57896-219-10	1000 in 1 BOTTLE; Type 0: Not a Combination Product	11/01/2024	
4	NDC:57896-219-05	50 in 1 BOTTLE; Type 0: Not a Combination Product	11/01/2024	
5	NDC:57896-219-50	500 in 1 BOTTLE; Type 0: Not a Combination Product	12/01/2024	
Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
OTC Monograph Drug	M013	11/01/2024		

Labeler - Geri-Care Pharmaceutical Corp (611196254)

Registrant - Geri-Care Pharmaceutical Corp (611196254)

