

**CHINESE RED TIGER PAIN RELIEF PATCH- borneol, camphor, menthol patch
Guangzhou Zhupuyou E-commerce Co., Ltd**

Chinese Red Tiger Pain Relief Patch

Chinese Red Tiger Pain Relief Patch

Borneol 1.2%

Camphor 1%

Menthol 1.5%

Topical Anesthetic

Temporarily relieves muscle soreness and minor jointpains in the wrist, knees, back,neck, hips, shoulders,elbows.

For external use only

on wounds or damaged skin

with a heating pad or device

with other ointments, creams, sprays, or liniments

if you are allergic to any ingredients of this product

use only as directed

avoid contact with the eyes, mucous membranes, or rashes

do not bandage tightly

skin reactions such as redness,swelling, blistering or other discomfort occur
symptoms persist for more than 7 days

If swallowed accidentally, get medical help or contact with Poison Control Center
immediately

Adults and children above 12 years old:


Clean and dry the affected area.

Tear off the protective film and apply the exposed part of the patch to the affected
area.

Carefully remove remaining film while pressing the patch firmly on the skin. Remove patch
from the skin after at most 8-hour application.

Children under age of 12: Consult a doctor

Mugwort, Osmanthus Oil, Mentha Oil, Eucalyptus Oil, Cinnamon, Safflower, Myrrh,
Reticulate Millettia, Saline Cistanche, Davallia Mariesii.



Chinese Red Tiger Pain Relief Patch

Sumifun®

中华红虎TM

Chinese Red Tiger Plaster


4 Patches

2.76"×3.94" (7cm×10cm)

Fast Acting ♦
 Lasts Up To 8 Hours ♦
 Resealable Package ♦
 Stay-Put Flexible Patch ♦
 Easy to Apply and Remove ♦

Chinese Red Tiger Pain Relief Patch

<p>Drug Facts</p> <p>Active Ingredients Purpose</p> <p>Borneol 1.2% Topical Anesthetic</p> <p>Camphor 1.0% Topical Anesthetic</p> <p>Menthol 1.5% Topical Anesthetic</p> <p>Uses</p> <p>Temporarily relieves muscle soreness and minor joint pains in the wrist, knees, back, neck, hips, shoulders, elbows.</p> <p>Warnings</p> <p>For external use only</p> <p>Do not use</p> <ul style="list-style-type: none"> on wounds or damaged skin with a heating pad or device with other ointments, creams, sprays, or liniments if you are allergic to any ingredients of this product <p>When using this product</p> <ul style="list-style-type: none"> use only as directed avoid contact with the eyes, mucous membranes, or rashes do not bandage tightly <p>Stop use and ask a doctor if</p> <ul style="list-style-type: none"> skin reactions such as redness, swelling, blistering or other discomfort occur symptoms persist for more than 7 days <p>If pregnant or breast-feeding, ask a health professional before use. KEEP OUT OF REACH OF CHILDREN. If swallowed accidentally, get medical help or contact with Poison Control Center immediately.</p> <p>EXP:</p>	<p>Directions</p> <p>Adults and Children above 12 years old:</p> <ul style="list-style-type: none"> Clean and dry the affected area. Tear off the protective film and apply the exposed part of the patch to the affected area. Carefully remove remaining film while pressing the patch firmly on the skin. Remove patch from the skin after at most 8-hour application. <p>Children under age of 12: Consult a doctor</p> <p>Inactive Ingredients</p> <p>Mugwort, Dismanthus Oil, Mentha Oil, Eucalyptus Oil, Cinnamon, Safflower, Myrrh, Reticulate Milletia, Saline Cistanche, Davallia Mariesii.</p> <p>Usage</p>  Tear off the dotted line opening film and apply to the knee.  Carefully remove remaining film while wrapping the patch around your knee.  Press the patch firmly on the skin. <p>Questions or Comments: support@sumifunofficial.com Business Cooperation: business@sumifunofficial.com</p> <p>Guangzhou Zhupuyou E-commerce Co., Ltd Room 202-4, No. 5, Lane 1, Sainan New Village, Tangxia, Tianhe District, Guangzhou, 510630, China (CHN)</p>  <p>6 1974817 1679008</p>
--	--



Chinese Red Tiger Pain Relief Patch

Sumifun®

中华红虎TM

Chinese Red Tiger Plaster


6 Patches

2.76"×3.94" (7cm×10cm)

Fast Acting ♦
 Lasts Up To 8 Hours ♦
 Resealable Package ♦
 Stay-Put Flexible Patch ♦
 Easy to Apply and Remove ♦

Chinese Red Tiger Pain Relief Patch

<p>Drug Facts</p> <p>Active Ingredients Purpose</p> <p>Borneol 1.2% Topical Anesthetic</p> <p>Camphor 1.0% Topical Anesthetic</p> <p>Menthol 1.5% Topical Anesthetic</p> <p>Uses</p> <p>Temporarily relieves muscle soreness and minor joint pains in the wrist, knees, back, neck, hips, shoulders, elbows.</p> <p>Warnings</p> <p>For external use only</p> <p>Do not use</p> <ul style="list-style-type: none"> on wounds or damaged skin with a heating pad or device with other ointments, creams, sprays, or liniments if you are allergic to any ingredients of this product <p>When using this product</p> <ul style="list-style-type: none"> use only as directed avoid contact with the eyes, mucous membranes, or rashes do not bandage tightly <p>Stop use and ask a doctor if</p> <ul style="list-style-type: none"> skin reactions such as redness, swelling, blistering or other discomfort occur symptoms persist for more than 7 days <p>If pregnant or breast-feeding, ask a health professional before use. KEEP OUT OF REACH OF CHILDREN. If swallowed accidentally, get medical help or contact with Poison Control Center immediately.</p> <p>EXP:</p>	<p>Directions</p> <p>Adults and Children above 12 years old:</p> <ul style="list-style-type: none"> Clean and dry the affected area. Tear off the protective film and apply the exposed part of the patch to the affected area. Carefully remove remaining film while pressing the patch firmly on the skin. Remove patch from the skin after at most 8-hour application. <p>Children under age of 12: Consult a doctor</p> <p>Inactive Ingredients</p> <p>Mugwort, Dismanthus Oil, Mentha Oil, Eucalyptus Oil, Cinnamon, Safflower, Myrrh, Reticulate Milletia, Saline Cistanche, Davallia Mariesii.</p> <p>Usage</p>  Tear off the dotted line opening film and apply to the knee.  Carefully remove remaining film while wrapping the patch around your knee.  Press the patch firmly on the skin. <p>Questions or Comments: support@sumifunofficial.com Business Cooperation: business@sumifunofficial.com</p> <p>Guangzhou Zhupuyou E-commerce Co., Ltd Room 202-4, No. 5, Lane 1, Sainan New Village, Tangxia, Tianhe District, Guangzhou, 510630, China (CHN)</p>  <p>6 1974817 1679015</p>
--	--



Sumifun®

Chinese Red Tiger Pain Relief Patch

中华红虎™


Chinese Red Tiger Plaster

Fast Acting ♦
Lasts Up To 8 Hours ♦
Resealable Package ♦
Stay-Put Flexible Patch ♦
Easy to Apply and Remove ♦

8 Patches
2.76"x3.94" (7cmx10cm)

Chinese Red Tiger Pain Relief Patch

<p>Drug Facts</p> <p>Active Ingredients Purpose</p> <p>Borneol 1.2% Topical Anesthetic</p> <p>Camphor 1.0% Topical Anesthetic</p> <p>Menthol 1.5% Topical Anesthetic</p> <p>Uses</p> <p>Temporarily relieves muscle soreness and minor joint pains in the wrist, knees, back, neck, hips, shoulders, elbows.</p> <p>Warnings</p> <p>For external use only</p> <p>Do not use</p> <ul style="list-style-type: none"> on wounds or damaged skin with a heating pad or device with other ointments, creams, sprays, or liniments if you are allergic to any ingredients of this product <p>When using this product</p> <ul style="list-style-type: none"> use only as directed avoid contact with the eyes, mucous membranes, or rashes do not bandage tightly <p>Stop use and ask a doctor if</p> <ul style="list-style-type: none"> skin reactions such as redness, swelling, blistering or other discomfort occur symptoms persist for more than 7 days <p>If pregnant or breast-feeding, ask a health professional before use.</p> <p>KEEP OUT OF REACH OF CHILDREN. If swallowed accidentally, get medical help or contact with Poison Control Center immediately.</p> <p>EXP:</p>	<p>Directions</p> <p>Adults and Children above 12 years old:</p> <ul style="list-style-type: none"> Clean and dry the affected area. Tear off the protective film and apply the exposed part of the patch to the affected area. Carefully remove remaining film while pressing the patch firmly on the skin. Remove patch from the skin after at most 8-hour application. <p>Children under age of 12: Consult a doctor</p> <p>Inactive Ingredients</p> <p>Mugwort, Dismanthus Oil, Mentha Oil, Eucalyptus Oil, Cinnamon, Safflower, Myrrh, Reticulate Milletia, Saline Cistanche, Davallia Mariesii.</p> <p>Usage</p>  Tear off the dotted line opening film and apply to the knee.  Carefully remove remaining film while wrapping the patch around your knee.  Press the patch firmly on the skin. <p>Questions or Comments: support@sumifunofficial.com Business Cooperation: business@sumifunofficial.com</p> <p>Guangzhou Zhupuyou E-commerce Co., Ltd Room 202-4, No. 5, Lane 1, Sulinan New Village, Tangxia, Tianhe District, Guangzhou, 510630, China (CHN)</p>  6197481716789951
---	--



Sumifun®

Chinese Red Tiger Pain Relief Patch

中华红虎™


Chinese Red Tiger Plaster

Fast Acting ♦
Lasts Up To 8 Hours ♦
Resealable Package ♦
Stay-Put Flexible Patch ♦
Easy to Apply and Remove ♦

10 Patches
2.76"x3.94" (7cmx10cm)

Chinese Red Tiger Pain Relief Patch

<p>Drug Facts</p> <p>Active Ingredients Purpose</p> <p>Borneol 1.2% Topical Anesthetic</p> <p>Camphor 1.0% Topical Anesthetic</p> <p>Menthol 1.5% Topical Anesthetic</p> <p>Uses</p> <p>Temporarily relieves muscle soreness and minor joint pains in the wrist, knees, back, neck, hips, shoulders, elbows.</p> <p>Warnings</p> <p>For external use only</p> <p>Do not use</p> <ul style="list-style-type: none"> on wounds or damaged skin with a heating pad or device with other ointments, creams, sprays, or liniments if you are allergic to any ingredients of this product <p>When using this product</p> <ul style="list-style-type: none"> use only as directed avoid contact with the eyes, mucous membranes, or rashes do not bandage tightly <p>Stop use and ask a doctor if</p> <ul style="list-style-type: none"> skin reactions such as redness, swelling, blistering or other discomfort occur symptoms persist for more than 7 days <p>If pregnant or breast-feeding, ask a health professional before use.</p> <p>KEEP OUT OF REACH OF CHILDREN. If swallowed accidentally, get medical help or contact with Poison Control Center immediately.</p> <p>EXP:</p>	<p>Directions</p> <p>Adults and Children above 12 years old:</p> <ul style="list-style-type: none"> Clean and dry the affected area. Tear off the protective film and apply the exposed part of the patch to the affected area. Carefully remove remaining film while pressing the patch firmly on the skin. Remove patch from the skin after at most 8-hour application. <p>Children under age of 12: Consult a doctor</p> <p>Inactive Ingredients</p> <p>Mugwort, Dismanthus Oil, Mentha Oil, Eucalyptus Oil, Cinnamon, Safflower, Myrrh, Reticulate Milletia, Saline Cistanche, Davallia Mariesii.</p> <p>Usage</p>  Tear off the dotted line opening film and apply to the knee.  Carefully remove remaining film while wrapping the patch around your knee.  Press the patch firmly on the skin. <p>Questions or Comments: support@sumifunofficial.com Business Cooperation: business@sumifunofficial.com</p> <p>Guangzhou Zhupuyou E-commerce Co., Ltd Room 202-4, No. 5, Lane 1, Sulinan New Village, Tangxia, Tianhe District, Guangzhou, 510630, China (CHN)</p>  6197481716790221
---	--



CHINESE RED TIGER PAIN RELIEF PATCH

borneol, camphor, menthol patch

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:84165-105
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
LEVOMENTHOL (UNII: BZ1R15MTK7) (LEVOMENTHOL - UNII:BZ1R15MTK7)	LEVOMENTHOL	1.5 g in 100 g
CAMPHOR (NATURAL) (UNII: N20HL7Q941) (CAMPHOR (NATURAL) - UNII:N20HL7Q941)	CAMPHOR (NATURAL)	1 g in 100 g
BORNEOL (UNII: M89NIB437X) (BORNEOL - UNII:M89NIB437X)	BORNEOL	1.2 g in 100 g

Inactive Ingredients

Ingredient Name	Strength
OSMANTHUS FRAGRANS FLOWER (UNII: 4VA0BH57HU)	
EUCALYPTUS OIL (UNII: 2R04ONI662)	
MYRRH (UNII: JC71GJ1F3L)	
SAFFLOWER (UNII: 4VBL71TY4Y)	

MENTHA PIPERITA (PEPPERMINT) OIL (UNII: AV092KU4JH)	
CISTANCHE SALSA STEM (UNII: 0K09QKI58M)	
DAVALLIA DIVARICATA WHOLE (UNII: LZ25KVL3SM)	
WORMWOOD (UNII: F84709P2XV)	
CINNAMON (UNII: 5S29HWU6QB)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:84165-105-01	2.9 g in 1 PATCH; Type 0: Not a Combination Product	11/29/2024	
2	NDC:84165-105-02	4 in 1 PACKAGE	11/29/2024	
2	NDC:84165-105-01	2.9 g in 1 PATCH; Type 0: Not a Combination Product		
3	NDC:84165-105-03	6 in 1 PACKAGE	11/29/2024	
3	NDC:84165-105-01	2.9 g in 1 PATCH; Type 0: Not a Combination Product		
4	NDC:84165-105-04	8 in 1 PACKAGE	11/29/2024	
4	NDC:84165-105-01	2.9 g in 1 PATCH; Type 0: Not a Combination Product		
5	NDC:84165-105-05	10 in 1 PACKAGE	11/29/2024	
5	NDC:84165-105-01	2.9 g in 1 PATCH; Type 0: Not a Combination Product		
6	NDC:84165-105-06	12 in 1 PACKAGE	11/29/2024	
6	NDC:84165-105-01	2.9 g in 1 PATCH; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	505G(a)(3)	11/29/2024	

Labeler - Guangzhou Zhupuyou E-commerce Co., Ltd (418214143)

Establishment

Name	Address	ID/FEI	Business Operations
Guangzhou Zhupuyou E-commerce Co., Ltd		418214143	manufacture(84165-105)

Revised: 11/2024

Guangzhou Zhupuyou E-commerce Co., Ltd