RUGBY TRAVEL SICKNESS MECLIZINE HCL, 25 MG EACH (ANTIEMETIC)- meclizine hcl tablet, chewable Apotheca Inc.

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Drug Facts

Active ingredient (in each chewable tablet)

Meclizine HCl USP 25 mg

Purpose

Antiemetic

Uses

• prevents and treats nausea, vomiting or dizziness due to motion sickness

Warnings

Do not use in children under 12 years of age unless directed by a doctor

Ask a doctor before use if you have

- glaucoma
- a breathing problem such as emphysema or chronic bronchitis
- trouble urinating due to an enlarged prostate gland

Ask a doctor or pharmacist before use it you are taking sedatives or tranquilizers.

When using this product

- may cause drowsiness
- alcohol, sedatives, and tranquilizers may increase drowsiness
- avoid alcoholic drinks
- use caution when driving a motor vehicle or operating machinery

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact the poison control center immediately.

Directions

Dosage should be taken one hour before travel starts

Adults and children 12 years of age and older:

Chew 1-2 tablets once daily, or as directed by a doctor

Children under 12 years: do not give this product to children under 12 years of age unless directed by a doctor

Other information

- Phenylketonurics: Contains Phenylalanine 0.28 mg per tablet
- store at room temperature

Inactive ingredients

aspartame, croscarmellose sodium, dextrose, FD and C Red #40 Lake, magnesium stearate, maltodextrin, microcrystalline cellulose, natural and artificial flavors, silicon dioxide, sodium sulfate, sugar, tricalcium phosphate.

Questions or comments?

1-800-645-2158

TAMPER EVIDENT: DO NOT USE IF IMPRINTED SAFETY SEAL UNDER CAP IS BROKEN OR MISSING

| See insert for full prescribing information. Meclizine HCl 25mg | | 935 | Meclizine HCl 25mg | | BULK SOURCE DATA Distributed By: Rugby Laboratories | PRODUCT ID: Debossed * 21 G * Bulk NDC: 0536-1018-10 |
|--|-----------------------------|-----------|--|---|---|--|
| NDC: 12634-246-71 LOT: | 30 Chewable Tablets EXP: | 52202 | NDC: 12634-246-71 LOT: EXP: You may Report Side Effects to FDA at | | | ical Advice about Side Effects. |
| Meclizine HCI 2 | 5mg | 467 | COMPARE TO: | ANTIVERT [®] | | y get drowsy * alcohol, sedatives, and |
| NDC: 12634-246-71 | 30 Chewable Tablets | * Rx Only | | tranquilizers may increase drowsiness * be careful when driving | | |
| LOT: | EXP: | = | Dispensed In A Tight, Light Resistant | | a motor vehicle or operating machinery. Keep this and all Medication | |
| Meclizine HCI 25mg | | | Container, As Defined in The | | Out of the Roach of Children. Other information: Phenylketonurics; each tablet contains: contains: phenylalanine 0.28 mg., Aspartame. | |
| NDC: 12634-246-71 | 30 Chewable Tablets | | USP, Using A Child Resistant Closure. | | Directions: | |
| LOT: EXP: Repackaged & Distributed by: Apotheca, Inc Phoenix, AZ 85006 | | | REV. DATE: 12/2015 | | Taketablet(s) by mouth times a day, as directed by physician. Store at 20-25 C (68-77 F) [See USP Controlled Ecom Temperatural Protect from light and maisture | |

RUGBY TRAVEL SICKNESS MECLIZINE HCL, 25 MG EACH (ANTIEMETIC)

meclizine hcl tablet, chewable

Product Information

Product T ype

| Route | of Administration | |
|-------|-------------------|--|
|-------|-------------------|--|

| A | Active Ingree | dient | t/Active Moiety | | | | |
|----|---|--|--|--------------|-----------------|----------|------------|
| | | | Ingredient Name | | Basis of St | rength | Strength |
| N | IECLIZINE HYI | DRO C | HLORIDE (UNII: HDP7W44CIO) (MECLIZINE - UNII:3L5TQ | (84570) | | - | - |
| | | | | | | | |
| T. | | | | | | | |
| 1 | nactive Ingr | eale | | | | | |
| - | | | Ingredient Name | | | St | rength |
| | SPARTAME (U | | | | | | |
| | | | SODIUM (UNII: M28OL1HH48) | | | | |
| | EXTROSE (UN | | · · · · | | | | |
| | | | NII: WZB9127XOA) | | | | |
| | | | ATE (UNII: 70097M6I30) III: 7CVR7L4A2D) | | | | |
| | | ` | CRYSTALLINE (UNII: OP1R32D6 1U) | | | | |
| | | | NII: ETJ7Z6XBU4) | | | | |
| | | | NII: 0 YPR6 5R2 IJ) | | | | |
| | UCROSE (UNII: | | | | | | |
| | | | HATE (UNII: K4C08XP666) | | | | |
| | | | | | | | |
| | | | | | | | |
| P | roduct Cha | racte | eristics | | | | |
| С | olor | pink Score | | | | | 2 pieces |
| S | hape | ROUN | ND (Biconvex Uncoated Tablet with Bisect) | Size | | | 8 m m |
| F | lavor | | | Imprint Code | | e | 21G |
| С | ontains | | | | | | |
| | | | | | | | |
| | | | | | | | |
| P | ackaging | | | | | | |
| # | | e | Package Description | Marke | ting Start Date | Marketin | g End Date |
| | NDC:12634-24 | | 10 in 1 BOTTLE; Type 0: Not a Combination Product | | | | 8 |
| | NDC:12634-24 | | 100 in 1 BOTTLE; Type 0: Not a Combination Product | | | | |
| | | | 30 in 1 BOTTLE; Type 0: Not a Combination Product | | | | |
| | | IDC:12634-246-79 25 in 1 BOTTLE; Type 0: Not a Combination Product | | | | | |
| 5 | NDC:12634-246-80 20 in 1 BOTTLE; Type 0: Not a Combination Product | | | | | | |
| | | | 15 in 1 BOTTLE; Type 0: Not a Combination Product | | | | |
| | NDC:12634-246-91 1 in 1 BLISTER PACK; Type 0: Not a Combination Product | | | | | | |
| | | | 6 in 1 BOTTLE; Type 0: Not a Combination Product | | | | |
| | | | | | | | |
| | | | | | | | |
| N | Aarketing | Inf | ormation | | | | |
| | Marketing Cat | | | Market | ing Start Date | Marketin | g End Date |
| | TC monograph | | | 08/19/20 | _ | | 0 2 |
| | 0 1 | | | | | | |

| Establishment | | | |
|---------------|---------|-----------|---------------------------------------|
| Name | Address | ID/FEI | Business Operations |
| Apotheca Inc. | | 051457844 | relabel(12634-246), repack(12634-246) |

Revised: 12/2015

Apotheca Inc.