ANTISEPTIC SKIN CLEANSER- chlorhexidine gluconate 4% liquid Meijer Distribution, Inc.

Meijer 4%

Active ingredient

Chlorhexidine gluconate 4% solution

Purpose

Antiseptic

Uses

- **surgical hand scrub:** significantly reduces the number of microorganisms on the hands and forearms prior to surgery or patient care
- **healthcare personnel handwash**: helps reduce bacteria that potentially can cause disease
- skin wound and general skin cleansing

Warnings

For external use only

Allergy alert: This product may cause a severe allergic reaction.

Symptoms may include:

- wheezing/difficulty breathing
- shock
- facial swelling
- hives
- rash

If an allergic reaction occurs, stop use and seek medical help right away.

Stop use and ask doctor if

irritation, sensitization, or allergic reaction occurs. These may be signs of a serious condition.

When using this product

- keep out of eyes, ears, and mouth. May cause serious and permanent eye injury if permitted to enter and remain in the eye or may cause deafness when instilled in the middle ear through perforated eardurms.
- if solution should contact these areas, rinse out promptly and thoroughly with water
- wounds which involve more than the superficial layers of the skin should not be routinely treated

• repeated general skin cleansing of large body areas should not be done except when adviseed by a health care provider

Do not use

- if you or the patient is allergic to chlorhexidine gluconate or any other ingredient in this product
- in contact with meninges
- in the genital area

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

• use with care in premature infants or infants under 2 months of age. These products may cause irritation or chemical burns.

Surgical hand scrub:

- wet hands and forearms under running water
- scrub for 3 minutes with about 5 mL of product and a wet brush, paying close attention to the nails, cuticles, and interdigital spaces
- a separate nail cleaner may be used
- rinse thoroughly
- wash for an additional 3 minutes with 5 mL of product and rinse under running water
- dry thoroughly

Healthcare personnel handwash:

- wet hands with water
- dispense about 5 mL of product into cupped hands and wash in vigorous manner for about 15 seconds
- rinse and dry thoroughly

Skin wound and normal skin cleansing:

- thoroughly rinse the area to be cleaned with water
- apply the minimum amount of product necessary to cover the skin or wound area and wash gently
- rinse again thoroughly

Other information

- store at 20-25°C (68-77°F)
- avoid excessive heat above 40°C (104°F)

Inactive ingredients

cocamide DEA, fragrance, glucono-delta-lactone, hydroxyethylcellulose, isopropyl alcohol, lauramine oxide, PEG-75 lanolin, purified water, tridecyl alcohol.

Questions or comments?

call 1-800-587-3721 Monday through Friday 8:00 AM to 4:30 PM CST

Other safety information

Warning: This product can expose you to coconut oil diethanolamine condensate (cocamide diethanolamine), which is known to the State of California to cause cancer.

For more information go to www.P65Warnings.ca.gov.

Laundering/Cleaning Instructions: Chlorhexidine gluconate skin cleansers will cause stains if used with chlorine releasing products. Rinse completely and use only non-chlorine detergents.

DIST. BY MEIJER DISTRIBUTION, INC.

GRAND RAPIDS, MI 49544

www.meijer.com

*This product is not manufactured or distributed by Mölnlycke Healthcare, owner of the registered trademark Hibiclens $^{\mbox{\scriptsize B}}$.

Package label and principal display panel

NDC 41250-162-08 Compare to the active ingredient in Hibiclens®*

Reduces bacteria on the skin

Antiseptic Skin Cleanser

Chlorhexidine Gluconate 4% Solution

Antiseptic/Antimicrobial Skin Cleanser

FOR EXTERNAL USE ONLY

Dye Free

8 FL OZ (237 mL)

TAMPER EVIDENT: DO NOT USE IF SHRINK SEAL NECKBAND IS BROKEN OR MISSING.

4MEI08BTLLBLD



AND				
Drug Facts (continued)				
<i>Warnings</i> For external use only				
Allergy alert: This product may cause a severe allergic reaction. Symptoms may include: wheezing/difficulty breathing shock factal swelling				
 hives rash if an allergic reaction occurs, stop use and seek medical help right away. 				
Do not use If you or the patient is allergic to chlorhexidine gluconate or any other ingredient in this product in contact with meninges in the genital area 				
 When using this product keep out of eyes, ears, and mouth. May cause serious and permanent eye injury if permitted to enter and remain in the eye or may cause deathess when instilled in the middle ear through perforated eardrums. If solution should contact these areas, these out promptly and thoroughly with water wounds which involve more than the superficial layers of the skin should not be routinely treated repeated general skin clearnsing of large body areas should not be done except when advised by a health care provider 				
Stop use and ask a doctor II initiation, sensitization, or allergic reaction occurs. These may be signs of a serious condition.				
Keep out of reach of children. If swallowed, get medical help or contact a Polson Control Center right away.				
Directions • use with care in premature infants or infants under 2 months of age. These products may cause irritation or chemical burns. Surgical hand scrub: • wet hands and forearms with water • scrub for 3 minutes with about 5 mL of product and a wet brush, paying close a tlantion to the nails, cuticles, and interdigital spaces a separate had cleaner may be used • rinse thoroughly • wash for an additional 3 minutes with 5 mL of product and rinse under running water • dry thoroughly				
Heatthcare personnel handwash: • wet hands with water dispense about 5 mL of product into cupped hands and wash in a vigorous manner for about 15 seconds • firse and dry thoroughly Skin wound and general skin cleansing: • thoroughly firse the area to be cleaned with water • apply the minimum amount of product necessary to cover the skin or wound area and wash gently • drese acient thoroughly				

- rinse again thoroughly

Drug Facts (continued)

- Other information
- store at 20-25°C (68-77°F)
 avoid excessive heat above 40°C (104°F)

Inactive ingredients cocamide DEA, fragrance, glucono-delta-lactone, hydroxyethylcallulose, isopropyl alcohol, lauramine oxide, PEG-75 lanolin, puritied water, tridecyl alcohol

•

Questions or comments? call 1-800-587-3721 Monday through Friday 8:00 AM to 4:30 PM CST



WARNING: This product can expose you to coconut oil diethanolamine condensate (cocamide diethanolamine), which is known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.

Laundering/Cleaning instructions: Chlorhexidine gluconate skin cleansers will cause stains if used with chlorine releasing products, such as chlorine bleach. Rinse completely and use only non-chlorine detergents.

NDC 41250-162-16

Compare to Hibiclens active ingredient

meijer

antiseptic

skin cleanser

(Chlorhexidine Gluconate 4% Solution)

Antiseptic/Antimicrobial SKin Cleanser

REDUCES BACTERIA ON THE SKIN


DYE FREE

FOR EXTERNAL USE ONLY

TAMPER EVIDENT: DO NOT USE IF SHRINK SEAL NECKBAND IS BROKEN OR MISSING

16 FL OZ (473 mL)





Drug Facts	(continued)
Symptoms ma wheezing/di shock factal swellin hives rash	friculty breathing
this product	patient is allergic to chiorhexidine gluconate or any other ingredient in t /ith meninges III in the genital area.
permitted to middle ear t if solution s wounds whi routinely tre repeated ge	eyes, ears, and mouth. May cause serious and permanent eye injury if enter and remain in the eye or may cause deafness when instilled in the hrough perforated eardrums. hould contact these areas, rinse out promptly and thoroughly with water ich involve more than the superficial layers of the skin should not be
maý be signs o	esk a doctor if Irritation, sensitization, or allergic reaction occurs. These of a serious condition. ach of children. If swallowed, get medical help or contact a Polson
Control Center	
may cause l Surgical hand	re in premature infants or infants under 2 months of age. These products rritation or chemical burns.
 scrub for 3 attention to a separate n rinse thorout 	minutes with about 5 mL of product and a wet brush, paying close the nails, cuticles, and interdigital spaces nail cleaner may be used
water dry thoroug	
Healthcare per wet hands v dispense ab for about 15	rsonnel handwash: with water out 5 mL of product into cupped hands and wash in a vigorous manner i seconds
 thoroughly i apply the mi 	d general skin cleansing: rinse the area to be cleaned with water inimum amount of product necessary to cover the nd area and wash gently
- moo again i	•

Drug Facts (continued)

Other information store at 20-25°C (68-77°F)
 avoid excessive heat above 40°C (104°F)

Inactive ingredients cocamide DEA, fragrance, glucono-delta-lactone, hydroxyethylcellulose, isopropyl alcohol, lauramine oxide, PEG-75 lanolin, purified water, tridecyl alcohol

Questions or comments?

call 1-800-587-3721 Monday through Friday 8:00 AM to 4:30 PM CST

WARNING: This product can expose you to coconut oil diethanolamine condensate (cocamide diethanolamine), which is known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.

Laundering/Cleaning Instructions: Chlorhexidine gluconate skin cleansers will cause stains if used with chlorine releasing products, such as chlorine bleach. Rinse completely and use only non-chlorine detergents.

ANTISEPTIC							
chlorhexidine glu	conate 4% li	quid					
Due de et la faire							
Product Infor	mation						
Product Type		HUMAN OTC DRUG	Item Code (Source)		NDC:41	NDC:41250-162	
Route of Admini	stration	TOPICAL					
Active Ingredi	ent/Active	Moiety					
Active Ingredient/Active Moiety Ingredient Name				Basis of S	Basis of Strength		gth
CHLORHEXIDINE GLUCONATE (UNII: MOR84MUD8E) (CHLORHEXIDINE - UNII:R4K00DY52L)		CHLORHEXIDI GLUCONATE	-	4 mg in 100 r	-		
Inactive Ingre	dients						
Ingredient Name Strength							
LAURAMINE OXIDE (UNII: 4F6FC4MI8W)							
COCO DIETHANOL	AMIDE (UNII: 9	2005F972D)					
PEG-75 LANOLIN (•					
		000 CPS AT 1%) (UNII: S38	BJ6RZ N16)				
ISOPROPYL ALCOH		416302)					
WATER (UNII: 059Q							
TRIDECYL ALCOHO							
GLUCONOLACTON		(9FUT)					
Packaging							
# Item Code	Pa	ackage Description		Marketing Sta Date	art Mar	keting Date	End
NDC:41250- 2	237 mL in 1 BO	TTLE, PLASTIC; Type 0: Not	a c	12/25/2021			

1	162-08	Combination Product	05/25/2021		
2	NDC:41250- 162-16	473 mL in 1 BOTTLE, PUMP; Type 0: Not a Combination Product	01/01/2014		
Marketing Information					
	······································				
	Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
NE	Marketing Category	Application Number or Monograph	-	-	

Labeler - Meijer Distribution, Inc. (006959555)

Registrant - Xttrium Laboratories, Inc. (007470579)

Establishment						
Name	Address	ID/FEI	Business Operations			
Xttrium Laboratories, Inc.		007470579	manufacture(41250-162)			

Revised: 3/2021

Meijer Distribution, Inc.