

**PAIN RELIEF- lidocaine hydrochloride, menthol, methyl salicylate patch**  
**ZHEJIANG DONGYANG YINDA BIOLOGY CO., LTD**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----

**Active Ingredient**

- Lidocaine 4% .....  
Topical Anesthetic
- Menthol 5% .....  
Topical Analgesic
- Methyl Salicylate 4% .....  
Topical Analgesic

**Purpose**

Topical Anesthetic

**Use**

Temporarily relieves aches and pains of muscles and joints associated with: ·arthritis ·simple backache ·sprains ·strains ·muscle soreness

Warnings
For external use only
Do not use ·on the face or rashes·on open wounds, cuts, damaged or infected skin ·with a heating pad ·if allergic to any ingredients · if condition worsens or symptoms persist for more than 7 days ·excessive skin irritation occurs
Ask a doctor before use if: ·you are allergic to any ingredients ·you have high blood pressure,heart disease,or kidney disease ·you are pregnant
When using this product: avoid contact with eyes, genitals, and other mucus membranes. If eye contact occurs, rinse thoroughly with water.
If pregnant or breast-feeding, ask a health professional before use.

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away. Package not child resistant. Dispose of the used patches by folding sticky ends together.

**Directions**

**Adults and children over 12 years:** ·Carefully remove protective film from patch ·Apply one patch to affected area ·Repeat as necessary, but no more than 4 times daily.

**Children under 12 years of age:** Ask a doctor

**Inactive Ingredients**


**Inactive Ingredients:**

Acrylic Acid, Aluminum Hydroxide, Carmellose Sodium, 2-Ethylhexyl Acrylate, Glycerin, Isopropyl Myristate, Methyl Acrylate, Nonoxonyl-30, Polyacrylic Acid, Polysorbate 80, Sodium Polyacrylate,

Sorbitan Sesquioleate, Starch, Talc, Tartaric Acid, Titanium Dioxide, Water

**Other information**

.some individuals may not experience pain relief until several minutes or hours after applying the patch  
 avoid storing product in direct sunlight .protect product from excessive moisture .store at 67-77°F (19-25°C)

<p><b>Drug Facts</b></p> <table style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 60%;"><b>Active ingredient</b></td> <td style="width: 40%;"><b>Purpose</b></td> </tr> <tr> <td>Lidocaine 4% .....</td> <td>Topical Anesthetic</td> </tr> <tr> <td>Menthol 5% .....</td> <td>Topical Analgesic</td> </tr> <tr> <td>Methyl Salicylate 4% .....</td> <td>Topical Analgesic</td> </tr> </table> <p><b>Uses</b> Temporarily relieves aches and pains of muscles and joints associated with: -arthritis -simple backache -sprains -strains -muscle soreness</p> <p><b>Warnings</b> For external use only</p> <p><b>Do not use</b> -on the face or rashes-on open wounds, cuts, damaged or infected skin -with a heating pad -if allergic to any ingredients -if condition worsens or symptoms persist for more than 7 days -excessive skin irritation occurs</p> <p><b>Ask a doctor before use if:</b> -you are allergic to any ingredients -you have high blood pressure, heart disease, or kidney disease -you are pregnant</p> <p><b>When using this product:</b> avoid contact with eyes, genitals, and other mucous membranes. If eye contact occurs, rinse thoroughly with water.</p> <p><b>If pregnant or breast-feeding,</b> ask a health professional before use.</p> <p><b>Keep out of reach of children.</b> If swallowed, get medical help or contact a Poison Control Center right away. Package not child resistant. Dispose of the used patches by folding sticky ends together.</p> <p><b>Directions</b> <b>Adults and children over 12 years:</b> -Carefully remove protective film from patch -Apply one patch to affected area -Repeat as necessary, but no more than 4 times daily. <b>Children under 12 years of age:</b> Ask a doctor</p> <p><b>Other information</b> .some individuals may not experience pain relief until several minutes or hours after applying the patch avoid storing product in direct sunlight .protect product from excessive moisture .store at 67-77°F (19-25°C)</p> <p><b>Inactive Ingredients:</b> Acrulic Acid, Aluminum Hydroxide, Carmellose Sodium, 2-Ethylhexyl Acrylate, Glycerin, Isopropyl Myristate, Methyl Acrylate, Nonoxonyl-30, Polyacrylic Acid, Polysorbate 80, Sodium Polyacrylate, Sorbitan Sesquioleate, Starch, Talc, Tartaric Acid, Titanium Dioxide, Water</p> <p style="font-size: small;">Manufactured by: Yinda Biology 239 Xingning Rd., Dongyang 322100</p> <p style="font-size: small;">Designed and assembled in China. Patent Pending.</p> <p style="text-align: center;"><b>FIRSTDOC</b> <i>patch</i></p> <p style="font-size: x-small;">For Questions or Comments, pls email sales1@yindasw.com</p> <p style="font-size: x-small;">Mfg Date: Exp Date:</p>	<b>Active ingredient</b>	<b>Purpose</b>	Lidocaine 4% .....	Topical Anesthetic	Menthol 5% .....	Topical Analgesic	Methyl Salicylate 4% .....	Topical Analgesic	<div style="text-align: center;"> <p>NDC</p> <p>Powerful Pain Relief</p> <p><b>FIRSTDOC</b></p> <p><b>8</b> Lasts up to Hours</p> <p><b>Cold &amp; Hot</b></p> <p><b>Pain Relief Patch</b></p> <p>Transdermal Topical Analgesic Patch</p> <p>Deep Penetrating Long Lasting Soothing</p>  <p>Extra Strength Fast Relief</p> </div> <p style="writing-mode: vertical-rl; transform: rotate(180deg); font-size: small;">FIRSTDOC Cold &amp; Hot Pain Relief Patch LOT #</p>
<b>Active ingredient</b>	<b>Purpose</b>								
Lidocaine 4% .....	Topical Anesthetic								
Menthol 5% .....	Topical Analgesic								
Methyl Salicylate 4% .....	Topical Analgesic								

<b>PAIN RELIEF</b>			
lidocaine hydrochloride, menthol, methyl salicylate patch			
<b>Product Information</b>			
<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:70355-001
<b>Route of Administration</b>	TOPICAL		
<b>Active Ingredient/Active Moiety</b>			
<b>Ingredient Name</b>	<b>Basis of Strength</b>	<b>Strength</b>	
<b>LIDOCAINE</b> (UNII: 98PI200987) (LIDOCAINE - UNII:98PI200987)	LIDOCAINE	4 g in 100 g	
<b>METHYL SALICYLATE</b> (UNII: LAV5U5022Y) (SALICYLIC ACID - UNII:O414PZ4LPZ)	METHYL SALICYLATE	4 g in 100 g	
<b>MENTHOL</b> (UNII: L7T10EIP3A) (MENTHOL - UNII:L7T10EIP3A)	MENTHOL	5 g in 100 g	
<b>Inactive Ingredients</b>			
<b>Ingredient Name</b>	<b>Strength</b>		
<b>WATER</b> (UNII: 059QF0K00R)			
<b>TALC</b> (UNII: 7SEV7J4RIU)			
<b>TARTARIC ACID</b> (UNII: W48881119H)			

<b>STARCH, CORN</b> (UNII: O8232NY3SJ)
<b>SORBITAN SESQUIOLEATE</b> (UNII: 0W8RRI5W5A)
<b>ACRYLIC ACID</b> (UNII: J94PBK7X8S)
<b>ALUMINUM HYDROXIDE</b> (UNII: 5QB0T2IUN0)
<b>CARBOXYMETHYLCELLULOSE SODIUM</b> (UNII: K679OBS311)
<b>2-ETHYLHEXYL ACRYLATE</b> (UNII: HR49R9S6XG)
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)
<b>ISOPROPYL MYRISTATE</b> (UNII: 0RE8K4LNJS)
<b>METHYL ACRYLATE</b> (UNII: WC487PR91H)
<b>SODIUM POLYACRYLATE (2500000 MW)</b> (UNII: 05115JN12J)
<b>NONOXYNOL-30</b> (UNII: JJX07DG188)
<b>POLYACRYLIC ACID (8000 MW)</b> (UNII: 73861X4K5F)
<b>POLYSORBATE 80</b> (UNII: 6OZP39ZG8H)
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP)

**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:70355-001-09	15 in 1 BOX		
1		3 in 1 POUCH		
1		0.408 g in 1 PATCH; Type 0: Not a Combination Product		
2	NDC:70355-001-10	15 in 1 BOX		
2		5 in 1 POUCH		
2		0.408 g in 1 PATCH; Type 0: Not a Combination Product		
3	NDC:70355-001-11	6 in 1 BOX		
3		3 in 1 POUCH		
3		0.408 g in 1 PATCH; Type 0: Not a Combination Product		
4	NDC:70355-001-12	4 in 1 BOX		
4		1 in 1 POUCH		
4		0.408 g in 1 PATCH; Type 0: Not a Combination Product		
5	NDC:70355-001-13	24 in 1 BOX		
5		2 in 1 POUCH		
5		0.85 g in 1 PATCH; Type 0: Not a Combination Product		
6	NDC:70355-001-14	24 in 1 BOX		
6		4 in 1 POUCH		
6		0.408 g in 1 PATCH; Type 0: Not a Combination Product		
7	NDC:70355-001-15	24 in 1 BOX		
7		5 in 1 POUCH		
7		0.408 g in 1 PATCH; Type 0: Not a Combination Product		
8	NDC:70355-001-16	24 in 1 BOX		
8		6 in 1 POUCH		
8		0.408 g in 1 PATCH; Type 0: Not a Combination Product		

**Marketing Information**

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part348	12/30/2015	

**Labeler** - ZHEJIANG DONGYANG YINDA BIOLOGY CO., LTD (546989657)

**Establishment**

Name	Address	ID/FEI	Business Operations
ZHEJIANG DONGYANG YINDA BIOLOGY CO., LTD		546989657	manufacture(70355-001)

Revised: 1/2016

ZHEJIANG DONGYANG YINDA BIOLOGY CO., LTD