

SUNMARK ANTI-ITCH- diphenhydramine hydrochloride and zinc acetate cream
Strategic Sourcing Services LLC

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

sunmark[®]
anti-itch 2%

Drug Facts

<i>Active ingredients</i>	<i>Purpose</i>
Diphenhydramine hydrochloride 2%	Topical analgesic
Zinc acetate 0.1%	Skin protectant

Uses

- temporarily relieves pain and itching associated with:
 - insect bites
 - minor burns
 - sunburn
 - minor skin irritations
 - minor cuts
 - scrapes
 - rashes due to poison ivy, poison oak, and poison sumac
- dries the oozing and weeping of poison ivy, poison oak, and poison sumac

Warnings

For external use only

Do not use

- on large areas of the body
- with any other product containing diphenhydramine, even one taken by mouth

Ask a doctor before use

- on chicken pox
- on measles

When using this product

- avoid contact with eyes

Stop use and ask a doctor if

- condition worsens or does not improve within 7 days
- symptoms persist for more than 7 days or clear up and occur again within a few days

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- do not use more often than directed

- adults and children 2 years of age and older: apply to affected area not more than 3 to 4 times daily
- children under 2 years of age: ask a doctor

Other information

- To open: unscrew cap, use pointed end of cap to puncture seal.
- store at room temperature
- see carton or tube crimp for lot number and expiration date

Inactive ingredients

cetyl alcohol, glyceryl stearate, glyceryl stearate/PEG-100 stearate, methylparaben, propylene glycol, propylparaben and purified water

Questions?

Call 1-866-923-4914

Distributed by McKesson
One Post Street
San Francisco, CA 94104

PRINCIPAL DISPLAY PANEL - 28.4 g Tube Carton

sunmark[®]

anti-itch cream 2%

diphenhydramine hydrochloride

Topical Analgesic/Antihistamine

Skin Protectant

EXTRA STRENGTH

NET WT 1 OZ (28.4 g)

sunmark®

COMPARE TO BENADRYL®
ACTIVE INGREDIENTS*
NDC 49348-854-72

Relieves pain & itch from insect bites,
minor skin irritations & rashes from
poison ivy, poison oak & poison sumac

EXTRA STRENGTH

LPK-59-38-1
0708-1
M05

sunmark®

anti-itch cream 2%

diphenhydramine hydrochloride

Topical Analgesic/Antihistamine
Skin Protectant

EXTRA STRENGTH

NET WT 1 OZ (28.4 g)

sunmark®

anti-itch
cream 2%

Topical Analgesic/Antihistamine
Skin Protectant

T51



Drug Facts (continued)
Other information
• To open, unscrew cap, use pointed end of cap to puncture seal.
• Store at room temperature.
• See carton or tube crimp for lot number and expiration date.
Inactive ingredients cetylalcohol, glyceryl stearate, glyceryl stearate/PEG-100 stearate, methylparaben, propylene glycol, propylparaben and purified water.
Questions? Call 1-866-923-4914

NO COPY / NO COLOR
THIS FLAP FOR LOT #
AND EXP DATE PRINT

MESSESON
diphenhydramine hydrochloride
Another Quality Product
Distributed by MesseSon
San Francisco, CA 94104
San Francisco, CA 94104
Please visit us at
www.sunmarkand.com
Made in Canada

Drug Facts
Active ingredients
Diphenhydramine hydrochloride 2%.....
Zinc acetate 0.1%.....
Purpose
Topical analgesic.....
Skin protectant.....
Uses
Temporarily relieves pain and itching associated with:
• insect bites • minor burns • sunburn • minor skin irritations • minor cuts
• rashes due to poison ivy, poison oak, and poison sumac
• dries the oozing and weeping of poison ivy, poison oak, and poison sumac
Warnings
For external use only
Do not use
• on large areas of the body
• with any other product containing diphenhydramine, even one taken by mouth
Ask a doctor before use • on chicken pox • on measles
When using this product • avoid contact with eyes
Stop use and ask a doctor if
• symptoms persist for more than 7 days or clear up and occur again within a few days
• condition worsens or does not improve within 7 days
Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.
Directions
• do not use more often than directed
• adults and children 2 years of age and older: apply to affected area not more than 3 to 4 times daily
• children under 2 years of age: ask a doctor

anti-itch cream 2%
diphenhydramine hydrochloride
Topical Analgesic/Antihistamine
Skin Protectant

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:49348-854
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
diphenhydramine hydrochloride (UNII: TC2D6JAD40) (diphenhydramine - UNII:8GTS82S83M)	diphenhydramine hydrochloride	20 mg in 1 g
zinc acetate (UNII: FM5526K07A) (zinc cation - UNII:13S1S8SF37)	zinc acetate	1 mg in 1 g

Inactive Ingredients

Ingredient Name	Strength
cetyl alcohol (UNII: 936JST6JCN)	
glyceryl monostearate (UNII: 230OU9XXE4)	
PEG-100 stearate (UNII: YD01N1999R)	
methylparaben (UNII: A2I8C7HI9T)	
propylene glycol (UNII: 6DC9Q167V3)	
propylparaben (UNII: Z8IX2SC1OH)	
water (UNII: 059QF0KO0R)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:49348-854-72	1 in 1 CARTON	09/20/2005	
1		28.4 g in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH NOT FINAL	part348	09/20/2005	

Labeler - Strategic Sourcing Services LLC (116956644)

Revised: 11/2019

Strategic Sourcing Services LLC