

**LISTERINE TOTAL CARE KIDS ANTICAVITY FLUORIDE RINSE - BERRY SPLASH-
sodium fluoride mouthwash
Kenvue Brands LLC**

Listerine Total Care Kids Anticavity Fluoride Rinse - Berry Splash

Drug Facts

Active ingredient

Sodium fluoride 0.02% (0.01% w/v fluoride ion)

Purpose

Anticavity

Use

Aids in the prevention of dental cavities

Warnings

Keep out of reach of children. If more than used for rinsing is accidentally swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Adults and children 6 years of age and older:
- Use twice a day after brushing your teeth with a toothpaste.
- Vigorously swish 10 mL (2 teaspoonfuls) of rinse between your teeth for 1 minute and then spit out.
- Do not swallow the rinse.
- Do not eat or drink for 30 minutes after rinsing.
- Instruct children under 12 years of age in good rinsing habits (to minimize swallowing)
- Supervise children as necessary until capable of using without supervision.
- Children under 6 years of age: consult a dentist or a doctor.

Other information

- Store at room temperature
- Cold weather may temporarily cloud this product

Inactive ingredients

Water, Sorbitol, Flavor, Phosphoric Acid, Cetylpyridinium Chloride, Sucralose, Sodium Saccharin, Disodium Phosphate, Red 33, Green 3

Questions?

call toll-free **888-222-0182** or **215-273-8755** (collect).

Distributed by:

KENVUE BRANDS LLC

Summit, NJ 07901

PRINCIPAL DISPLAY PANEL - 500 mL Bottle Label

ALCOHOL FREE

ADA

Accepted

American

Dental

Association ®

24-HR CAVITY

PROTECTION †

†when used twice daily

kid-approved taste

ANTICAVITY FLUORIDE RINSE

LISTERINE®

TOTAL CARE KIDS

SODIUM FLUORIDE & ACIDULATED PHOSPHATE TOPICAL SOLUTION

6IN1

BENEFITS*

BERRY

SPLASH

KID-APPROVED

TASTE

500mL(16.9Fl Oz)

IMPORTANT: Read

directions for proper use.



*1. ALL DAY CAVITY PROTECTION 2. KILLS BAD BREATH GERMS 3. STRENGTHENS TEETH 4. KID APPROVED TASTE 5. FRESHENS BREATH 6. CLEANS WHOLE MOUTH

Drug Facts

Active ingredient Sodium fluoride 0.02% (0.01% w/v fluoride ion)	Purpose Anticavity
Use Aids in the prevention of dental cavities	
Warnings Keep out of reach of children. If more than used for rinsing is accidentally swallowed, get medical help or contact a Poison Control Center right away.	
Directions • Adults and children 6 years of age and older: • Use twice a day after brushing your teeth with a toothpaste. • Vigorously swish 10 mL (2 teaspoonfuls) of rinse between your teeth for 1 minute and then spit out. • Do not swallow the rinse. • Do not eat or drink for 30 minutes after rinsing. • Instruct children under 12 years of age in good rinsing habits (to minimize swallowing) • Supervise children as necessary until capable of using without supervision. • Children under 6 years of age: consult a dentist or a doctor.	
Other information • Store at room temperature • Cold weather may temporarily cloud this product	
Inactive ingredients Water, Sorbitol, Flavor, Phosphoric Acid, Cetylpyridinium Chloride, Sucralose, Sodium Saccharin, Disodium Phosphate, Red 33, Green 3	
Questions? call toll-free 888-222-0182 or 215-273-8755 (collect).	

Do not use if printed band around cap is broken or missing.
In some instances, this product may cause discoloration which can be prevented by adequate brushing or removed at next regular dental visit.

Empty & Replace Cap
how2recycle.info
PLASTIC BOTTLE

Distributed by:
KENVUE BRANDS LLC
Summit, NJ 07901
© Kenvue Brands 2024
Pat. www.kenvuepats.com

ADA Accepted American Dental Association
Helps prevent cavities

EXP LOT

3 12547 11581 0
30058258

LISTERINE TOTAL CARE KIDS ANTICAVITY FLUORIDE RINSE - BERRY SPLASH

sodium fluoride mouthwash

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:69968-0904
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
SODIUM FLUORIDE (UNII: 8ZYQ1474W7) (FLUORIDE ION - UNII:Q80VPU4080)	SODIUM FLUORIDE	0.1 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
SORBITOL (UNII: 506T60A25R)	
WATER (UNII: 059QF0KO0R)	
PHOSPHORIC ACID (UNII: E4GA8884NN)	
CETYLPIRIDINIUM CHLORIDE (UNII: D9OM4SK49P)	
SUCRALOSE (UNII: 96K6UQ3ZD4)	
SACCHARIN SODIUM (UNII: SB8ZUX40TY)	
SODIUM PHOSPHATE, DIBASIC, ANHYDROUS (UNII: 22ADO53M6F)	
D&C RED NO. 33 (UNII: 9DBA0SBB0L)	
FD&C GREEN NO. 3 (UNII: 3P3ONR601S)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:69968-0904-5	500 mL in 1 BOTTLE; Type 0: Not a Combination Product	12/11/2024	
2	NDC:69968-0904-3	27 mL in 1 BOTTLE; Type 0: Not a Combination Product	12/19/2025	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M021	12/11/2024	

Labeler - Kenvue Brands LLC (118772437)

Revised: 12/2025

Kenvue Brands LLC