

**LISTERINE TOTAL CARE KIDS ANTICAVITY FLUORIDE RINSE - BERRY SPLASH-  
sodium fluoride mouthwash  
Kenvue Brands LLC**

-----  
**Listerine Total Care Kids Anticavity Fluoride Rinse - Berry Splash**

***Drug Facts***

**Active ingredient**

Sodium fluoride 0.02% (0.01% w/v fluoride ion)

**Purpose**

Anticavity

**Use**

Aids in the prevention of dental cavities

**Warnings**

**Keep out of reach of children.** If more than used for rinsing is accidentally swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

- Adults and children 6 years of age and older:
- Use twice a day after brushing your teeth with a toothpaste.
- Vigorously swish 10 mL (2 teaspoonfuls) of rinse between your teeth for 1 minute and then spit out.
- Do not swallow the rinse.
- Do not eat or drink for 30 minutes after rinsing.
- Instruct children under 12 years of age in good rinsing habits (to minimize swallowing)
- Supervise children as necessary until capable of using without supervision.
- Children under 6 years of age: consult a dentist or a doctor.

**Other information**

- Store at room temperature
- Cold weather may temporarily cloud this product

**Inactive ingredients**

Water, Sorbitol, Flavor, Phosphoric Acid, Cetylpyridinium Chloride, Sucralose, Sodium Saccharin, Disodium Phosphate, Red 33, Green 3

## **Questions?**

call toll-free **888-222-0182** or **215-273-8755** (collect).

Distributed by:

**KENVUE BRANDS LLC**

**Summit, NJ 07901**

**PRINCIPAL DISPLAY PANEL - 500 mL Bottle Label**

**ALCOHOL FREE**

**ADA**

**Accepted**

**American**

**Dental**

**Association ®**

**24-HR CAVITY**

**PROTECTION †**

**†when used twice daily**

**kid-approved taste**

**ANTICAVITY FLUORIDE RINSE**

**LISTERINE®**

**TOTAL CARE KIDS**

**SODIUM FLUORIDE & ACIDULATED PHOSPHATE TOPICAL SOLUTION**

**6IN1**

**BENEFITS\***

**BERRY**

**SPLASH**

**KID-APPROVED**

**TASTE**

**500mL(16.9Fl Oz)**

**IMPORTANT: Read**

**directions for proper use.**



\*1. ALL DAY CAVITY PROTECTION 2. KILLS BAD BREATH GERMS 3. STRENGTHENS TEETH 4. KID APPROVED TASTE 5. FRESHENS BREATH 6. CLEANS WHOLE MOUTH

**Drug Facts**

<b>Active ingredient</b> Sodium fluoride 0.02% (0.01% w/v fluoride ion)	<b>Purpose</b> Anticavity
<b>Use</b> Aids in the prevention of dental cavities	
<b>Warnings</b> Keep out of reach of children. If more than used for rinsing is accidentally swallowed, get medical help or contact a Poison Control Center right away.	
<b>Directions</b> • Adults and children 6 years of age and older: • Use twice a day after brushing your teeth with a toothpaste. • Vigorously swish 10 mL (2 teaspoonfuls) of rinse between your teeth for 1 minute and then spit out. • Do not swallow the rinse. • Do not eat or drink for 30 minutes after rinsing. • Instruct children under 12 years of age in good rinsing habits (to minimize swallowing) • Supervise children as necessary until capable of using without supervision. • Children under 6 years of age: consult a dentist or a doctor.	
<b>Other information</b> • Store at room temperature • Cold weather may temporarily cloud this product	
<b>Inactive ingredients</b> Water, Sorbitol, Flavor, Phosphoric Acid, Cetylpyridinium Chloride, Sucralose, Sodium Saccharin, Disodium Phosphate, Red 33, Green 3	
<b>Questions?</b> call toll-free 888-222-0182 or 215-273-8755 (collect).	

**Do not use if printed band around cap is broken or missing.**  
In some instances, this product may cause discoloration which can be prevented by adequate brushing or removed at next regular dental visit.

Empty & Replace Cap  
how2recycle.info  
PLASTIC BOTTLE

Distributed by:  
KENVUE BRANDS LLC  
Summit, NJ 07901  
© Kenvue Brands 2024  
Pat. www.kenvuepats.com

ADA Accepted American Dental Association

Helps prevent cavities

EXP LOT

3 12547 11581 0  
30058258

# LISTERINE TOTAL CARE KIDS ANTICAVITY FLUORIDE RINSE - BERRY SPLASH

sodium fluoride mouthwash

## Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:69968-0904
<b>Route of Administration</b>	ORAL		

## Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>SODIUM FLUORIDE</b> (UNII: 8ZYQ1474W7) (FLUORIDE ION - UNII:Q80VPU4080)	SODIUM FLUORIDE	0.1 mg in 1 mL

## Inactive Ingredients

Ingredient Name	Strength
<b>SORBITOL</b> (UNII: 506T60A25R)	
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>PHOSPHORIC ACID</b> (UNII: E4GA8884NN)	
<b>CETYLPIRIDINIUM CHLORIDE</b> (UNII: D9OM4SK49P)	
<b>SUCRALOSE</b> (UNII: 96K6UQ3ZD4)	
<b>SACCHARIN SODIUM</b> (UNII: SB8ZUX40TY)	
<b>SODIUM PHOSPHATE, DIBASIC, ANHYDROUS</b> (UNII: 22ADO53M6F)	
<b>D&amp;C RED NO. 33</b> (UNII: 9DBA0SBB0L)	
<b>FD&amp;C GREEN NO. 3</b> (UNII: 3P3ONR601S)	

**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:69968-0904-5	500 mL in 1 BOTTLE; Type 0: Not a Combination Product	12/11/2024	

**Marketing Information**

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M021	12/11/2024	

**Labeler** - Kenvue Brands LLC (118772437)

Revised: 12/2024

Kenvue Brands LLC