

TOM FORD ARCHITECTURE RADIANCE HYDRATING FOUNDATION BROAD SPECTRUM SPF 50- ensulizole, octinoxate, octisalate, and zinc oxide emulsion
TOM FORD BEAUTY DIST

TOM FORD ARCHITECTURE RADIANCE HYDRATING FOUNDATION BROAD SPECTRUM SPF 50+

Active Ingredients

ENSULIZOLE 2.7%
OCTINOXATE 6.5%
OCTISALATE 3%
ZINC OXIDE 5.3%

Purpose

Sunscreen

USE

helps prevent sunburn

Warnings

For external use only

Do not use

on damaged or broken skin

When using this product

keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if

rash occurs

Keep out of reach of children.

If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions

For sunscreen use:
apply liberally 15 minutes before sun exposure
reapply at least every two hours
use a water resistant sunscreen if swimming or sweating
Sun Protection Measures. Spending time in the sun increases your risk of skin cancer

and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: limit time in the sun, especially from 10 a.m.-2 p.m. wear long-sleeved shirts, pants, hats and sunglasses children under 6 months of age: ask a doctor

Inactive Ingredients

WATER\AQUA\EAU, DIMETHICONE, PHENYL TRIMETHICONE, BUTYLENE GLYCOL, GLYCERIN, NIACINAMIDE, TROMETHAMINE, POLYMETHYLSILSESQUIOXANE, ASCORBYL GLUCOSIDE, LAURYL PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE, HDI/PPG/POLYCAPROLACTONE CROSSPOLYMER, TRIMETHYLSILOXYSILICATE/DIMETHICONOL CROSSPOLYMER, POLYSILICONE-11, CETYL PEG/PPG-10/1 DIMETHICONE, HEXYL LAURATE, ZINC PCA, NEOPENTYL GLYCOL DIHEPTANOATE, TOCOPHEROL, SODIUM HYALURONATE, SQUALANE, ZINGIBER OFFICINALE (GINGER) ROOT EXTRACT, HORDEUM DISTICHON (BARLEY) EXTRACT\EXTRAIT D'ORGE À DEUX RANGS, TRITICUM VULGARE (WHEAT) GERM EXTRACT, CEREUS GRANDIFLORUS (CACTUS) FLOWER EXTRACT, GERANIUM ROBERTIANUM EXTRACT, SAPINDUS MUKOROSSII FRUIT EXTRACT, MORINDA CITRIFOLIA FRUIT EXTRACT, PASSIFLORA EDULIS SEED OIL, MORINGA OLEIFERA SEED OIL, HYDROGENATED COCO-GLYCERIDES, PHOSPHOLIPIDS, PHYTOSTERYL CANOLA GLYCERIDES, WHEY PROTEIN\LACTIS PROTEIN\PROTÉINE DU PETIT-LAIT, CAFFEINE, POLYGLYCERYL-4 ISOSTEARATE, CAPRYLIC/CAPRIC TRIGLYCERIDE, TREHALOSE, TRIETHYL CITRATE, CHOLESTEROL, LINOLEIC ACID, METHICONE, TRIOLEIN, CAESALPINIA SPINOSA GUM, ACETYL HEXAPEPTIDE-8, DIMETHICONE/DIVINYLDIMETHICONE/SILSESQUIOXANE CROSSPOLYMER, SILICA, DISTEARDIMONIUM HECTORITE, POLYHYDROXYSTEARIC ACID, HYDROXYETHYL UREA, GLYCERYL STEARATE, OLEIC ACID, STEARIC ACID, POLYSORBATE 80, POLYSORBATE 20, LECITHIN, LAURETH-7, PALMITIC ACID, CETEARYL ALCOHOL, AMMONIUM POLYACRYLOYLDIMETHYL TAURATE, STEARYL ALCOHOL, BEHENYL ALCOHOL, TRIETHOXYCAPRYLYLSILANE, FRAGRANCE (PARFUM), LIMONENE, LINALOOL, TOCOPHERYL ACETATE, BHT, TETRASODIUM EDTA, DISODIUM EDTA, PHENOXYETHANOL, SODIUM DEHYDROACETATE, POTASSIUM SORBATE, [+/- MICA, TITANIUM DIOXIDE (CI 77891), IRON OXIDES (CI 77491), IRON OXIDES (CI 77492), IRON OXIDES (CI 77499)] <ILN53465>

Other information

protect the product in this container from excessive heat and direct sun

PDP

TOM FORD

ARCHITECTURE

RADIANCE HYDRATING

FOUNDATION

BROAD SPECTRUM SPF 50+

1 FL.OZ/OZ. LIQ/30ml e

93162

TP 182

1

RADIANCE HYDRATING
FOUNDATION
BROAD SPECTRUM SPF 50+

Drug Facts

Active Ingredients	Purpose
Enculzole 2.7%	Sunscreen
Octinoxate 6.5%	Sunscreen
Octisalate 3%	Sunscreen
Zinc Oxide 5.3%	Sunscreen

Use

Helps prevent sunburn

Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

For sunscreen use:

- apply liberally and evenly 15 minutes before sun exposure
- reapply at least every two hours
- use a water resistant sunscreen if swimming or sweating
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m. - 2 p.m.
 - wear long-sleeved shirts, pants hats and sunglasses
 - children under 6 months of age: ask a doctor

Inactive Ingredients

water/aqua/eau • dimethicone • phenyl trimethicone • butylene glycol • glycerin • niacinamide •

Drug Facts [continued]

tromethamine • polymethylsilsesquioxane • ascorbyl glucoside • lauryl ppg-9 polydimethylsiloxyethyl dimethicone • hd/ppg/polycaprolactone crosspolymer • trimethylsiloxysilicate/dimethiconol crosspolymer • polysilicone-11 • cetyl ppg-10/1 dimethicone • hexyl laurate • zinc pca • neopentyl glycol diheptanoate • tocopherol • sodium hyaluronate • squalane • zingiber officinale (ginger) root extract • hordeum distichon (barley) extract/extrait d'orge à deux rangs • triticum vulgare (wheat) germ extract • cereus grandiflorus (cactus) flower extract • geranium robertianum extract • sapindus mukorossi fruit extract • morinda citrifolia fruit extract • passiflora edulis seed oil • moringa oleifera seed oil • hydrogenated coco-glycerides • phospholipids • phytosteryl canola glycerides • whey protein/lactis protein/protéine du petit-lait • caffeine • polyglyceryl-4 isostearate • caprylic/capric triglyceride • trehalose • triethyl citrate • cholesterol • linoleic acid • methicone • triolein • caesalpinia spinosa gum • acetyl hexapeptide-8 • dimethicone/divinyl dimethicone/silsesquioxane crosspolymer • silica • disteardimonium hectorite • polyhydroxystearic acid • hydroxyethyl urea • glyceryl stearate • oleic acid • stearic acid • polysorbate 80 • polysorbate 20 • lecithin • laureth-7 • palmitic acid • cetearyl alcohol • ammonium polyacryloyldimethyl taurate • stearyl alcohol • behenyl alcohol • triethoxycaprylylsilane • fragrance (parfum) • limonene • linalool • tocopheryl acetate • bht • tetrasodium edta • disodium edta • phenoxyethanol • sodium dehydroacetate • potassium sorbate • [γ]- mica • titanium dioxide (ci 77891) • iron oxides (ci 77491) • iron oxides (ci 77492) • iron oxides (ci 77499) <ln53465>

Other Information

protect the product in this container from excessive heat and direct sun

TF

TOM FORD
ARCHITECTURE

RADIANCE HYDRATING
FOUNDATION
BROAD SPECTRUM SPF 50+
1 FL. OZ./OZ. LIQ./30 ml e



TOM FORD BEAUTY DIST. NEW YORK, NY 10022
W.L.B. LTD, GUSZ 3DD, UK • W.L.B.S.A.V. QUEVIL, BF-2260
MADE IN CANADA TCT

TCT-01-1111



TOM FORD ARCHITECTURE RADIANCE HYDRATING FOUNDATION BROAD SPECTRUM SPF 50

ensulizole, octinoxate, octisalate, and zinc oxide emulsion

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:76398-015
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	65 mg in 1 mL
OCTISALATE (UNII: 4X49Y0596W) (OCTISALATE - UNII:4X49Y0596W)	OCTISALATE	30 mg in 1 mL
ZINC OXIDE (UNII: 5O12LOH54Z) (ZINC OXIDE - UNII:5O12LOH54Z)	ZINC OXIDE	53 mg in 1 mL
ENSULIZOLE (UNII: 9YQ9DI1W42) (ENSULIZOLE - UNII:9YQ9DI1W42)	ENSULIZOLE	27 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
ZINGIBER OFFICINALE (GINGER) ROOT EXTRACT (UNII: C5529G5JPQ)	
CAFFEINE (UNII: 3G6A5W338E)	
OLEIC ACID (UNII: 2UMI9U37CP)	
LIMONENE, (+)- (UNII: GFD7C86Q1W)	
TETRASODIUM EDTA (UNII: MP1J8420LU)	
PHENOXYETHANOL (UNII: HIE492Z Z3T)	
CI 77492 (UNII: EX438O2MRT)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)	
TOCOPHEROL (UNII: R0ZB2556P8)	
SQUALANE (UNII: GW89575KF9)	
WHEY (UNII: 8617Z5FMF6)	
TREHALOSE (UNII: B8WCK70T7I)	
GLYCERYL STEARATE (UNII: 230OU9XXE4)	
POLYSORBATE 80 (UNII: 6OZP39Z G8H)	
LAURETH-7 (UNII: Z95S6G8201)	
CI 77499 (UNII: XM0M87F357)	
NEOPENTYL GLYCOL DIHEPTANOATE (UNII: 5LKW3C543X)	
PASSIFLORA EDULIS SEED OIL (UNII: F3VOA31UHQ)	
MORINGA OLEIFERA SEED OIL (UNII: REM6A5QMC0)	
CAPRYLIC/CAPRIC TRIGLYCERIDE (UNII: C9H2L21V7U)	
CAESALPINIA SPINOSA GUM (UNII: WL3883U2PO)	
POLYSORBATE 20 (UNII: 7T1F30V5YH)	
GLYCERIN (UNII: PDC6A3COOX)	
HEXYL LAURATE (UNII: 4CG9F9W01Q)	
ZINC PCA (UNII: C32PQ86DH4)	
SODIUM HYALURONATE (UNII: YSE9PPT4TH)	
GERANIUM ROBERTIANUM EXTRACT (UNII: R511HK0UBL)	

METHICONE (20 CST) (UNII: 6777U11MKT)
DIMETHICONE/DIVINYLDIMETHICONE/SILSESQUIOXANE CROSSPOLYMER (UNII: T3064TZ 75A)
HYDROXYETHYL UREA (UNII: MBQ7DDQ7AR)
ALPHA-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)
EDETATE DISODIUM ANHYDROUS (UNII: 8NLQ36F6MM)
SODIUM DEHYDROACETATE (UNII: 8W46YN971G)
MICA (UNII: V8A1AW0880)
SAPINDUS MUKOROSI FRUIT (UNII: 66H9NW427Y)
CETEARYL ALCOHOL (UNII: 2DMT128M1S)
WATER (UNII: 059QF0KO0R)
PHENYL TRIMETHICONE (UNII: DR0K5NOJ4R)
ASCORBYL GLUCOSIDE (UNII: 2V52RONHXW)
LAURYL PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE (UNII: 25G622K2RA)
SELENICEREUS GRANDIFLORUS FLOWER (UNII: II877K4UNR)
MORINDA CITRIFOLIA FRUIT (UNII: 7829X3G2X5)
HYDROGENATED COCO-GLYCERIDES (UNII: XDD37N2GPR)
TRIETHYL CITRATE (UNII: 8Z96QXD6UM)
SILICA (UNII: ETJ7Z6XBU4)
PALMITIC ACID (UNII: 2V16EO95H1)
BEHENYL ALCOHOL (UNII: 9G1OE216XY)
SOYBEAN LECITHIN (UNII: 1DI56QDM62)
POLYGLYCERYL-4 ISOSTEARATE (UNII: 820DPX33S7)
CHOLESTEROL (UNII: 97C5T2UQ7J)
LINOLEIC ACID (UNII: 9KJL21T0QJ)
TRIOLEIN (UNII: O05EC62663)
ACETYL HEXAPEPTIDE-8 (UNII: L4EL31FWL)
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)
LINALOOL (UNII: D81QY6I88E)
BHT (UNII: 1P9D0Z171K)
POTASSIUM SORBATE (UNII: 1VPU26JZZ4)
CI 77891 (UNII: 15FIX9V2JP)
POLYMETHYLSILSESQUIOXANE (UNII: 59Z907ZB69)
DIMETHICONE (UNII: 92RU3N3Y1O)
NIACINAMIDE (UNII: 25X51I8RD4)
TROMETHAMINE (UNII: 023C2WHX2V)
CETYL PEG/PPG-10/1 DIMETHICONE (HLB 5) (UNII: 035JKJ76MT)
HORDEUM DISTICHON (BARLEY) EXTRACT (UNII: 5PVM7YLI7R)
TRITICUM VULGARE (WHEAT) GERM (UNII: YR3G369F5A)
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)
POLYHYDROXYSTEARIC ACID (2300 MW) (UNII: YXH47AOU0F)
STEARIC ACID (UNII: 4ELV7Z65AP)
AMMONIUM POLYACRYLOYLDIMETHYL TAURATE (UNII: F01RIY4371)
STEARYL ALCOHOL (UNII: 2KR89I4H1Y)
CI 77491 (UNII: 1K09F3G675)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:76398-015-01	1 in 1 CARTON	12/06/2024	
		30 mL in 1 BOTTLE, PUMP; Type 0: Not a		

Combination Product			
Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	12/06/2024	

Labeler - TOM FORD BEAUTY DIST (005914387)

Registrant - Estee Lauder Companies Inc. (790802086)

Establishment			
Name	Address	ID/FEI	Business Operations
Estee Lauder Cosmetics Ltd		202952982	manufacture(76398-015)

Establishment			
Name	Address	ID/FEI	Business Operations
Estee Lauder Cosmetics Ltd		204132062	label(76398-015) , pack(76398-015) , manufacture(76398-015)

Revised: 12/2024

TOM FORD BEAUTY DIST