

MENSTRUAL RELIEF- acetaminophen, caffeine, pyrilamine maleate tablet, film coated
CVS Pharmacy

CVS 44-390

Active ingredients (in each caplet)

Acetaminophen 500 mg
Caffeine 60 mg
Pyrilamine maleate 15 mg

Purpose

Pain reliever
Diuretic
Antihistamine

Uses

for the temporary relief of these symptoms associated with menstrual periods:

- bloating
- headache
- muscle aches
- cramps
- backache
- fatigue
- water-weight gain

Warnings

Liver warning: This product contains acetaminophen. Severe liver damage may occur if you take

- more than 4,000 mg of acetaminophen in 24 hours
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

Allergy alert: Acetaminophen may cause severe skin reactions. Symptoms may include:

- skin reddening
- blisters
- rash

If a skin reaction occurs, stop use and seek medical help right away.

Do not use

- if you have ever had an allergic reaction to this product or any of its ingredients
- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.

Ask a doctor before use if you have

- difficulty in urination due to enlargement of the prostate gland
- liver disease
- glaucoma
- a breathing problem such as emphysema or chronic bronchitis

Ask a doctor or pharmacist before use if you are

- taking the blood thinning drug warfarin
- taking sedatives or tranquilizers

When using this product

- drowsiness may occur
- avoid alcoholic beverages
- alcohol, sedatives, and tranquilizers may increase drowsiness
- excitability may occur, especially in children
- use caution when driving a motor vehicle or operating machinery
- limit the use of caffeine-containing medications, foods, or beverages while taking this product because too much caffeine may cause nervousness, irritability, sleeplessness, and, occasionally, rapid heart rate. The recommended dose of this product contains about as much caffeine as a cup of coffee.

Stop use and ask a doctor if

- new symptoms occur
- redness or swelling is present
- pain gets worse or lasts more than 10 days
- fever gets worse or lasts more than 3 days

These could be signs of a serious condition.

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away. Prompt medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

Directions

- **do not take more than directed**
- adults and children 12 years and over:
 - take 2 caplets with water
 - repeat every 6 hours, as needed

- do not exceed 6 caplets per day
- children under 12 years: ask a doctor

Other information

- **TAMPER EVIDENT: DO NOT USE IF OUTER PACKAGE IS OPENED OR BLISTER IS TORN OR BROKEN**
- see end flap for expiration date and lot number
- store at 25°C (77°F); excursions permitted between 15°C-30°C (59°F-86°F)

Inactive ingredients

corn starch, croscarmellose sodium, crospovidone, hypromellose, magnesium stearate, microcrystalline cellulose, polydextrose, polyethylene glycol, povidone, silicon dioxide, stearic acid, titanium dioxide, triacetin

Questions or comments?

1-800-426-9391

Principal Display Panel

♥CVS™

actual size

Multi-Symptom MENSTRUAL RELIEF

Acetaminophen

Caffeine | Pyrilamine Maleate
Pain reliever, Diuretic, Antihistamine

Compare to Midol® Complete
active ingredients*

Multi-Symptom Relief of: Cramps &
bloating, Fatigue, Backache & headache

24 CAPLETS

**TAMPER EVIDENT: DO NOT USE IF PACKAGE IS
OPENED OR IF BLISTER UNIT IS TORN, BROKEN OR
SHOWS ANY SIGNS OF TAMPERING**

*This product is not manufactured or
distributed by Bayer HealthCare LLC,
owner of the registered trademark
Midol® Complete.

100% money back
guaranteed.
[CVS.com/returnpolicy](https://www.cvs.com/returnpolicy)

50844 ORG062339008

Distributed by: CVS Pharmacy, Inc., One CVS Drive
Woonsocket, RI 02895 © 2025 CVS/pharmacy
CVS.com® 1-800-SHOP CVS V-11112




actual size

**Multi-Symptom
MENSTRUAL RELIEF
Acetaminophen**

Caffeine | Pyrilamine Maleate
Pain Reliever, Diuretic, Antihistamine

Compare to Midol® Complete
active ingredients*

Multi-Symptom Relief of: Cramps &
bloating, Fatigue, Backache & headache

24 CAPLETS

Drug Facts (continued)
 symptoms associated with menstrual periods:
 ■ bloating ■ headache ■ muscle aches
 ■ cramps ■ backache ■ fatigue
 ■ water-weight gain

Warnings
 Liver warning: This product contains acetaminophen. Severe liver damage may occur if you take

Drug Facts (continued)
 ■ taking sedatives or tranquilizers
 When using this product
 ■ drowsiness may occur
 ■ avoid alcoholic beverages
 ■ alcohol, sedatives, and tranquilizers may increase drowsiness
 ■ excitability may occur, especially in children
 ■ use caution when driving a motor vehicle or operating machinery
 ■ limit the use of caffeine-containing medications, foods, or beverages while taking this product because too much caffeine may cause nervousness, irritability, sleeplessness, and occasionally, rapid heart rate. The recommended dose of this product contains about as much caffeine as a cup of coffee.

Stop use and ask a doctor if
 ■ new symptoms occur
 ■ redness or swelling is present
 ■ fever gets worse or lasts more than 3 days
 ■ pain gets worse or lasts more than 10 days
 These could be signs of a serious condition.
 If pregnant or breast-feeding, ask a health professional before use.

Drug Facts (continued)
 ■ adults and children 12 years and over:
 ■ take 2 caplets with water
 ■ repeat every 6 hours, as needed
 ■ do not exceed 6 caplets per day
 ■ children under 12 years: ask a doctor

Other information
 ■ TAMPER EVIDENT: DO NOT USE IF OUTER PACKAGE IS OPENED OR BLISTER IS TORN OR BROKEN

Drug Facts (continued)
 occur if you take
 ■ more than 4,000 mg of acetaminophen in 24 hours
 ■ with other drugs containing acetaminophen
 ■ 3 or more alcoholic drinks every day while using this product

Allergy alert: Acetaminophen may cause severe skin reactions. Symptoms may include:
 ■ skin redness ■ blisters ■ rash
 If a skin reaction occurs, stop use and seek medical help right away.

Do not use
 ■ if you have ever had an allergic reaction to this product or any of its ingredients
 ■ with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.

Ask a doctor before use if you have
 ■ difficulty in urination due to enlargement of the prostate gland ■ liver disease ■ glaucoma
 ■ a breathing problem such as emphysema or chronic bronchitis

Ask a doctor or pharmacist before use if you are
 ■ taking the blood thinning drug warfarin

Drug Facts (continued)
 Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away. Prompt medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

Directions
 ■ do not take more than directed

*This product is not manufactured or distributed by Bayer HealthCare LLC, owner of the registered trademark Midol® Complete.

Distributed by: CVS Pharmacy, Inc., One CVS Drive Woonsocket, RI 02895 © 2025 CVS/pharmacy CVS.com® 1-800-SHOP CVS V-11112

TAMPER EVIDENT: DO NOT USE IF PACKAGE IS OPENED OR IF BLISTER UNIT IS TORN, BROKEN OR SHOWS ANY SIGNS OF TAMPERING

100% money back guaranteed.
 CVS.com/returnpolicy

#456231 50844 ORG062339008

FPO 80%
 UPC# 050428027868
 X XXXXXXX XXXXXX X

CVS 44-390

MENSTRUAL RELIEF			
acetaminophen, caffeine, pyrilamine maleate tablet, film coated			
Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:59779-930
Route of Administration	ORAL		
Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
ACETAMINOPHEN (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)	ACETAMINOPHEN	500 mg	
CAFFEINE (UNII: 3G6A5W338E) (CAFFEINE - UNII:3G6A5W338E)	CAFFEINE	60 mg	
PYRILAMINE MALEATE (UNII: R35D29L3ZA) (PYRILAMINE - UNII:HPE317O9TL)	PYRILAMINE MALEATE	15 mg	

Inactive Ingredients

Ingredient Name	Strength
STARCH, CORN (UNII: O8232NY3SJ)	
CROSCARMELOSE SODIUM (UNII: M28OL1HH48)	
CROSPROVIDONE, UNSPECIFIED (UNII: 2S7830E561)	
HYPROMELLOSE, UNSPECIFIED (UNII: 3NXW29V3WO)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)	
POLYDEXTROSE (UNII: VH2XOU12IE)	
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WQ0SDW1A)	
POVIDONE, UNSPECIFIED (UNII: FZ989GH94E)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
TRIACETIN (UNII: XHX3C3X673)	

Product Characteristics

Color	white	Score	no score
Shape	OVAL	Size	17mm
Flavor		Imprint Code	44;390
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:59779-930-08	3 in 1 CARTON	04/29/2002	
1		8 in 1 BLISTER PACK; Type 0: Not a Combination Product		
2	NDC:59779-930-21	2 in 1 CARTON	04/29/2002	
2		8 in 1 BLISTER PACK; Type 0: Not a Combination Product		
3	NDC:59779-930-10	1 in 1 CARTON	04/29/2002	
3		40 in 1 BOTTLE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M013	04/29/2002	

Labeler - CVS Pharmacy (062312574)

Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		038154464	pack(59779-930)

Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		832867837	manufacture(59779-930) , pack(59779-930)

Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		832867894	manufacture(59779-930)

Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		967626305	pack(59779-930)

Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		117025878	manufacture(59779-930)

Revised: 7/2025

CVS Pharmacy