MENSTRUAL RELIEF- acetaminophen, caffeine, pyrilamine maleate tablet, film coated CVS Pharmacy

CVS 44-390

Active ingredients (in each caplet)

Acetaminophen 500 mg Caffeine 60 mg Pyrilamine maleate 15 mg

Purpose

Pain reliever Diuretic Antihistamine

Uses

for the temporary relief of these symptoms associated with menstrual periods:

- bloating
- headache
- muscle aches
- cramps
- backache
- fatigue
- water-weight gain

Warnings

Liver warning: This product contains acetaminophen. Severe liver damage may occur if you take

- more than 4,000 mg of acetaminophen in 24 hours
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

Allergy alert: Acetaminophen may cause severe skin reactions. Symptoms may include:

- skin reddening
- blisters
- rash

If a skin reaction occurs, stop use and seek medical help right away.

Do not use

- if you have ever had an allergic reaction to this product or any of its ingredients
- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.

Ask a doctor before use if you have

- difficulty in urination due to enlargement of the prostate gland
- liver disease
- glaucoma
- a breathing problem such as emphysema or chronic bronchitis

Ask a doctor or pharmacist before use if you are

- taking the blood thinning drug warfarin
- taking sedatives or tranquilizers

When using this product

- drowsiness may occur
- excitability may occur, especially in children
- use caution when driving a motor vehicle or operating machinery
- alcohol, sedatives, and tranquilizers may increase drowsiness
- limit the use of caffeine-containing medications, foods, or beverages while taking this
 product because too much caffeine may cause nervousness, irritability,
 sleeplessness, and, occasionally, rapid heart rate. The recommended dose of this
 product contains about as much caffeine as a cup of coffee.
- avoid alcoholic beverages

Stop use and ask a doctor if

- new symptoms occur
- redness or swelling is present
- pain gets worse or lasts more than 10 days
- fever gets worse or lasts more than 3 days

These could be signs of a serious condition.

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away. Prompt medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

Directions

- do not take more than directed
- adults and children 12 years and over:
 - take 2 caplets with water
 - repeat every 6 hours, as needed

- do not exceed 6 caplets per day
- children under 12 years: ask a doctor

Other information

- see end flap for expiration date and lot number
- TAMPER EVIDENT: DO NOT USE IF OUTER PACKAGE IS OPENED OR BLISTER IS TORN OR BROKEN
- store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F)

Inactive ingredients

corn starch, croscarmellose sodium, crospovidone, hypromellose, magnesium stearate, microcrystalline cellulose, polydextrose, polyethylene glycol, povidone, silicon dioxide, stearic acid, titanium dioxide, triacetin

Questions or comments?

1-800-426-9391

Principal Display Panel

♥CVS Health®

Compare to the active ingredients in Midol® Complete*

Menstrual Relief ACETAMINOPHEN

CAFFEINE / PYRILAMINE MALEATE Pain reliever, Diuretic, Antihistamine

MENSTRUAL COMPLETE Multi - Symptom

relief of:

- Cramps
 & Bloating
- Fatigue
- Backache & headache

24 CAPLETS

Actual Size

TAMPER EVIDENT: DO NOT USE IF PACKAGE IS OPENED OR IF BLISTER UNIT IS TORN, BROKEN OR SHOWS ANY SIGNS OF TAMPERING *This product is not manufactured or distributed by Beyer HealthCare LLC, owner of the registered trademark Midol® Complete. 50844 REV0623A39008

Distributed by: CVS Pharmacy, Inc.

One CVS Drive, Woonsocket, RI 02895 © 2023 CVS/pharmacy CVS.com® 1-800-SHOP CVS V-11112

	B-0231-390-08-HR Revo623A39008	Drug Facts (continued) Estore at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F) este end flap for expiration able and lot number Inactive ingredients com starch, crossamelbas sodium, crosponidone, hypromelbos, nagredients com starch, crossamelbas sodium, crosponidone, tracein Inacein Questions or comments? 1-800-426-9391 Questions or comments?
Compare to the active ingredients in Midol® Complete Midol® Complete Midol® Complete Compare to the active ingredients in Midol® Complete Midol® Complete Compare to the active ingredients in Midol® Complete Midol® Complete Compare to the active ingredients in Midol® Complete ACETAMINOPHEN CAFFEINE / PYRILAMINE MALEATE Pain reliever, Diuretic, Antihistamine MENSTRUAL COMPLETE MULTI-SYMPTOM Relief of: Cramps & Bloating - Fatigue Backache & Headache MENSTRUAL COMPLETE MULTI-SYMPTOM Relief of: - Cramps & Bloating - Fatigue - Backache & Headache MENSTRUAL COMPLETE MULTI-SYMPTOM Relief of: - Cramps & Bloating - Fatigue - Backache & Headache MENSTRUAL COMPLETE - Cramps - Cramps	Drug Facts Current Marker Form Drug Facts (continued) Active ingredients Purpose symptoms associated with menstral periods: symptoms associated with menstral periods: symptoms associated with menstral periods: and symptoms and symptoms and symptoms and symptoms and symptoms and symptoms are specified as a social period symptom and symptoms are symptoms and symptomsymptomsymptoms and symptoms and symptoms and symptoms and symptom	Drug Facts (continued) Drug Facts (continued) count fyou take more than 4,000 mg of acetaminophen in 24 hours with other drugs contaming acetaminophen with other drugs contaming acetaminophen with other drugs contaming acetaminophen with other drugs contaming acetaminophen with any other drugs contaming acetaminophen with any other drugs contaminant with any other drug problem such are drug the booth mitile frame and any and contaminant with any other drug and any and with any other drug and any and with any other drug and any and drug facts (continued) Mark dottor before use if you have drug the boot drug and any and with any other drug and any and any and drug facts (continued) Mark dottor before use if you have are action to the ending mutual drug facts (continued) Mark dottor before use if you have drug the boot drug and any and areveal and any and any and drug facts (continued)
		This product is not manufactured or distributed by Bayer HealthCare LLC, owner of the registered trademark Mide" Complete. 50844 ER/V0623A3008 Distributed by: CVS Pharmacy. Inc. One CVS Drive, Woonsocket, RI 022895 e 2023 CVS/pharmacy CVS.com* 1-800-SHOP CVS V-11112 Ino print/no varnish area lot no. & exp. date FPO 80% UPC# 0504282577234 XXXXXX XXXXXX XX XXXXXX XXXXXX XX

CVS 44-390

MENSTRUAL RELIEF acetaminophen, caffeine, pyr	ilamine maleate tablet,	film coated	
Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:59779-930
Route of Administration	ORAL		
Active Ingredient/Active	Moiety		

Ingredient Name	Basis of Strength	Strength
ACETAMINOPHEN (UNII: 36209ITL9D) (ACETAMINOPHEN - UNII:36209ITL9D)	ACETAMINOPHEN	500 mg
CAFFEINE (UNII: 3G6A5W338E) (CAFFEINE - UNII:3G6A5W338E)	CAFFEINE	60 mg
PYRILAMINE MALEATE (UNII: R35D29L3ZA) (PYRILAMINE - UNII:HPE317O9TL)	PYRILAMINE MALEATE	15 mg

Inactive Ingredients	
Ingredient Name	Strength
STARCH, CORN (UNII: 08232NY3SJ)	
CROSCARMELLOSE SODIUM (UNII: M28OL1HH48)	
CROSPOVIDONE, UNSPECIFIED (UNII: 2S7830E561)	
HYPROMELLOSE, UNSPECIFIED (UNII: 3NXW29V3WO)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)	
POLYDEXTROSE (UNII: VH2XOU12IE)	
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)	
POVIDONE, UNSPECIFIED (UNII: FZ989GH94E)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
TRIACETIN (UNII: XHX3C3X673)	

Product Characteristic	cs		
Color	white	Score	no score
Shape	OVAL	Size	17mm
Flavor		Imprint Code	44;390
Contains			

Packaging

	aenaging			
#	ltem Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:59779-930- 08	3 in 1 CARTON	04/29/2002	
1		8 in 1 BLISTER PACK; Type 0: Not a Combination Product		
2	NDC:59779-930- 21	2 in 1 CARTON	04/29/2002	
2		8 in 1 BLISTER PACK; Type 0: Not a Combination Product		
3	NDC:59779-930- 10	1 in 1 CARTON	04/29/2002	
3		40 in 1 BOTTLE; Type 0: Not a Combination Product		
Μ	larketing l	nformation		
	Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
ОТ	C Monograph Dru	g M013	04/29/2002	

Labeler - CVS Pharmacy (062312574)

Establishment				
Name	Ad	dress	ID/FEI	Business Operations
LNK International, Inc.			038154464	pack(59779-930)
Establishment				
Name	Address	ID/FE	1	Business Operations
LNK International, Inc.		83286783	7 manufactur	re(59779-930) , pack(59779-930)
Establishment				
Name	Ad	dress	ID/FEI	Business Operations
LNK International, Inc.			832867894	manufacture(59779-930)
Establishment				
Name	Ad	dress	ID/FEI	Business Operations
LNK International, Inc.			967626305	pack(59779-930)
Establishment				
Name	Ad	dress	ID/FEI	Business Operations
LNK International, Inc.			117025878	manufacture(59779-930)

Revised: 12/2023

CVS Pharmacy