

NCDS FRESH 1-10%- iodine solution
Surpass Chemical Company, Inc.

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.

NCDS Fresh 1-10%

NCDS FRESH 1-1%

An aid in a complete cow care program to help control external organisms that may cause mastitis. PRODUCT #: 621900

DIRECTIONS:

PRE-MILKING: Thoroughly clean all teats. If water or sanitizer is used to clean the teats, be sure to completely dry the teats with a single service paper towel. Forestrip two or three streams. Dip the cow's teats full length with Fresh 1-1%. Wait 15-30 seconds. Remove all residues by thoroughly drying the teats with a clean, single service paper towel. Attach milker unit.

POST-MILKING: Immediately after milking, dip all teats to the base of the udder with Fresh 1-10% teat dip. On dry cows, dip each teat once per day for five days following the last milking.

GENERAL: Use teat dipping cups made of plastic, rubber, or stainless steel. Do not use cups made of aluminum.

CAUTION:

Do not take internally. Avoid contact with eyes, skin, clothing, and food. Avoid breathing vapors. Always use full strength Teat Dip. Discard solution if it becomes faded or noticeably dirty. Do not use this dip to sanitize milking equipment or utensils.

INGREDIENTS:

ACTIVE: Iodine complex (Provides 1% titratable iodine. Equivalent to 10,000 ppm).

1% Emollients

FIRST AID:

IF SPLASHED IN EYES: Rinse thoroughly with plenty of water, also under the eyelids. If symptoms persist, call a physician.

IN CASE OF CONTACT: Wash skin with soap and water. If symptoms persist, call a physician.

IF INHALED: Move to fresh air. If symptoms persist, call a physician.

IF SWALLOWED: Drink plenty of water. Do NOT induce vomiting. Consult a physician if necessary.

BEFORE USING THIS MATERIAL, READ AND UNDERSTAND THE CURRENT SAFETY DATA SHEET.

**Surpass Chemical Company,
Inc.**

EMERGENCY ASSISTANCE:

www.surpasschemical.com
8101
1254 Broadway
Albany NY, 12204

24 HOUR

Phone: (518) 434-
CHEMTREC 1-800-424-9300
Fax: (518) 434-2798

Email: customerservice@surpasschemical.com

KEEP OUT OF REACH OF CHILDREN!



NCDS FRESH 1-1%

KEEP OUT OF
REACH
OF CHILDREN!

PRODUCT #: 621900

AIDS IN CONTROLLING THE SPREAD OF BACTERIA THAT MAY CAUSE
MASTITIS



NPE
FREE

LOT NUMBER

NET CONTENTS

CAUTION

Do not take internally. Avoid contact with eyes, skin, clothing, and food. Avoid breathing vapors. Always use full strength Teat Dip. Discard solution if it becomes faded or noticeably dirty. Do not use this dip to sanitize milking equipment or utensils.

INGREDIENTS

ACTIVE: Iodine complex (Provides 1% titratable iodine. Equivalent to 10,000 ppm).
1% Emollients

DIRECTIONS

PRE-MILKING: Thoroughly clean all teats. If water or sanitizer is used to clean the teats, be sure to completely dry the teats with a single service paper towel. Forestrip two or three streams Dip the cow's teats full length with Fresh 1-1%. Wait 15-30 seconds. Remove all residues by thoroughly drying the teats with a clean, single service paper towel. Attach milker unit.

POST-MILKING: Immediately after milking, dip all teats to the base of the udder with Fresh 1-10% teat dip. On dry cows, dip each teat once per day for five days following the last milking.

GENERAL: Use teat dipping cups made of plastic, rubber, or stainless steel. Do not use cups made of aluminum.

FIRST AID

IF SPLASHED IN EYES: Rinse thoroughly with plenty of water, also under the eyelids. If symptoms persist, call a physician.

IF ON SKIN (or hair): Wash skin with soap and water. If symptoms persist, call a physician.

IF INHALED: Move to fresh air. If symptoms persist, call a physician.

IF SWALLOWED: Drink plenty of water. Do NOT induce vomiting. Consult a physician if necessary.



Surpass Chemical Company, Inc.
www.surpasschemical.com
1254 Broadway Albany NY, 12204
Phone: (518) 434-8101
Email: customerservice@surpasschemical.com
Fax: (518) 434-2798

BEFORE USING THIS MATERIAL, READ
AND UNDERSTAND THE CURRENT
SAFETY DATA SHEET.

24 HOUR EMERGENCY ASSISTANCE:
CHEMTREC 1-800-424-9300



NCDS FRESH 1-1%

KEEP OUT OF
REACH
OF CHILDREN!

PRODUCT #: 621900

AIDS IN CONTROLLING THE SPREAD OF BACTERIA THAT MAY CAUSE
MASTITIS



NPE
FREE

LOT NUMBER

NET CONTENTS

CAUTION

Do not take internally. Avoid contact with eyes, skin, clothing, and food. Avoid breathing vapors. Always use full strength Teat Dip. Discard solution if it becomes faded or noticeably dirty. Do not use this dip to sanitize milking equipment or utensils.

INGREDIENTS

ACTIVE: Iodine complex (Provides 1% titratable iodine. Equivalent to 10,000 ppm).
1% Emollients

DIRECTIONS

PRE-MILKING: Thoroughly clean all teats. If water or sanitizer is used to clean the teats, be sure to completely dry the teats with a single service paper towel. Forestrip two or three streams Dip the cow's teats full length with Fresh 1-1%. Wait 15-30 seconds. Remove all residues by thoroughly drying the teats with a clean, single service paper towel. Attach milker unit.

POST-MILKING: Immediately after milking, dip all teats to the base of the udder with Fresh 1-10% teat dip. On dry cows, dip each teat once per day for five days following the last milking.

GENERAL: Use teat dipping cups made of plastic, rubber, or stainless steel. Do not use cups made of aluminum.

FIRST AID

IF SPLASHED IN EYES: Rinse thoroughly with plenty of water, also under the eyelids. If symptoms persist, call a physician.

IF ON SKIN (or hair): Wash skin with soap and water. If symptoms persist, call a physician.

IF INHALED: Move to fresh air. If symptoms persist, call a physician.

IF SWALLOWED: Drink plenty of water. Do NOT induce vomiting. Consult a physician if necessary.



Surpass Chemical Company, Inc.
www.surpasschemical.com
1254 Broadway Albany NY, 12204
Phone: (518) 434-8101
Email: customerservice@surpasschemical.com
Fax: (518) 434-2798

BEFORE USING THIS MATERIAL, READ
AND UNDERSTAND THE CURRENT
SAFETY DATA SHEET.

24 HOUR EMERGENCY ASSISTANCE:
CHEMTREC 1-800-424-9300



NCDS FRESH 1-1%

AIDS IN CONTROLLING THE SPREAD OF BACTERIA THAT MAY CAUSE MASTITIS

KEEP OUT OF
REACH
OF CHILDREN!

NPE
FREE

PRODUCT #: 621900

CAUTION

Do not take internally. Avoid contact with eyes, skin, clothing, and food. Avoid breathing vapors. Always use full strength Teat Dip. Discard solution if it becomes faded or noticeably dirty. Do not use this dip to sanitize milking equipment or utensils.

DIRECTIONS

PRE-MILKING: Thoroughly clean all teats. If water or sanitizer is used to clean the teats, be sure to completely dry the teats with a single service paper towel. Forestrip two or three streams Dip the cow's teats full length with Fresh 1-1%. Wait 15-30 seconds. Remove all residues by thoroughly drying the teats with a clean, single service paper towel. Attach milker unit.

POST-MILKING: Immediately after milking, dip all teats to the base of the udder with Fresh 1-1% teat dip. On dry cows, dip each teat once per day for five days following the last milking.

GENERAL: Use teat dipping cups made of plastic, rubber, or stainless steel. Do not use cups made of aluminum.

INGREDIENTS

ACTIVE: Iodine complex (Provides 1% titratable iodine. Equivalent to 10,000 ppm).
1% Emollients

FIRST AID

IF SPLASHED IN EYES: Rinse thoroughly with plenty of water, also under the eyelids. If symptoms persist, call a physician.

IF ON SKIN (or hair): Wash skin with soap and water. If symptoms persist, call a physician.

IF INHALED: Move to fresh air. If symptoms persist, call a physician.

IF SWALLOWED: Drink plenty of water. Do NOT induce vomiting. Consult a physician if necessary.



Surpass Chemical Company, Inc.
www.surpasschemical.com
1254 Broadway Albany NY, 12204
Phone: (518) 434-8101
Email: customerservice@surpasschemical.com
Fax: (518) 434-2798

24 HOUR EMERGENCY ASSISTANCE:
CHEMTREC 1-800-424-9300

BEFORE USING THIS MATERIAL, READ
AND UNDERSTAND THE CURRENT
SAFETY DATA SHEET.

| | | | |
|-------------|--|---------------|--|
| LOT NUMBER: | | NET CONTENTS: | |
|-------------|--|---------------|--|

NCDS FRESH 1-10%

iodine solution

Product Information

| | | | | |
|--|--|----------------------|----------------------|--------------------|
| Product Type | OTC ANIMAL DRUG | Item Code (Source) | NDC:86067-0113 | |
| Route of Administration | TOPICAL | | | |
| | | | | |
| Active Ingredient/Active Moiety | | | | |
| Ingredient Name | | Basis of Strength | Strength | |
| IODINE (UNII: 9679TC07X4) (IODINE - UNII:9679TC07X4) | | IODINE | 0.0472 kg in 1 kg | |
| | | | | |
| Inactive Ingredients | | | | |
| Ingredient Name | | | Strength | |
| WATER (UNII: 059QF0KO0R) | | | 0.8708 kg in 1 kg | |
| C9-11 PARETH-8 (UNII: 80E6PSE1XL) | | | 0.065 kg in 1 kg | |
| GLYCERIN (UNII: PDC6A3C0OX) | | | .01 kg in 1 kg | |
| TRISODIUM CITRATE DIHYDRATE (UNII: B22547B95K) | | | .07 kg in 1 kg | |
| | | | | |
| Packaging | | | | |
| # | Item Code | Package Description | Marketing Start Date | Marketing End Date |
| 1 | NDC:86067-0113-1 | 211.374 kg in 1 DRUM | | |
| | | | | |
| Marketing Information | | | | |
| Marketing Category | Application Number or Monograph Citation | | Marketing Start Date | Marketing End Date |
| unapproved drug other | | | 06/15/2017 | |

Labeler - Surpass Chemical Company, Inc. (002075133)

| | | | | |
|--------------------------------|----------------|---------------|------------------------------|--|
| Establishment | | | | |
| Name | Address | ID/FEI | Business Operations | |
| Surpass Chemical Company, Inc. | | 002075133 | manufacture, api manufacture | |