

**REMEDY ANTIFUNGAL WITH OLIVAMINE- miconazole nitrate cream**  
**Medline Industries, LP**

-----  
**162 Antifungal Cream 2% Miconazole Nitrate**

**Active ingredient**

Miconazole Nitrate 2.0% w/w

**Purpose**

Antifungal

**Use**

- For the treatment of most athlete's foot (tinea pedis), jock itch (tinea cruris), ringworm (tinea corporis)
- Relieves itching, scaling, cracking, burning, redness, soreness, irritation, discomfort and chafing associated with jock itch

**Warnings**

For external use only

**Do not use**

- on children under 2 years of age unless directed by a doctor

**When using this product**

- avoid contact with the eyes

**Stop use and ask a doctor**

- if irritation occurs
- there is no improvement within 4 weeks for athlete's foot and ringworm
- there is no improvement within 2 weeks for jock itch

**Keep out of reach of children.**

If swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

- clean the affected area and dry thoroughly
- apply a thin layer over affected area twice daily or as directed by a physician
- supervise children in the use of this product
- for athlete's foot: pay special attention to spaces between the toes: wear well-fitting, ventilated shoes, and change shoes and socks at least once daily
- for athlete's foot and ringworm, use daily for four weeks; for jock itch, use daily for

two weeks

- if condition persists longer, consult a doctor
- this product is not effective on the scalp or nails

### **Other information**

- Protect from freezing. Avoid excessive heat.

### **Inactive ingredients**

acrylamide/ammonium acrylate copolymer, aloe barbadensis leaf juice, apricot kernel oil PEG-6 esters, ascorbic acid, ascorbyl palmitate, cetyl dimethicone, cholecalciferol, citric acid, citrus aurantium dulcis (orange) peel oil, citrus grandis (grapefruit) peel oil, citrus tangerina (tangerine) peel oil, diazolidinyl urea, ethyl vanillin, glycine, glycine soja (soybean) oil, glycol stearate, hydroxytyrosol, l-proline, l-aurine, methylparaben, methylsulfonylmethane, n-acetyl-l-cysteine, niacinamide, olea europaea (olive) fruit oil, PEG-6 stearate, PEG-8, PEG-32 stearate, polyisobutene, polysorbate 20, propanediol, propylene glycol, propylparaben, pyridoxine HCl, retinyl palmitate, silica, sorbitan isostearate, tocopherol, triethanolamine, water, zea mays oil

Medline Remedy and Olivamine are registered trademarks of Medline Industries, LP. Manufactured in USA for Medline Industries, LP, Three Lakes Drive, Northfield, IL 60093 USA.

**www.medline.com** 1-800-MEDLINE

### **Principal Display Panel - Remedy**



Remedy is a well-balanced meal for skin cells.  
With nourishing Olivamine®: A blend of potent antioxidants, amino acids, vitamins and MSM.

MEDLINE

NDC 53329-162-04

**REMEDY®**

WITH OLIVAMINE®

**ANTIFUNGAL  
CREAM**

**2% MICONAZOLE NITRATE**

TARGETED TREATMENT  
Nourishes and helps relieve  
fungal symptoms of itching,  
burning and irritation.

HYPOALLERGENIC



ROOM No.

NAME

<b>Drug Facts</b>	
<b>Active ingredient</b> .....	<b>Purpose</b>
Miconazole Nitrate 2.0% w/w.....	Antifungal
<b>Uses</b> ■ for the treatment of most athlete's foot (tinea pedis), jock itch (tinea cruris) or ringworm (tinea corporis) ■ relieves itching, scaling, cracking, burning, redness, soreness, irritation, discomfort and chafing associated with jock itch	
<b>Warnings</b>	
For External Use Only	
Do not use ■ on children under 2 years of age unless directed by a doctor	
When using this product ■ avoid contact with the eyes	
Stop use and ask a doctor ■ if irritation occurs ■ there is no improvement within 4 weeks for athlete's foot and ringworm ■ there is no improvement within 2 weeks for jock itch	
Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.	
<b>Directions</b> ■ clean the affected area and dry thoroughly ■ apply a thin layer over affected area twice daily or as directed by a physician ■ supervise children in the use of this product ■ for athlete's foot pay special attention to spaces between the toes; wear well-fitting, ventilated shoes, and change shoes and socks at least once daily ■ for athlete's foot and ringworm, use daily for four weeks; for jock itch, use daily for two weeks ■ if condition persists longer, consult a doctor ■ this product is not effective on scalp or nails	
<b>Other information</b> ■ protect from freezing. ■ avoid excessive heat	
<b>Inactive Ingredients</b> acrylamide/ ammonium acrylate copolymer, aloe barbadensis leaf juice, apricot kernel oil PEG-6 esters, ascorbic acid, ascorbyl palmitate, cetyl dimethicone, cholecalciferol, citric acid, citrus aurantium dulcis (orange) peel oil, citrus grandis (grapefruit) peel oil, citrus tangerina (tangerine) peel oil, diazolidinyl urea, ethyl vanillin, glycine, glycine soja (soybean) oil, glycol stearate, hydroxytyrosol, l-proline, l-leucine, methylparaben, methylsulfonylmethane, n-acetyl-L-cysteine, niacinamide, olea europaea (olive) fruit oil, PEG-6 stearate, PEG-8, PEG-32 stearate, polyisobutylene, polysorbate 20, propanediol, propylene glycol, propylparaben, pyridoxine HCl, retinyl palmitate, silica, sorbitan isostearate, tocopherol, triethanolamine, water, zea mays oil	
Medline Remedy and Olivamine are registered trademarks of Medline Industries, LP. Manufactured in USA for Medline Industries, LP, Three Lakes Drive, Northfield, IL 60093 USA. www.medline.com 1-800-MEDLINE V1 RP24WAR	
REF MSC094604R	OLIVAMINE®
	RECYCLE

PREVENTION ABOVE ALL

4 fl oz (118 mL)

**REMEDY ANTIFUNGAL WITH OLIVAMINE**

miconazole nitrate cream

**Product Information**

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:53329-162
<b>Route of Administration</b>	TOPICAL		

**Active Ingredient/Active Moiety**

Ingredient Name	Basis of Strength	Strength
<b>MICONAZOLE NITRATE</b> (UNII: VV4H1CYW1K) (MICONAZOLE - UNII:7NNO0D7S5M)	MICONAZOLE NITRATE	2 g in 100 g

## Inactive Ingredients

Ingredient Name	Strength
<b>CETYL DIMETHICONE 25</b> (UNII: U4AS1BW4ZB)	
<b>SORBITAN ISOSTEARATE</b> (UNII: 01S2G2C1E4)	
<b>TROLAMINE</b> (UNII: 9O3K93S3TK)	
<b>CORN OIL</b> (UNII: 8470G57WFM)	
<b>POLYISOBUTYLENE (1000 MW)</b> (UNII: 5XB3A63Y52)	
<b>CHOLECALCIFEROL</b> (UNII: 1C6V77QF41)	
<b>PYRIDOXINE HYDROCHLORIDE</b> (UNII: 68Y4CF58BV)	
<b>TOCOPHEROL</b> (UNII: R0ZB2556P8)	
<b>HYDROXYTYROSOL</b> (UNII: QEU0NE4O90)	
<b>PROPYLENE GLYCOL</b> (UNII: 6DC9Q167V3)	
<b>TAURINE</b> (UNII: 1EQV5MLY3D)	
<b>NIACINAMIDE</b> (UNII: 25X51I8RD4)	
<b>POLYSORBATE 20</b> (UNII: 7T1F30V5YH)	
<b>ACRYLAMIDE</b> (UNII: 20R035KLCI)	
<b>METHYLPARABEN</b> (UNII: A2I8C7HI9T)	
<b>DIMETHYL SULFONE</b> (UNII: 9H4PO4Z4FT)	
<b>PROPYLPARABEN</b> (UNII: Z8IX2SC1OH)	
<b>VITAMIN A PALMITATE</b> (UNII: 1D1K0N0VVC)	
<b>APRICOT KERNEL OIL PEG-6 ESTERS</b> (UNII: DRG3KJZ1TJ)	
<b>ETHYL VANILLIN</b> (UNII: YC9ST449YJ)	
<b>PROPANEDIOL</b> (UNII: 5965N8W85T)	
<b>ALOE VERA LEAF</b> (UNII: ZY81Z83H0X)	
<b>ACETYLCYSTEINE</b> (UNII: WYQ7N0BPYC)	
<b>SILICON DIOXIDE</b> (UNII: ETJ7Z6XBU4)	
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>ASCORBIC ACID</b> (UNII: PQ6CK8PD0R)	
<b>ORANGE OIL</b> (UNII: AKN3KSD11B)	
<b>ASCORBYL PALMITATE</b> (UNII: QN83US2B0N)	
<b>OLIVE OIL</b> (UNII: 6UYK2W1W1E)	
<b>PEG-32 STEARATE</b> (UNII: 33GX5WQC0M)	
<b>CITRIC ACID MONOHYDRATE</b> (UNII: 2968PHW8QP)	
<b>CITRUS MAXIMA FRUIT RIND OIL</b> (UNII: 8U3877WD44)	
<b>MANDARIN OIL</b> (UNII: NJO720F72R)	
<b>PEG-6 STEARATE</b> (UNII: 8LQC57C6B0)	
<b>POLYETHYLENE GLYCOL 400</b> (UNII: B697894SGQ)	
<b>DIAZOLIDINYL UREA</b> (UNII: H5RIZ3MPW4)	
<b>SOYBEAN OIL</b> (UNII: 241ATL177A)	
<b>PROLINE</b> (UNII: 9DLQ4CIU6V)	
<b>GLYCINE</b> (UNII: TE7660XO1C)	
<b>GLYCOL STEARATE</b> (UNII: 0324G66D0E)	

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:53329-162-04	113 g in 1 TUBE; Type 0: Not a Combination Product	01/01/2007	

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M005	01/01/2007	

**Labeler** - Medline Industries, LP (025460908)

**Registrant** - Medline Industries, LP (025460908)

Revised: 10/2025

Medline Industries, LP