DIARRHEA- aloe pellet Natural Health Supply

Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.

Indications

Indications: To be used for acute self-limiting conditions according to standard homeopathic indications

Active Ingredient

ALOE SOCOTRINA

Directions

Take at onset of symptoms. Repeat every 2 hours or as needed until relieved. If condition persists or worsens discontinue use and consult a practitioner.

Adults: dissolve 5-10 pellets in 1 oz. of filtered water or take dry by mouth. Children and infants: 1-5 pellets.

Keep Out of Reach of Children

Keep these and all medications out of the reach of children.

Warning

If pregnant or nursing, consult a practitioner before using.

Inactive Ingredients Inactive Ingredients - Lactose, Sucrose

Purpose Purpose: Diarrhea

Package Label Est. No. 1724217 Natural Health Supply 505-474-9175 Homeopathic Medicated Pellets Do not use if clear bottle seal is broken ALOE SOCOTRINA 30C Diarrhea Lot #_____

Est. No. 1724217 Est. No. 1724217 Do not use if perforated cap seal is broken Natural Health Supply Natural Health Subbly 505-474-9175 Homeopathic Medicated Pellets 505-474-9175 Indications: to be used for acute, self-limiting conditions according to standard homeo-pathic indications. Directions: Take at onset of ALOE Homeopathic Medicated Pellets Indications: to be used for acute, Diarrhea self-limiting conditions according to symptoms. Repeat every 2 SOCOTRINA 300 hours or as needed until relieved. standard homeopathic indications. Diarrhea If condition persists or worsens discontinue use and consult a Directions: Take at onset of symppractitioner. Adults: dissolve 5-10 pellets in 1 oz. of filtered toms. Repeat every 2 hours or as G water or take dry by mouth; Children and Infants: 1-5 pellets. Warning: Keep these and needed until relieved. If condition persists or worsens discontinue use all medicines out of the reach of children; if pregnant or and consult a practitioner. Adults: nursing, consult a practitioner before using. dissolve 5-10 pellets in 1 oz. of 1.875 ml (1/16 cz.) filtered water or take dry by mouth; 8 Children and Infants: 1-5 pellets. LOT # oken. Warning: Keep these and all medicines out of the reach of children; if pregnant or nursing, consult a practitioner before using.

7.5ML(1/40Z)LOT #

res

DIARRHEA							
loe pellet							
Product Inform	ation						
Product Type		HUMAN OTC DRUG	Item Code	em Code (Source)		NDC:64117-504	
Route of Administ	ration	ORAL					
Active Ingredie	nt/Active Moie	ty					
Ingredient Name				Basis of Strength		Comments	
	Ingredie	nt Name	B	asis of Stren	igth	Strength	
ALOE (UNII: V5VD4	•		BALOE		-	Strengtn 30 [hp_C] in 1 mL	
	30 YW9) (ALOE - U ients	NII:V5VD430 YW9)			-	30 [hp_C] in 1 mL	
	30 YW9) (ALOE - U ients				-	-	
Inactive Ingred	30 YW9) (ALOE - U ients I	NII:V5VD430 YW9)			-	30 [hp_C] in 1 mL	
Inactive Ingred LACTOSE (UNII: J2	30 YW9) (ALOE - U ients B2A4N98G)	NII:V5VD430 YW9)			-	30 [hp_C] in 1 mL	
ALOE (UNII: V5VD4 Inactive Ingred LACTOSE (UNII: J2 SUCROSE (UNII: C1	30 YW9) (ALOE - U ients B2A4N98G)	NII:V5VD430 YW9)			-	30 [hp_C] in 1 mL	
Inactive Ingred LACTOSE (UNII: J2	30 YW9) (ALOE - U ients B2A4N98G)	NII:V5VD430 YW9)			-	30 [hp_C] in 1 mL	
Inactive Ingred LACTOSE (UNII: J2 SUCROSE (UNII: C1	30 YW9) (ALOE - U ients B2A4N98G)	NII:V5VD430 YW9)			g Start	30 [hp_C] in 1 mL	

Marketing Information						
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date			
unapproved homeopathic		06/04/1998				

Labeler - Natural Health Supply (018504618)

Registrant - Natural Health Supply (018504618)

Establishment

Name	Address	ID/FEI	Business Operations
Natural Health Supply		0 18 50 46 18	manufacture(64117-504)

Revised: 1/2019

Natural Health Supply