

## **ULTRA-GUARD HV ACTIVATOR- organic acids liquid IBA**

*Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.*

-----

### **Ultra-Guard HV Activator**

#### **Active Ingredient**

Organic Acids 2.85%

#### **Inert Ingredients**

Contains special emollient system

#### **Mixing Directions**

To make a ready-to-use solution of Ultra-Guard HV Sanitizing Barrier Teat Dip, add equal volumes of Ultra-Guard HV Activator and Ultra-Guard HV Base into a clean dip cup/container and mix until the color is uniform throughout. Do not dilute. Do not mix with any other products. Mix only the amount needed for a 24 hour period. Discard any unused teat dip. Unused teat dip may be diluted with water and safely flushed down the drain.

#### **Recommended Procedures for Teat Sanitation**

##### **POST-MILKING (POST-DIPPING)**

Immediately after milking, dip all teats full length with RTU Ultra-Guard HV Sanitizing Barrier Teat Dip. Ensure good coverage of all sides of the teats and teat orifices. Allow to dry. Do not wipe. Do not turn cows out in freezing weather until teat dip is completely dry.

Note: Before milking, always use a compatible pre-dip or udder wash to thoroughly clean the teats.

#### **Caution**

Keep out of reach of children. Avoid contact with food. Do not take internally. Not for human use.

#### **First Aid**

**EYE CONTACT:** Rinse cautiously with fresh, tepid water for several minutes. Remove contact lenses if present and easy to do. Continue rinsing for 15 minutes. Get

immediate medical advice/attention. **SKIN CONTACT:** For RTU products wash any sensitive areas. **INGESTION:** Do not induce vomiting. Never give anything by mouth to an unconscious person. Drink large amounts of water. If vomiting occurs, keep airways open. Keep head lower than the hips to prevent aspiration into the lungs. Get immediate medical advice/attention.

## Warning

Do not dilute this product.

Do not return teat dip left in the teat dipper to storage container.

Ensure that dipped teats are dry before exposing the animals to weather conditions which may cause damage to the teats.

Store at room temperature. Always store away from direct sunlight.

Protect this product from freezing. However, freezing will not affect Ultra-Guard HV Activator provided that the contents are thawed completely and agitated thoroughly before mixing base and activator together.

## Ultra-Guard HV Activator

NDC 29983-1087-4

THE SHIELD OF IBA QUALITY AND VALUE

**NPE FREE** **ULTRA-GUARD™ HV** **NPE FREE**

**SANITIZING BARRIER TEAT DIP**

Provides A Protective Barrier Over The Teat End Until The Next Milking  
Contains Emollients For Excellent Skin Conditioning

**ACTIVE INGREDIENTS:**  
Organic Acids .....2.85%

**INERT INGREDIENTS:**  
Contains A Special Emollient System

**GENERAL RECOMMENDATIONS**

1. Use teat dip applicators made of plastic or other non-corrosive materials. Do not use cups made of aluminum.
2. When solution in the teat dip cup becomes dirty discard remaining contents and refill cup with fresh teat dip.
3. Do not use this product for cleaning or sanitizing equipment.
4. Wash teat dip cups after each milking.

**CAUTION:**  
**KEEP OUT OF REACH OF CHILDREN. AVOID CONTACT WITH FOOD.  
DO NOT TAKE INTERNALLY. NOT FOR HUMAN USE.**

**FIRST AID PROCEDURES**

**EYE CONTACT:** RINSE CAUTIOUSLY WITH FRESH, TEPID WATER FOR SEVERAL MINUTES. REMOVE CONTACT LENSES IF PRESENT AND EASY TO DO. CONTINUE RINSING FOR 15 MINUTES. GET IMMEDIATE MEDICAL ADVICE/ATTENTION.

**SKIN CONTACT:** FOR READY-TO-USE PRODUCTS, WASH ANY SENSITIVE AREAS.

**INGESTION:** DO NOT INDUCE VOMITING. NEVER GIVE ANYTHING BY MOUTH TO AN UNCONSCIOUS PERSON. DRINK LARGE AMOUNTS OF WATER. IF VOMITING OCCURS, KEEP AIRWAYS OPEN. KEEP HEAD LOWER THAN THE HIPS TO PREVENT ASPIRATION INTO THE LUNGS. GET IMMEDIATE MEDICAL ADVICE/ATTENTION.

**ALWAYS SEEK IMMEDIATE MEDICAL ATTENTION  
FOR MEDICAL EMERGENCIES CALL 1-800-424-9300**

**ACTIVATOR**

**FOR USE ONLY WITH  
ULTRA-GUARD™ HV  
BASE**

MIXING DIRECTIONS: TO MAKE A READY-TO-USE SOLUTION OF ULTRA-GUARD™ HV SANITIZING BARRIER TEAT DIP, ADD EQUAL VOLUMES OF ULTRA-GUARD™ HV ACTIVATOR AND ULTRA-GUARD™ HV BASE INTO A CLEAN DIP CUP/CONTAINER AND MIX UNTIL THE COLOR IS UNIFORM THROUGHOUT. DO NOT DILUTE. DO NOT MIX WITH ANY OTHER PRODUCTS. MIX ONLY THE AMOUNT NEEDED FOR A 24 HOUR PERIOD. DISCARD ANY UNUSED TEAT DIP. UNUSED TEAT DIP MAY BE DILUTED WITH WATER AND SAFELY FLUSHED DOWN THE DRAIN.

**RECOMMENDED PROCEDURES FOR TEAT SANITATION POST-MILKING (POST-DIPPING)**  
Immediately after milking, dip all teats full length with **READY-TO-USE ULTRA-GUARD™ HV SANITIZING BARRIER TEAT DIP**. Ensure good coverage of all sides of the teats and teat orifices. Allow to dry. Do not wipe. Do not turn cows out in freezing weather until teat dip is completely dry.

**NOTE: BEFORE MILKING, ALWAYS USE A COMPATIBLE PRE-DIP OR UDDER WASH TO THOROUGHLY CLEAN THE TEATS.**

**WARNING**  
DO NOT DILUTE THIS PRODUCT.  
DO NOT RETURN TEAT DIP LEFT IN THE TEAT DIPPER TO STORAGE CONTAINER.  
ENSURE THAT DIPPED TEATS ARE DRY BEFORE EXPOSING THE ANIMALS TO WEATHER CONDITIONS WHICH MAY CAUSE DAMAGE TO THE TEATS.  
STORE AT ROOM TEMPERATURE. ALWAYS STORE AWAY FROM DIRECT SUNLIGHT.  
PROTECT THIS PRODUCT FROM FREEZING. HOWEVER, FREEZING WILL NOT AFFECT ULTRA-GUARD™ HV ACTIVATOR PROVIDED THAT THE CONTENTS ARE THAWED COMPLETELY AND AGITATED THOROUGHLY BEFORE MIXING BASE AND ACTIVATOR TOGETHER.

An Aid In The Prevention Of New Intra-mammary Infections

**A PART OF THE COMPLETE IBA SANITATION PROGRAM**

EXP. DATE:                      LOT NO.:                      NET CONTENTS: 5 GALLONS                      IBA STOCK # 262169                      322W

MANUFACTURED EXCLUSIVELY FOR IBA INC., SANITATION DIVISION, 103 GILMORE DRIVE, SUTTON, MA 01590

# ULTRA-GUARD HV ACTIVATOR

organic acids liquid

## Product Information

<b>Product Type</b>	OTC ANIMAL DRUG	<b>Item Code (Source)</b>	NDC:29983-1087
<b>Route of Administration</b>	TOPICAL		

## Active Ingredient/Active Moiety

<b>Ingredient Name</b>	<b>Basis of Strength</b>	<b>Strength</b>
<b>LACTIC ACID</b> (UNII: 33X04XA5AT) (LACTIC ACID - UNII:33X04XA5AT)	LACTIC ACID	2.85 kg in 100 kg

## Packaging

<b>#</b>	<b>Item Code</b>	<b>Package Description</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
1	NDC:29983-1087-6	58.57 kg in 1 DRUM		
2	NDC:29983-1087-8	214.75 kg in 1 DRUM		
3	NDC:29983-1087-9	1073.75 kg in 1 CONTAINER		
4	NDC:29983-1087-4	19.52 kg in 1 PAIL		

## Marketing Information

<b>Marketing Category</b>	<b>Application Number or Monograph Citation</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
unapproved drug other		03/16/2022	

**Labeler** - IBA (019494160)

**Registrant** - IBA (019494160)

## Establishment

<b>Name</b>	<b>Address</b>	<b>ID/FEI</b>	<b>Business Operations</b>
Morgan Gallacher Inc. DBA in Custom Chemical Formulators Inc.		028311595	manufacture, api manufacture, pack

Revised: 12/2023

IBA