

**SOLMATE BROAD SPECTRUM SPF 50 C/S SUNSCREEN- avobenzone, homosalate, octisalate, oxybenzone and octocrylene spray**  
**Prime Packaging Inc.**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----  
**SolMate Sport SPF 50 C/S Sunscreen**

***Active Ingredients***

Avobenzone 3%

Homosalate 10%

Octisalate 5%

Octocrylene 2.75%

Oxybenzone 4%

***Purpose***

Sunscreen

***Uses***

- helps prevent sunburn
- if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

***Warnings***

**For external use only**

**Do not use** on damaged or broken skin

**When using this product** keep out of eyes. Rinse with water to remove.

- keep away from face to avoid breathing it
- Contents under pressure - do not puncture or incinerate. Do not store at temperatures above 120°F

**Stop use and ask a doctor** if rash occurs

**Keep out of reach of children.** If product is swallowed, get medical help or contact a Poison Control Center right away.

**Flammable:** Do not use near heat, flame or while smoking.

***Directions***

- spray liberally and spread evenly by hand 15 minutes before sun exposure
- hold container 4 to 6 inches from the skin to apply
- do not spray directly into face. Spray on hands then apply to face
- do not apply in windy conditions
- use in a well-ventilated area
- reapply:
- after 80 minutes of swimming and sweating

- immediately after towel drying
- at least every 2 hours
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:
  - limit time in the sun, especially from 10 a. m. - 2 p. m.
  - wear long-sleeve shirts, pants, hats, and sunglasses
  - children under 6 months: Ask a doctor

Fragrance (Parfum), SD Alcohol 40-B (Alcohol Denat.), Tocopheryl Acetate, VA/Butyl Maleate/Isobornyl Acrylate Copolymer

### Other Information

- protect this product from excessive heat and direct sun
- avoid spraying on fabrics - could cause discoloration

### Question or comments?

Biocycle Laboratories, Inc. 16363 NW 49 Avenue, Miami, FL 33014

### SolMate Sport SPF 50 C/S Sunscreen

Drug Facts	
<b>Active Ingredients</b>	<b>Purpose</b>
Avobenzone 3% Homosalate 10% Octisalate 5% Octocrylene 2.75% Oxybenzone 4%	Sunscreen
<b>Uses</b>	
<ul style="list-style-type: none"> <li>■ helps prevent sunburn</li> <li>■ if used as directed with other sun protection measures (see <b>Directions</b>), decreases the risk of skin cancer and early skin aging caused by the sun</li> </ul>	
<b>Warnings</b>	
For external use only	
Do not use on damaged or broken skin	
<b>When using this product</b> keep out of eyes. Rinse with water to remove. <ul style="list-style-type: none"> <li>■ keep away from face to avoid breathing it</li> <li>■ Contents under pressure—do not puncture or incinerate. Do not store at temperatures above 120°F</li> </ul>	
Stop use and ask a doctor if rash occurs	
Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.	
<b>Flammable:</b> Do not use near heat, flame or while smoking.	
<b>Directions</b>	
<ul style="list-style-type: none"> <li>■ spray liberally and spread evenly by hand 15 minutes before sun exposure</li> <li>■ hold container 4 to 6 inches from the skin to apply</li> <li>■ do not spray directly into face. Spray on hands then apply to face</li> <li>■ do not apply in windy conditions</li> <li>■ use in a well-ventilated area</li> </ul>	
<ul style="list-style-type: none"> <li>■ reapply:               <ul style="list-style-type: none"> <li>• after 80 minutes of swimming or sweating</li> <li>• immediately after towel drying</li> <li>• at least every 2 hours</li> </ul> </li> <li>■ Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:               <ul style="list-style-type: none"> <li>• limit time in the sun, especially from 10 a.m. - 2 p.m.</li> <li>• wear long-sleeve shirts, pants, hats, and sunglasses</li> <li>• children under 6 months: Ask a doctor</li> </ul> </li> </ul>	
<b>Inactive ingredients</b>	
Fragrance (Parfum), SD Alcohol 40-B (Alcohol Denat.), Tocopheryl Acetate, VA/Butyl Maleate/Isobornyl Acrylate Copolymer	
<b>Other information</b>	
<ul style="list-style-type: none"> <li>■ protect this product from excessive heat and direct sun</li> <li>■ avoid spraying on fabrics - could cause discoloration</li> </ul>	
<b>Questions or comments?</b> Biocycle Laboratories, Inc. 16363 NW 49 Avenue, Miami, FL 33014 Distributed by: Biocycle Laboratories, Inc. 1 Miami, FL 33014      MADE IN USA	



**SOLMATE SPORT**

CONTINUOUS SPRAY SUNSCREEN

**50**

**BROAD SPECTRUM SPF 50**

WATER RESISTANT (80 MINUTES)

NON-GREASY FORMULA

6 FL. OZ. / 177ml

138 07 036

215 810169527 2 034

**BIG LOTS!**

**\$4**

4mm (BACKGROUNDS COLOR ONLY - NO TEXT)

## SOLMATE BROAD SPECTRUM SPF 50 C/S SUNSCREEN

avobenzone, homosalate, octisalate, oxybenzone and octocrylene spray

**Product Information**

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:13630-0100
<b>Route of Administration</b>	TOPICAL		

**Active Ingredient/Active Moiety**

<b>Ingredient Name</b>	<b>Basis of Strength</b>	<b>Strength</b>
AVOBENZONE (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)	AVOBENZONE	25.5 mg in 1 mL
HOMOSALATE (UNII: V06SV4M95S) (HOMOSALATE - UNII:V06SV4M95S)	HOMOSALATE	85 mg in 1 mL
OCTISALATE (UNII: 4X49Y0596W) (OCTISALATE - UNII:4X49Y0596W)	OCTISALATE	42.5 mg in 1 mL
OCTOCRYLENE (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM)	OCTOCRYLENE	23.38 mg in 1 mL
OXYBENZONE (UNII: 95OOS7VE0Y) (OXYBENZONE - UNII:95OOS7VE0Y)	OXYBENZONE	34 mg in 1 mL

**Inactive Ingredients**

<b>Ingredient Name</b>	<b>Strength</b>
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	
ALCOHOL (UNII: 3K9958V90M)	
DIBUTYL MALEATE (UNII: 4X371TMK9K)	

**Product Characteristics**

<b>Color</b>	yellow	<b>Score</b>	
<b>Shape</b>		<b>Size</b>	
<b>Flavor</b>		<b>Imprint Code</b>	
<b>Contains</b>			

**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:13630-0100-4	177 mL in 1 CAN; Type 0: Not a Combination Product	02/01/2016	

**Marketing Information**

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part352	02/01/2016	

**Labeler** - Prime Packaging Inc. (805987059)**Registrant** - Prime Packaging Inc. (805987059)**Establishment**

Name	Address	ID/FEI	Business Operations
Prime Enterprises Inc		101946028	manufacture(13630-0100) , analysis(13630-0100)

## Establishment

Name	Address	ID/FEI	Business Operations
Prime Packaging Inc.		805987059	pack(13630-0100) , label(13630-0100)

Revised: 1/2020

Prime Packaging Inc.