POMG NIGHT TIME PAIN RELIEF ROLLER- lidocaine hydrochloride gel POMG LLC

POMG NIGHT TIME PAIN RELIEF ROLLER

Active Ingredients

Lidocaine HCl 4%

Purpose

Lidocaine HCI 4%Topical Anesthetic

Use

• For temporary relief of pain in muscles, joints, and tendons

Warnings

For external use only

Do not use

- If you are allergic to any ingredients in this product
- On open sores and wounds
- In large quantities

When using this product

- Use only as directed
- Do not bandage tightly
- Avoid contact with eyes and other mucous membranes
- Do not expose the area to external heat or direct sunlight

Stop use and consult a doctor if

- Conditions worsen or symptoms persist for more than 7 days
- Symptoms clear up and occur again within a few days
- Redness is present or excessive skin irritation occurs
- You experience severe burning pain, swelling, or blistering where product was applied
- Allergic reaction occurs
- If pregnant or breast-feeding, consult a doctor before use

• Keep out of reach of children and pets. If swallowed, get medical help or contact Poison Control Center right away

Directions

• Adults and children 12 years of age and older: rub a thin film over desired area before bedtime

- Children under 12 years of age: consult a doctor
- Wash hands after use with soap and water

Inactive Ingredients

Water, organic aloe juice, magnesium chloride flakes, hydroxypropyl starch phosphate, organic ashwaghanda root, l-theanine, reishi mushroom

Lidocaine 4% NDC: 84615-007-02 P.O.M.G. Pharmaceutical Organic Medicine Group Night Time Pain Relief Roller Recommended by physicians everywhere Maximum Strength Lidocaine Without a Prescription No Melatonin Promotes Relaxation Relieves Aches & Pains Net Wt. 2 Oz (59mL)

MEDICINE CBOOD PHARMACEUTICAL ORCANIC **D.M.O.**

Drug Facts Purpose Active logradients Literative I-GL47 Use For law powery raisef of pointin munches, joinus, and hard Warnings Proceedings For extremal une only Do not use * If you are ellergic to any ingredients in this product * December cores and seconds * in large used files

When using this product • Une only in dimension Do not bendage tighty • Availd contact with eyes and other muchos the • Do Prote Withollow news page

Step use and consult a student if * Confident waters of synotenic gives of the number of an or "Despitive student in and contrapits within hims from the student student of the student student student." Not operative student student within the following desemptions: was applied * Allengic Headler scores

* If program to breast-feeding, corp.r: a codor before use before use * Keep aut, of reach of children and pets, if evolves get mediotifiely or samed "sizen-Carlos Center-oph" Maty

Okrections • Adults and children 12 years of age and obles: Lanather lith one draved area roles: buffers Endown meaks this years of age consult of heter • Weah hards after use with scap and wear

(CENF)

NUMBER OF THE OWNER OF THE OWNER

-

Inactivo Ingradienta stimoraria tot. daerra merutar nieli molecon sierta saire

STORE IN A CODE URY PLACE, AND FROM SPECT HERT OR SUMLICHT

NAMURACTURED BY:

D' W WINDAN ROAD FOR QUESTIONS OF DOWDERNS: DMALL CONTACTOR/OWDELDEA



LIDOCAINE 4%

NDC: 84615-007-002

P.O.M.G PHARMACEUTICAL ORGANIC MEDICINE GROUP

NIGHT TIME ROLLER

Recommended by physicians everywhere

***** MAXIMUM STRENGTH LIDOCAINE WITHOUT A PRESCRIPTION

NU MELATONIN PROMOTES RELAXATION 0 RELIEVES ACHES - PAINS OUR RECOVERY GEL ROLLER DELIVERS TARGETED RELIEF TO SUPPORT SWIFT

DIRECTIONS FOR USE

SHAKE WELL BEFORE USING ENSURE THE DESIRED AREA IS CLEAN AND DRY REMOVE THE CAP USE ROLLER TO MASSAGE THE GEL INTO THE SKIN EXPERIENCE SOOTH NG RELIEF UPON CONTACT

BACK & BODY ACHES

PROMOTES REST



LIDOCAINE 4%	Drug Facts	DIRECTIONS FOR USE: SHAKE WELL BEFORE EACH USE		
NDC: 84615-007-02	Active Ingredients Purpose Lidocaine HCI 4%	ENSURE THE DESIRED AREA IS CLEAN AND DRY - REMOVE THE CAP USE ROLLER TO MASSAGE THE GEL INTO THE SKIN - TIGHTTN CAP SECURELY		
P.O.M.G	Warnings For external use only			
PHARMACEUTICAL ORGANIC MEDICINE GROUP	Do not use • If you are allergic to any ingredients in this product • On open sores and wounds • In large quantities	MADE IN A COMP 210/211 MADE IN USA		
	When using this product • Use only as directed • Do not bandage tightly • Avoid contact with eyes and other mucous membranes • Don't use with other sleep aids	COMPLIANT FACILITY 		
NIGHT TIME PAIN RELIEF ROLLER	Stop use and consult a doctor if • Conditions worsen or symptoms persist for more than 7 days • Symptoms clear up and occur again within a few days • Redness is present or excessive skin initiation occurs • You experience severe burning pain, swelling, or bistering where product was applied • Allergic reaction occurs	401 W MORGAN ROAD ANN ARBOR MICHIGAN 45108 FOR QUESTIONS OR CONCERNS: EMAIL: CONTACT@POMGBLOBAL		
MAXIMUM STRENGTH LIDOCAINE WITHOUT A PRESCRIPTION	 If pregnant or breast-feeding, consult a doctor before use Keep out of reach of children and pets. If swallowed, get medical help or contact Poison Control Center right away 	I FROM		
✓ NO MELATONIN	Directions • Adults and children 12 years of age and older: rub a thin film over desired area before bedtime Children under 12 years of age: consult a doctor • Wash hands after use with soap and water	L BRY PLACE, AWAY SUNLIGHT D CARENTINE SALL D CARENTINE SALL D CARENTINE SALL		
✓ RELIEVES ACHES + PAINS ✓ MADE WITH ORGANIC INGREDIENTS NET WT. 2 OZ (59mL)	Inactive Ingredients water, organic alse juice, magnesium chloride flakes, hydroxypropyl starch phosphate, organic ashwaghanda root, I-theanine, reishi mushroom	STORE IN A COOL DELECT HAV OR O CAUTIONE DO MOT DAPIS DAMAGENT 1 987		

POMG NIG lidocaine hydro		PAIN RELIEF ROI	LER.				
Product Info	ormation						
Product Type		HUMAN OTC DRUG Item Code (Source)		NDC:84	NDC:84615-007		
Route of Admi	nistration	TOPICAL					
Active Ingre	dient/Active	Moiety					
	Ingredie	nt Name			Basis of Streng	th	Strength
LIDOCAINE HYDROCHLORIDE (UNII: V13007Z41A) (LIDOCAINE - UNII:98PI200987)		IE -		DOCAINE HYDROCHLORIDE		40 mg in 1 mL	
Inactive Ing	redients						
		Ingredient Name				S	trength
ALOE BARBADE	NSIS LEAF JUICE	(UNII: ZY81Z83H0X)					
MAGNESIUM CH	LORIDE (UNII: 02	F3473H9O)					
WITHANIA SOMI	NIFERA ROOT (U	NII: V038D626IF)					
THEANINE (UNII:	8021PR16QO)						
WATER (UNII: 059							
HYDROXYPROPY	-	9M44R3409A)					
REISHI (UNII: TKC	08LH0X2Z)						
Packaging							
гаскаушу							
# Item Code	Р	ackage Description			Marketing Star Date	t Mar	keting End Date
1 NDC:84615- 007-02	1 in 1 CARTON				12/06/2024		

	mL in 1 BOTTLE, WTH APPLICATOR; Type 0: Not a mbination Product			
Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
OTC Monograph Drug	M017	12/06/2024		

Labeler - POMG LLC (119126509)

Establishment				
Name	Address	ID/FEI	Business Operations	
POMG LLC		119126509	manufacture(84615-007)	

Revised: 1/2025

POMG LLC