

**PHARMACYS PRESCRIPTION- hydrogen peroxide liquid**  
**AMERICAN CONSUMER PRODUCTS LLC**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----

**DRUG FACTS**

**ACTIVE INGREDIENT**

Hydrogen Peroxide 3%

**PURPOSE**

first aid antiseptic/oral debriding agent

**USES**

- first aid to help prevent the risk of infection in minor cuts, scrapes and burns
- aids in the removal of phlegm, mucus or other secretions associated with occasional sore mouth

**Warnings**

**For external use only.**

- flammable, keep away from fire and flame
- will produce serious gastric disturbances if ingested

**Do not use**

- in the eyes or apply over large areas of the body
- longer than one week
- on deep or puncture wounds, animal bites, or on serious burns

Ask a doctor before use if you have deep or puncture wounds, animal bites or serious burns

**Stop use and ask a doctor if**

- the condition persists or gets worse
- sore mouth symptoms do not improve in 7 days
- irritation, pain or redness persists or worsens
- swelling, rash or fever develops

Keep this and all drugs out of the reach of children. If swallowed, seek professional or contact a Poison Control Center immediately.

**DIRECTIONS**

**first aid antiseptic:**

- clean affected area
- apply small amount of product on affected area 1-3 times a day
- may be covered with a sterile bandage
- if bandage, let dry first

**oral debriding agent (oral rinse):**


- adults and children 2 years of age or over:
- mix with an equal amount of water
- swish around in the mouth over affected area for atleast 1 minute then spit out
- use up to 4x daily after meals and at bedtime or as directed by a dentist or doctor
- children under 12 years should be supervised in the use of this product
- children under 2 years of age; consult a dentist or doctor

#### **Other information**

- keep tightly closed and in a dark place at a controlled temperature
- do not shake bottle
- hold away from face when opening

#### **INACTIVE INGREDIENT**

purified water, also contains 0.001% phosphoric acid as a stabilizer





# SOLUTION OF Hydrogen Peroxide

3% H<sub>2</sub>O<sub>2</sub> U.S.P.  
TOPICAL ANTI-INFECTIVE

- For treatment of minor cuts and abrasions.
- For use as a gargle or rinse.

**DO NOT USE IF IMPRINTED SEAL ON CAP IS BROKEN OR REMOVED.**

Net Contents:  
One Gallon (3.79 Liters)

Drug Facts	
Active ingredient (by volume)	Purpose
Hydrogen peroxide 3%	first aid antiseptic/oral debriding agent
<b>Uses</b> • first aid to help prevent the risk of infection in minor cuts, scrapes and burns • aids in the removal of phlegm, mucus or other secretions associated with occasional sore mouth	
<b>Warnings</b> <b>For external use only.</b>	
<b>Do not use</b> • in the eyes or apply over large areas of the body • longer than one week • on deep or puncture wounds, animal bites, or on serious burns.	
<b>Ask a doctor before use if you have</b> • deep or puncture wounds, animal bites or serious burns	
<b>Stop use and ask a doctor if</b> • the condition persists or gets worse • sore mouth symptoms do not improve in 7 days • irritation, pain or redness persists or worsens • swelling, rash or fever develops	
<b>Keep this and all drugs out of the reach of children.</b> If swallowed, seek professional or contact a Poison Control Center immediately.	
<b>Directions</b> first aid antiseptic: • clean affected area • apply small amount of product on affected area 1-3 times a day • may be covered with a sterile bandage • if bandage, let dry first	oral debriding agent (oral rinse): • adults and children 2 years of age and over: • mix with an equal amount of water • swish around in the mouth over affected area for at least 1 minute and then spit out • use up to 4 times daily after meals and at bedtime or as directed by a dentist or doctor
• children under 12 years should be supervised in the use of this product • children under 2 years of age; consult a dentist or doctor	
<b>Other information</b> Keep tightly closed and in a dark place at a controlled room temperature Do not shake bottle. Hold away from face when opening.	
<b>Inactive ingredient</b> purified water, also contains 0.001% Phosphoric acid as a stabilizer	

NDC 18027-035-12



Distributed by:  
American Consumer Products, LLC  
Los Angeles, CA USA

Made in China



# SOLUTION OF Hydrogen Peroxide

3% H<sub>2</sub>O<sub>2</sub> U.S.P.  
TOPICAL ANTI-INFECTIVE

- For treatment of minor cuts and abrasions.
- For use as a gargle or rinse.

**DO NOT USE IF IMPRINTED SEAL ON CAP IS BROKEN OR REMOVED.**

Net Contents:  
16 FL.OZ. 473 mL

Drug Facts	
Active ingredient (by volume)	Purpose
Hydrogen peroxide 3%	first aid antiseptic/oral debriding agent
<b>Uses</b> • first aid to help prevent the risk of infection in minor cuts, scrapes and burns • aids in the removal of phlegm, mucus or other secretions associated with occasional sore mouth	
<b>Warnings</b> <b>For external use only.</b>	
<b>Do not use</b> • in the eyes or apply over large areas of the body • longer than one week • on deep or puncture wounds, animal bites, or on serious burns.	
<b>Ask a doctor before use if you have</b> • deep or puncture wounds, animal bites or serious burns	
<b>Stop use and ask a doctor if</b> • the condition persists or gets worse • sore mouth symptoms do not improve in 7 days • irritation, pain or redness persists or worsens • swelling, rash or fever develops	
<b>Keep this and all drugs out of the reach of children.</b> If swallowed, seek professional or contact a Poison Control Center immediately.	
<b>Directions</b> first aid antiseptic: • clean affected area • apply small amount of product on affected area 1-3 times a day • may be covered with a sterile bandage • if bandage, let dry first	oral debriding agent (oral rinse): • adults and children 2 years of age and over: • mix with an equal amount of water • swish around in the mouth over affected area for at least 1 minute and then spit out • use up to 4 times daily after meals and at bedtime or as directed by a dentist or doctor
• children under 12 years should be supervised in the use of this product • children under 2 years of age; consult a dentist or doctor	
<b>Other information</b> Keep tightly closed and in a dark place at a controlled room temperature Do not shake bottle. Hold away from face when opening.	
<b>Inactive ingredient</b> purified water, also contains 0.001% Phosphoric acid as a stabilizer	

NDC 18027-033-16



Distributed by:  
American Consumer Products, LLC  
Los Angeles, CA USA

Made in China

# PHARMACYS PRESCRIPTION

hydrogen peroxide liquid

## Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:18027-033
<b>Route of Administration</b>	TOPICAL		

## Active Ingredient/Active Moiety

<b>Ingredient Name</b>	<b>Basis of Strength</b>	<b>Strength</b>
<b>HYDROGEN PEROXIDE</b> (UNII: BBX060AN9V) (HYDROGEN PEROXIDE - UNII:BBX060AN9V)	HYDROGEN PEROXIDE	3 g in 100 g

## Inactive Ingredients

<b>Ingredient Name</b>	<b>Strength</b>
<b>WATER</b> (UNII: 059QF0KO0R)	97 g in 100 g

## Packaging

<b>#</b>	<b>Item Code</b>	<b>Package Description</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
1	NDC:18027-033-16	473 g in 1 BOTTLE, PLASTIC		
2	NDC:18027-033-10	296 g in 1 BOTTLE, SPRAY		
3	NDC:18027-033-12	3785 g in 1 BOTTLE, PLASTIC		

## Marketing Information

<b>Marketing Category</b>	<b>Application Number or Monograph Citation</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
OTC monograph not final	part333A	10/01/2014	

**Labeler** - AMERICAN CONSUMER PRODUCTS LLC (858427334)

## Establishment

<b>Name</b>	<b>Address</b>	<b>ID/FEI</b>	<b>Business Operations</b>
NINGBO LIYUAN DAILY CHEMICAL PRODUCTS CO LTD		530766098	manufacture(18027-033)

Revised: 9/2014

AMERICAN CONSUMER PRODUCTS LLC