#### MUCUS RELIEF- guaifenesin tablet P & L Development, LLC

-----

# **Drug Facts**

# Active ingredient (in each extended-release tablet)

Guaifenesin 600 mg

#### Purpose

Expectorant

#### Uses

Helps loosen phlegm (mucus) and thin bronchial secretions to rid the bronchial passageways of bothersome mucus and makes coughs more productive.

#### Warnings

#### Do not use

for children under 12 years of age.

#### Ask a doctor before use if you have

- persistent or chronic cough such as occurs with smoking, asthma, chronic bronchitis or emphysema
- cough accopanied by too much phlegm (mucus)

#### Stop use and ask a doctor if

cough lasts more than 7 days, comes back, or occurs with fever, rash or persistent headache. These could be signs of a serious illness.

#### If pregnant or breast-feeding,

ask a health professional before use.

#### Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

#### Directions

- do not crush, chew, or break tablet
- take with a full glass of water
- this product can be administered without regard for the timing of meals

- adults and children 12 years of age and over: 1 or 2 tablet every 12 hours. Do not exceed 4 tablets in 24 hours.
- children under 12 years of age: do not use

# Other information

store between 20<sup>o</sup> to 25<sup>o</sup>C (68<sup>o</sup> to 77<sup>o</sup>F)

# Inactive ingredients

carbomer, colloidal silicon dioxide, FD&C blue #1 aluminum lake, hypromellose, lactose monohydrate, magnesium stearate, microcrystalline cellulose, povidone, talc

# Questions or comments?

Call 1-877-753-3935 Monday-Friday 9AM-5PM EST

# **Principal Display Panel**

Mucus Relief

guaifenesin 600 mg

expectorant

- 12-hour relief
- relieves chest congestion
- thins and loosens mucus

extended-release tablets

\*Compare to the active ingredient in Mucinex®

\*This product is not manufactured or distributed by Reckitt Benckiser LLC, distributor of Mucinex  ${}^{\mathbb{B}}$ .

# TAMPER EVIDENT: DO NOT USE IF BLISTER UNIT IS TORN, BROKEN OR SHOWS ANY SIGNS OF TAMPERING.

# KEEP OUTER CARTON FOR COMPLETE WARNINGS AND PRODUCT INFORMATION.

Distributed by: PL Developments

200 Hicks Street, Westbury, NY 11590

# Package Label

Drug Facts Active ingredient Purpose (in each extended-release tablet) Caulenesin 600 mgExpectorant Uses Helps loosen phlegm (mucus) and thin bronchial secretions to rid the bronchial passageways of				Þ
bothersome mucus and make coughs more productive. Warnings Do not use for children under 12 years of age.		$\bigcirc$		C
Ask a doctor before use if you have persistent or chronic cough such as occurs with smoking, asthma, chronic bronchitis, or emphysema cough accompanied by too much phlegm (mucus)	<u>ب</u>	bd	wellness basics	
Stop use and ask a doctor if cough lasts more than 7 days, comes back, or occurs with fever, rash or persistent headache. These could be signs of a serious illness.	Ň			
If pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).	relief		mucus relief	
Directions If on or crush, chew, or break tablet take with a full glass of water I take with a full glass of water I this product can be administered without regard for the timing of meals a dults and children 12 years of age and over: 1 or 2 tablets every 12 hours. Do not exceed 4 tablets in 24 hours. Children under 12 years of age: do not use	us re		guaifenesin 600 mg expectorant	P
Other information ■ store between 20° to 25°C (68° to 77°F)				
Inactive ingredients carbomer, colloidal silicon dioxide, FD&C blue #1 aluminum lake, hypromellose, lactose monohydrate, magnesium stearate, microcrystalline cellulose, povidone, taic	ă		• 12-hour relief	
Questions or comments? Call 1-877-753-3935 Monday-Friday 9AM-5PM EST	Ē		<ul> <li>relieves chest congestion</li> </ul>	
This product is not manufactured or distributed by Reckitt Benckiser LLC, distributor of Mucinex <sup>®</sup> .	-		<ul> <li>thins &amp; loosens mucus</li> </ul>	
Distributed by: PL Developments PLD-B517A FC005763 200 Hicks Street, Westbury, NY 11590		$\bigcirc$		C
Actual Size	Butter		20 extended-release tablets	D
3 59726 73122 5			*Compare to the active ingredient in Mucinex®	
		TAMPER EVIDEM	NT: DO NOT USE IF BLISTER UNIT IS TORN, BROKEN OR SHOWS ANY SIGNS O	F TAMPERIN
		KE	EP OUTER CARTON FOR COMPLETE WARNINGS AND PRODUCT INFORMATION	L

# WELLNESS BASICS Mucus Relief

Lot No.:

MUCUS RELIEF guaifenesin tablet					
Product Information					
Product Type	HUMAN OTC DRUG Item Code (Source)		ource)	NDC:59726-831	
Route of Administration	ORAL				
Active Ingredient/Active	Moiety				
Ingre	dient Name		Basis of Str	ength	Strength
GUAIFENESIN (UNII: 495W7451VQ	) (GUAIFENES IN - UNII:495W	7451VQ)	GUAIFENESIN		600 mg
Inactive Ingredients					
	Ingredient Name			S	trength
CARBOMER 934 (UNII: Z135WT92	08)				
SILICON DIOXIDE (UNII: ETJ7Z6XE	U4)				
FD&C BLUE NO. 1 (UNII: H3R47K3	TBD)				

	стоѕе молон	YDRATE (U	NII: EWQ57Q8I5X	()			
	AGNESIUM STEA						
СЕ	ELLULOSE, MICF	OCRYSTAL	LINE (UNII: OP1	R32D61U)			
РС	<b>VIDONE</b> (UNII: F	Z 989GH94E	)				
ТА	ALC (UNII: 7SEV7)	4R1U)					
Pı	roduct Chara	acteristi	cs				
Color		blue	Score		no score		
Shape		OVAL	Size		16mm		
Flavor			Imprint Code		AN036		
Co	ontains						
Pa	ackaging						
μ	ltem Code		Package De	scription	Marketing Start Date		Marketing End
#							Date
	NDC:59726-831- 20	20 in 1 CAF	RTON		03/31/2019		Date
	NDC:59726-831-			0: Not a Combination	2000		Date
1	NDC:59726-831-	1 in 1 BLIS		0: Not a Combination	2000		Date
1	NDC:59726-831- 20	1 in 1 BLIS Product	TER PACK; Type	0: Not a Combination	2000		Date
1	NDC:59726-831-	1 in 1 BLIS Product	TER PACK; Type	0: Not a Combination	2000		Date
1	NDC:59726-831- 20	1 in 1 BLIS Product	TER PACK; Type	er or Monograph	2000	t	Date Marketing End Date

Labeler - P & L Development, LLC (800014821)

Revised: 10/2023

P & L Development, LLC