

SOFSKIN TRIPLE ANTIBIOTIC PLUS PAIN RELIEF- bacitracin zinc, neomycin sulfate, polymyxin b, pramoxine hcl ointment
GOPALDAS VISRAM AND COMPANY LIMITED

Gopaldas (as CMO) - SOFSKIN TRIPLE ANTIBIOTIC OINTMENT + PAIN RELIEF (61040-134)

ACTIVE INGREDIENTS

Bacitracin Zinc (500 units)
Neomycin Sulfate 5 mg (equivalent to 3.5 mg Neomycin)
Polymyxin B Sulfate (10,000 units)
Pramoxine Hydrochloride (10 mg)

PURPOSE

First aid antibiotic
First aid antibiotic
First aid antibiotic
External analgesic

USES

First aid to help prevent infection and for the temporary relief of pain in minor:

- cuts
- scrapes
- burns

WARNINGS

- For external use only.

Do not use

- if you are allergic to any of the ingredients
- in the eyes
- over large areas of the body

Ask a doctor before use if you have deep or puncture wounds, animal bites, or serious burns.

Stop use and ask a doctor if

- you need to use longer than 1 week
- condition persists or gets worse
- symptoms persist for more than 1 week, or clear up and occur again within a few days
- rash or other allergic reaction develops

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control

Center (1-800-222-1222) right away.

DIRECTIONS

- adults and children 2 years of age and older:
- clean the affected area
- apply a small amount of this product (an amount equal to the surface area of the tip of a finger) on the area 1 to 3 times daily
- may be covered with a sterile bandage
- children under 2 years of age: ask a doctor

OTHER INFORMATION

- do not use if seal on the tube is damaged or is not visible
- to open, unscrew cap, pull tab to remove foil seal
- store at 20° to 25°C (68° to 77°F)
- avoid excessive heat and humidity
- see crimp of tube or carton for Lot Number and Expiry Date

INACTIVE INGREDIENT

WHITE PETROLATUM

NDC 00000-0000-00		Compare to the active ingredients in Neosporin® + Pain Relief*	
			
<h1>Triple Antibiotic Ointment + Pain Relief</h1>			
Bacitracin Zinc - Neomycin Sulfate - Polymyxin B Sulfate - Pramoxine HCl			
<i>First Aid Antibiotic/Pain Relieving Ointment</i>			
Net Wt. 1 oz (28.4 g)			
Drug Facts		Drug Facts (Continued)	
Active ingredients (in each gram)		Purpose	
Bacitracin Zinc (500 units).....		First aid antibiotic	
Neomycin Sulfate 5 mg (equivalent to 3.5 mg Neomycin).....		First aid antibiotic	
Polymyxin B Sulfate (10,000 units).....		First aid antibiotic	
Pramoxine Hydrochloride (10 mg).....		External analgesic	
Use(s) first aid to help prevent infection and for the temporary relief of pain in minor: ■ cuts ■ scrapes ■ burns			
Warnings ■ For external use only			
Do not use ■ if you are allergic to any of the ingredients ■ in the eyes ■ over large areas of the body			
Ask a doctor before use if you have deep or puncture wounds, animal bites, or serious burns			
Stop use and ask a doctor if ■ you need to use longer than 1 week ■ condition persists or gets worse ■ symptoms persist for more than 1 week, or clear up and occur again within			
		a few days ■ rash or other allergic reaction develops	
		Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center (1-800-222-1222) right away.	
		Directions	
		■ adults and children 2 years of age and older: ■ clean the affected area ■ apply a small amount of this product (an amount equal to the surface area of the tip of a finger) on the area 1 to 3 times daily ■ may be covered with a sterile bandage ■ children under 2 years of age: ask a doctor	
		Other information ■ do not use if seal on the tube is damaged or is not visible ■ to open, unscrew cap, pull tab to remove foil seal ■ store at 20° to 25°C (68° to 77°F) ■ avoid excessive heat and humidity ■ see crimp of tube or carton for Lot Number and Expiry Date	
		Inactive ingredient White Petrolatum	
		Question or comments? Cal-	

*This product is not affiliated with, manufactured by, or produced by the makers or owners of Neosporin® + Pain Relief
MH/DRUGS/28-KD/503
Made in India
Exclusively distributed by:
Viny Health and Beauty Products Inc,
New York, USA
www.viny.us

BARCODE



Triple Antibiotic Ointment + Pain Relief

Bacitracin Zinc - Neomycin Sulfate - Polymyxin B Sulfate - Pramoxine HCl

First Aid Antibiotic/Pain Relieving Ointment

NDC 00000-0000-00

Compare to the active ingredients in Neosporin® + Pain Relief*

Triple Antibiotic Ointment + Pain Relief

Bacitracin Zinc - Neomycin Sulfate - Polymyxin B Sulfate - Pramoxine HCl

First Aid Antibiotic/Pain Relieving Ointment

Net Wt. 1 oz (28.4 g)

Triple Antibiotic Ointment + Pain Relief

Bacitracin Zinc - Neomycin Sulfate -
Polymyxin B Sulfate - Pramoxine HCl

*First Aid Antibiotic/
Pain Relieving Ointment*

*This product is not affiliated with, manufactured
by, or produced by the makers or owners of
Neosporin® + Pain Relief

MHVDRUGS/28-KD/503 Made in India

Exclusively distributed by:
Viny Health and Beauty Products Inc, New York, USA
www.viny.us

Barcode

Triple Antibiotic Ointment + Pain Relief



Drug Facts

Active ingredients (in each gram)	Purpose
Bacitracin Zinc (500 units)	First aid antibiotic
Neomycin Sulfate 5 mg (equivalent to 3.5 mg Neomycin)	First aid antibiotic
Polymyxin B Sulfate (10,000 units)	First aid antibiotic
Pramoxine Hydrochloride (10 mg)	External analgesic

Use(s) first aid to help prevent infection and for the temporary relief of pain in minor: ■ cuts ■ scrapes ■ burns

Warnings ■ For external use only

Do not use ■ if you are allergic to any of the ingredients ■ in the eyes ■ over large areas of the body

Ask a doctor before use if you have deep or puncture wounds, animal bites, or serious burns

Stop use and ask a doctor if ■ you need to use longer than 1 week ■ condition persists or gets worse ■ symptoms persist for more than 1 week, or clear up and occur again within a few days ■ rash or other allergic reaction develops

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

Directions

■ adults and children 2 years of age and older: ■ clean the affected area ■ apply a small amount of this product (an amount equal to the surface area of the tip of a finger) on the area 1 to 3 times daily ■ may be covered with a sterile bandage ■ children under 2 years of age: ask a doctor

Other information ■ do not use if seal on the tube is damaged or is not visible ■ to open, unscrew cap, pull tab to remove foil seal ■ store at 20° to 25°C (68° to 77°F) ■ avoid excessive heat and humidity ■ see crimp of tube or carton for Lot Number and Expiry Date

Inactive ingredient White Petrolatum

Question or comments? Call-

SOFSKIN TRIPLE ANTIBIOTIC PLUS PAIN RELIEF

bacitracin zinc, neomycin sulfate, polymyxin b, pramoxine hcl ointment

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:61040-134
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
PRAMOXINE HYDROCHLORIDE (UNII: 88AYB867L5) (PRAMOXINE - UNII:068X84E056)	PRAMOXINE HYDROCHLORIDE	10 mg in 1 g
BACITRACIN ZINC (UNII: 89Y4M234ES) (BACITRACIN - UNII:58H6RWO52I)	BACITRACIN ZINC	500 [USP'U] in 1 g
NEOMYCIN SULFATE (UNII: 057Y626693) (NEOMYCIN - UNII:I16QD7X297)	NEOMYCIN SULFATE	5 mg in 1 g
POLYMYXIN B SULFATE (UNII: 19371312D4) (POLYMYXIN B - UNII:J2VZ.07J96K)	POLYMYXIN B	10000 [USP'U] in 1 g

Inactive Ingredients

Ingredient Name	Strength
WHITE PETROLATUM (UNII: B6E5W8RQJ4)	

Packaging

#	Item Code	Package Description	Marketing Start	Marketing End
---	-----------	---------------------	-----------------	---------------

#	Item Code	Package Description	Date	Date
1	NDC:61040-134-11	1 in 1 BOX	07/15/2024	
1	NDC:61040-134-01	28.4 g in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M004	07/15/2024	

Labeler - GOPALDAS VISRAM AND COMPANY LIMITED (858030888)

Revised: 12/2024

GOPALDAS VISRAM AND COMPANY LIMITED