

5% MINOXIDIL HAIR REGROWTH FOAM- minoxidil aerosol, foam
Lianjiang Shanlilai E-commerce Co., Ltd.

5% Minoxidil Hair Regrowth Foam

5% Minoxidil Hair Regrowth Foam

Minoxidil 5%

Biotin 0.5%

Hair regrowth treatment

Use to regrow hair on the top of the scalp

For external use only. For use by men only.

Extremely Flammable: Avoid fire, flame, or smoking during and immediately following application.

you are a woman.

your amount of hair loss is different than that shown on side of this carton or your hair loss is on the front of the scalp. 5% minoxidil foam is not intended for frontal baldness or receding hairline.

You have no family history of hair loss.

Your hair loss is sudden and/or patchy.

You do not know the reason for your hair loss.

You are under 18 years of age. Do not use on babies and children.

You use other medicines on the scalp.

Your scalp is red, inflamed, infected, irritated, or painful.

Do not apply on other parts of the body.

Avoid contact with the eyes. In case of accidental contact, rinse eyes with large amounts of cool tap water.

Some people have experienced changes in hair color and, or texture it takes time to regrow hair, Results may occur at 3 months with twice a day usage. For some men, you may need to use this product for at least 6 months before you see results.

The amount of hair regrowth is different for each person. This product will not work for all men.

if chest pain, rapid heartbeat, faintness, or dizziness occurs.

if sudden, unexplained weight gain occurs.

if your hands or feet swell.

if scalp irritation or redness occurs.

if unwanted facial hair growth occurs.

if you do not see hair regrowth in 6 months.

If swallowed, get medical help or contact a Poison Control Center right away. (1-800-222-1222) right away.

See enclosed leaflet for complete directions on how to use.

Apply half a capful twice daily directly to the scalp in the hair loss area.

Massage into scalp with fingers, then wash hands well.

Using more or more often will not improve results.

Continued use is necessary to increase and keep your hair regrowth or hair loss will

begin again.

Before use, read all information on carton and enclosed leaflet

Store at controlled room temperature 20° to 25°C (68° to 77°F).

Do not incinerate container. Do not expose to heat or store at temperature above 120°F(49°C).

ALCOHOL

GLYCERIN

CETYL ALCOHOL

STEARYL ALCOHOL

POLYSORBATE 80

ANHYDROUS CITRIC ACID

LACTIC ACID

CASTOR OIL

.ALPHA.-TOCOPHEROL

EDETATE DISODIUM

WATER

Drug Facts

Active Ingredient	Purpose
Minoxidil 5% w/v Water 0.5% w/v	Hair regrowth treatment

Use to regrow hair on the top of the scalp

Warnings
For external use only. For use by men only.
Extremely Flammable Avoid fire, flame, or smoking during and immediately following application.

Do not use if

- You are a woman.
- Your amount of hair loss is different than that shown on side of this carton or your hair loss is on the front of the scalp. 5% minoxidil foam is not intended for frontal baldness or receding hairline.
- You have no family history of hair loss.
- Your hair loss is sudden and/or patchy.
- You do not know the reason for your hair loss.
- You are under 18 years of age. Do not use on babies and children.
- You use other medicines on the scalp.
- Your scalp is red, inflamed, infected, irritated, or painful.

When Using

- Do not apply on other parts of the body.
- Avoid contact with the eyes. In case of accidental contact, rinse eyes with large amounts of cool tap water.
- Some people have experienced changes in hair color and/or texture if it takes time to regrow hair. Results may occur at 3 months with twice a day usage. For some men, you may need to use this product for at least 6 months before you see results.
- The amount of hair regrowth is different for each person. This product will not work for all men.

Stop use and ask a doctor if

- If chest pain, rapid heartbeat, faintness, or dizziness occurs.
- If sudden, unexplained weight gain occurs.
- If your hands or feet swell.
- If scalp irritation or redness occurs.
- If unwanted facial hair growth occurs.
- If you do not see hair regrowth in 6 months.

Keep out of reach of children.
If swallowed, get medical help or contact a Poison Control Center right away. (1-800-222-1222) right away.

Directions for use

- See enclosed leaflet for complete directions on how to use.
- Apply half a capful twice daily directly to the scalp in the hair loss area.
- Massage into scalp with fingers, then wash hands well.
- Using more or more often will not improve results.
- Continued use is necessary to increase and keep your hair regrowth or hair loss will begin again.

Other information

- Before use, read all information on carton and enclosed leaflet.
- Store at controlled room temperature 20° to 25°C (68° to 77°F).
- Do not incinerate container. Do not expose to heat or store at temperature above 100°F (38°C).

Inactive Ingredients
ALCOHOL, GLYCERIN, CETYL ALCOHOL, STEARYL ALCOHOL, POLYISOBUTYLENE, ANHYDROUS CITRIC ACID, LACTIC ACID, CASTOR OIL, ALPHA-TOCOPHEROL, EDTATE DISSODIUM, WATER

Questions?
support@pdamhealth.com

PDAM[®]
PDAM[®]
PDAM[®]

5% Minoxidil Foam For Men

Hair Regrowth Treatment

Minoxidil
Topical Aerosol,
5% (Foam)

Reactivates Hair Follicles to Stimulate Regrowth

Clinically Proven to Regrow Hair

Fast & Non-Irritating

Non-Greasy

DIRECTIONS
FOR USE

To regrow hair on the top of the scalp, the 5% Minoxidil Foam is a hair regrowth treatment. The active ingredient works by increasing blood flow to the scalp and reactivating hair follicles, leading to thicker, fuller hair over time.

See information booklet with complete directions on how to use and avoid hair loss.

To open the container, remove the cap, unscrew to 1/2 turn. Do not shake the bottle. Before use, shake the bottle for 10 seconds. The cap will lock in place. To use, hold the cap over the scalp and press down. The cap will pop up and dispense foam. Use the foam on the scalp. Do not use on the face, neck, or chest. Do not use on the scalp if you are using other hair products. Do not use if you are using other hair products. Do not use if you are using other hair products.

See information booklet with complete directions on how to use and avoid hair loss.

To open the container, remove the cap, unscrew to 1/2 turn. Do not shake the bottle. Before use, shake the bottle for 10 seconds. The cap will lock in place. To use, hold the cap over the scalp and press down. The cap will pop up and dispense foam. Use the foam on the scalp. Do not use on the face, neck, or chest. Do not use on the scalp if you are using other hair products. Do not use if you are using other hair products.

#1 DERMATOLOGIST RECOMMENDED
ACTIVE INGREDIENT

Easy-to-Use
Use Twice Daily
Foam for men

See information booklet with complete directions on how to use and avoid hair loss.

This package Contains

One 60g (2.11 oz) Can
One month supply

Not For Use By Woman

ONE Month Supply
ONE 60g (2.11 OZ) Can

See information booklet with complete directions on how to use and avoid hair loss.

Sold by: SOLARFACE INC
Address: 110 16TH St Ste 1400,
Denver CO, US
Manufacturer: Lianjiang Shanilal
& Commerce Co., Ltd
Made in PRC

Email: support@pdamhealth.com

See information booklet with complete directions on how to use and avoid hair loss.

Drug Facts

Active Ingredient	Purpose
Minoxidil 5% w/v 0.5% w/v	Hair regrowth treatment

Use: To regrow hair on the top of the scalp.

Warnings:
For external use only. For use by men only. Extremely Flammable. Avoid fire, flame, or smoking during and immediately following application.

Do not use if:

- You are a woman.
- Your amount of hair loss is different than that shown on side of this container or your hair loss is on the front of the scalp. 5% minoxidil foam is not intended for frontal baldness or receding hairline.
- You have no family history of hair loss.
- Your hair loss is sudden and/or patchy.
- You do not know the reason for your hair loss.
- You are under 18 years of age. Do not use on babies and children.
- You use other medicines on the scalp.
- Your scalp is red, inflamed, infected, irritated, or painful.

When Using:

- Do not apply on other parts of the body.
- Avoid contact with the eyes. In case of accidental contact, rinse eyes with large amounts of cool tap water.
- Some people have experienced changes in hair color and/or texture. It takes time to regrow hair. Results may occur at 3 months with twice a day usage. For some men, you may need to use this product for at least 6 months before you see results.
- The amount of hair regrowth is different for each person. This product will not work for all men.

Stop use and ask a doctor if:

- if chest pain, rapid heartbeat, faintness, or dizziness occurs.
- if sudden, unexplained weight gain occurs.
- if your hands or feet swell.
- if scalp irritation or redness occurs.
- if unwanted facial hair growth occurs.
- if you do not see hair regrowth in 6 months.

Keep out of reach of children.
If swallowed, get medical help or contact a Poison Control Center right away. (1-800-222-1222) right away.

Directions for use:

- See enclosed leaflet for complete directions on how to use.
- Apply half a capful twice daily directly to the scalp in the hair loss area.
- Massage into scalp with fingers, then wash hands well.
- Using more or more often will not improve results.
- Continued use is necessary to increase and keep your hair regrowth or hair loss will begin again.

Other information:

- Before use, read all information on carton and enclosed leaflet.
- Store at controlled room temperature 20° to 25°C (68° to 77°F).
- Do not increase container. Do not expose to heat or store at temperature above 120°F (49°C).

Inactive ingredients:
ALCOHOL, GLYCERIN, ETHYL ALCOHOL, STEARYL ALCOHOL, POLYSORBATE 80, ANHYDROUS CITRIC ACID, LACTIC ACID, CASTOR OIL, ALPHA-TOCOPHEROL, EDTATE DISODIUM, WATER

Questions?
support@pdamhealth.com

PDAM[®] PDAM[®] PDAM[®]

Minoxidil Topical Aerosol, 5% (Foam)

5% Minoxidil Foam For Men

Hair Regrowth Treatment

Reactivates Hair Follicles to Stimulate Regrowth
Clinically Proven to Regrow Hair
Fast & Non-Irritating
Non-Greasy

#1 DERMATOLOGIST RECOMMENDED ACTIVE INGREDIENT

• Easy-to-Use
• Use Twice Daily
• Foam for men

Unscented

Not For Use By Woman
Two Months Supply
Two 60g(2.11 OZ) Cans

Sold by: SOLARFACE INC
Address: 110 16TH ST, DENVER, CO 80202
Manufacturer: Lianjiang Shanlilai E-commerce Co., Ltd
Made in PRC

Email: support@pdamhealth.com

DIRECTIONS FOR USE

See information booklet with complete directions on how to use and when hair regrows.

Apply the minoxidil foam to the top of your scalp to the hair loss area. It is important to apply the minoxidil foam to the scalp every day. The minoxidil foam is not intended for frontal baldness or receding hairline. It is not intended for use on the face, neck, or chest.

The minoxidil foam is not intended for use on the face, neck, or chest. It is not intended for use on the face, neck, or chest. It is not intended for use on the face, neck, or chest.

Apply the minoxidil foam to the top of your scalp to the hair loss area. It is important to apply the minoxidil foam to the scalp every day. The minoxidil foam is not intended for frontal baldness or receding hairline. It is not intended for use on the face, neck, or chest.


The minoxidil foam is not intended for use on the face, neck, or chest. It is not intended for use on the face, neck, or chest. It is not intended for use on the face, neck, or chest.

Apply the minoxidil foam to the top of your scalp to the hair loss area. It is important to apply the minoxidil foam to the scalp every day. The minoxidil foam is not intended for frontal baldness or receding hairline. It is not intended for use on the face, neck, or chest.

The minoxidil foam is not intended for use on the face, neck, or chest. It is not intended for use on the face, neck, or chest. It is not intended for use on the face, neck, or chest.

Apply the minoxidil foam to the top of your scalp to the hair loss area. It is important to apply the minoxidil foam to the scalp every day. The minoxidil foam is not intended for frontal baldness or receding hairline. It is not intended for use on the face, neck, or chest.

The minoxidil foam is not intended for use on the face, neck, or chest. It is not intended for use on the face, neck, or chest. It is not intended for use on the face, neck, or chest.



5% MINOXIDIL HAIR REGROWTH FOAM

minoxidil aerosol, foam

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:85038-003
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
MINOXIDIL (UNII: 5965120SH1) (MINOXIDIL - UNII:5965120SH1)	MINOXIDIL	5 g in 100 g
BIOTIN (UNII: 6S06U10H04) (BIOTIN - UNII:6S06U10H04)	BIOTIN	0.5 g in 100 g

Inactive Ingredients

Ingredient Name	Strength
LACTIC ACID (UNII: 33X04XA5AT)	
.ALPHA.-TOCOPHEROL (UNII: H4N855PNZ1)	
CETYL ALCOHOL (UNII: 936JST6JCN)	
ALCOHOL (UNII: 3K9958V90M)	
STEARYL ALCOHOL (UNII: 2KR89I4H1Y)	
GLYCERIN (UNII: PDC6A3C0OX)	
POLYSORBATE 80 (UNII: 6OZP39ZG8H)	
ANHYDROUS CITRIC ACID (UNII: XF417D3PSL)	
CASTOR OIL (UNII: D5340Y2I9G)	
EDETATE DISODIUM (UNII: 7FLD91C86K)	
WATER (UNII: 059QF0KOOR)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:85038-003-01	1 in 1 PACKAGE	12/11/2024	
1		60 g in 1 BOTTLE; Type 0: Not a Combination Product		
2	NDC:85038-003-02	2 in 1 PACKAGE	12/11/2024	
2		60 g in 1 BOTTLE; Type 0: Not a Combination Product		
3	NDC:85038-003-03	3 in 1 PACKAGE	12/11/2024	
3		60 g in 1 BOTTLE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	505G(a)(3)	12/11/2024	

Labeler - Lianjiang Shanlilai E-commerce Co., Ltd. (638192827)

Establishment

Name	Address	ID/FEI	Business Operations
Lianjiang Shanlilai E-commerce Co., Ltd.		638192827	manufacture(85038-003)

Revised: 12/2024

Lianjiang Shanlilai E-commerce Co., Ltd.