

2% MINOXIDIL HAIR REGROWTH FOAM- minoxidil aerosol, foam
Lianjiang Shanlilai E-commerce Co., Ltd.

2% Minoxidil Hair Regrowth Foam

2% Minoxidil Hair Regrowth Foam

Minoxidil 2%

Biotin 0.5%

Hair regrowth treatment

Use to regrow hair on the top of the scalp

For external use only.

Extremely Flammable: Avoid fire, flame, or smoking during and immediately following application.

your degree of hair loss is different than that shown on side of this carton because this product may not work for you.

You have no family history of hair loss.

Your hair loss is sudden and/or patchy.

You do not know the reason for your hair loss.

Your hair loss is associated with childbirth.

You are under 18 years of age, Do not use on babies and children,

You use other medicines on the scalp.

Your scalp is red, inflamed, infected, irritated, or painful.

Do not use more than directed.

Do not apply on other parts of the body.

Avoid contact with the eyes, In case of accidental contact, rinse eyes with large amounts of cool tap water.

For some women, you may need to use this product once a day for at least 6 months before you see results.

The amount of hair regrowth is different for each person. This product will not work for all women,

if chest pain, rapid heartbeat, faintness, or dizziness occurs

if sudden, unexplained weight gain occurs.

if your hands or feet swell.

if scalp irritation or redness occurs.

if unwanted facial hair growth occurs .

if you do not see hair regrowth in 6 months.

If swallowed, get medical help or contact a Poison Control Center rightaway.(1-800-222-1222)right away.

See enclosed leaflet for complete directions on how to use.

Apply half a capful twice daily directly to the scalp in the hair loss area

Massage into scalp with fingers, then wash hands well.

Using more or more often will not improve results.

Continued use is necessary to increase and keep your hair regrowth or hair loss will begin again.

Before use, read all information on carton and enclosed leaflet

Store at controlled room temperature 20° to 25°C (68° to 77°F). Do not incinerate container, Do not expose to heat or store at temperature above 120°F (49°C).

ALCOHOL

GLYCERIN

CETYL ALCOHOL

STEARYL ALCOHOL

POLYSORBATE 80

ANHYDROUS CITRIC ACID

LACTIC ACID

CASTOR OIL

.ALPHA.-TOCOPHEROL

EDETATE DISODIUM

WATER

Drug Facts

Active Ingredient	Purpose
Minoxidil 2% w/w Biotin 0.5% w/w	Hair regrowth treatment

Use to regrow hair on the top of the scalp

Warnings

For external use only.

Extremely Flammable: Avoid fire, flame, or smoking during and immediately following application.

Do not use if

- your degree of hair loss is different than that shown on side of this carton because this product may not work for you.
- You have no family history of hair loss.
- Your hair loss is sudden and/or patchy.
- You do not know the reason for your hair loss.
- Your hair loss is associated with childbirth.
- You are under 18 years of age. Do not use on babies and children.
- You use other medicines on the scalp.
- Your scalp is red, inflamed, infected, irritated, or painful.

When Using

- Do not use more than directed.
- Do not apply on other parts of the body.
- Avoid contact with the eyes. In case of accidental contact, rinse eyes with large amounts of cool tap water.
- For some women, you may need to use this product once a day for at least 6 months before you see results.
- The amount of hair regrowth is different for each person. This product will not work for all women.

Stop use and ask a doctor if

- if chest pain, rapid heartbeat, faintness, or dizziness occurs.
- if sudden, unexplained weight gain occurs.
- if your hands or feet swell.
- if scalp irritation or redness occurs.
- if unwanted facial hair growth occurs.
- if you do not see hair regrowth in 6 months.

May be harmful if used when pregnant or breast-feeding.

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away. (1-800-222-1222) right away.

Directions for use

- See enclosed leaflet for complete directions on how to use.
- Apply half a capful twice daily directly to the scalp in the hair loss area.
- Massage into scalp with fingers, then wash hands well.
- Using more or more often will not improve results.
- Continued use is necessary to increase and keep your hair regrowth or hair loss will begin again.

Other Information

- Before use, read all information on carton and enclosed leaflet.
- Store at controlled room temperature 20° to 25°C (68° to 77°F).
- Do not incinerate container. Do not expose to heat or store at temperature above 120°F (49°C).

Inactive Ingredients

ALCOHOL, GLYCERIN, CETYL ALCOHOL, STEARYL ALCOHOL, POLYSORBATE 80, ANHYDROUS CITRIC ACID, LACTIC ACID, CASTOR OIL, ALPHA-TOCOPHEROL, EDTATE DISODIUM, WATER

Questions ?

support@pdamhealth.com

PDAM[®]

Minoxidil Topical Aerosol, 2% (Foam)

To regrow hair on the top of the scalp. The 2% Minoxidil Foam is a hair regrowth treatment. The active ingredient works by increasing blood flow to the scalp and revitalizing hair follicles leading to thicker, fuller hair over time.



This package Contains

One 60g(2.11 oz) Can
One month supply

Sold by: SOLARFACE INC
Address: 110 16TH St Ste 1400,
Denver CO, US
Manufacturer: Lianjiang Shanlilai
E-commerce Co., Ltd
Made IN PRC

Email: support@pdamhealth.com

PDAM[®]

2% Minoxidil Foam For Women

Hair Regrowth Treatment

Reactivates Hair Follicles to Stimulate Regrowth
Clinically Proven to Regrow Hair

Fast & Non-Irritating

Non-Greasy

#1 DERMATOLOGIST RECOMMENDED
ACTIVE INGREDIENT



Unscented

Easy-to-Use
Use Twice Daily
Foam for woman

ONE Month Supply
ONE 60g(2.11 OZ) CAN

PDAM[®]

DIRECTIONS FOR USE

See information booklet with complete directions on how to use and obtain best results.

1. Wash hands with cold water:

Rinse your fingers in cold water and ensure they are dry. It is to be noted that the foam will instantly melt upon contact with warm surfaces.



2. Open the container:

Elevate the cap upwards to open it.



3. Dispense vertically onto a cold surface:

Completely invert the can, press the nozzle, and dispense half a capful of foam onto a cold surface (such as a dish or cold hands).



4. Apply to scalp, not hair:

Part your hair to expose the area of hair loss. Gently massage the foam into the scalp rather than the hair. Repeat this process until all areas of hair loss have been covered.



5. Close the cap and wash hands:

Snap the cap back into place, and then thoroughly wash hands and the surface.



PDAM[®] Foam is for women who have a general thinning of hair on the top of the scalp (as shown below). PDAM[®] Foam has been shown to regrow hair in women with the following degrees of thinning hair or hair loss. If women have more hair loss than shown above PDAM[®] Foam may not work.



激活
轉動

Drug Facts

Active Ingredient	Purpose
Minoxidil 2% w/w Biotin 0.5% w/w	Hair regrowth treatment

Use to regrow hair on the top of the scalp

Warnings

For external use only.

Extremely Flammable: Avoid fire, flame, or smoking during and immediately following application.

Do not use if

- your degree of hair loss is different than that shown on side of this carton because this product may not work for you.
- You have no family history of hair loss.
- Your hair loss is sudden and/or patchy.
- You do not know the reason for your hair loss.
- Your hair loss is associated with childbirth.
- You are under 18 years of age. Do not use on babies and children.
- You use other medicines on the scalp.
- Your scalp is red, inflamed, infected, irritated, or painful.

When Using

- Do not use more than directed.
- Do not apply on other parts of the body.
- Avoid contact with the eyes. In case of accidental contact, rinse eyes with large amounts of cool tap water.
- For some women, you may need to use this product once a day for at least 6 months before you see results.
- The amount of hair regrowth is different for each person. This product will not work for all women.

Stop use and ask a doctor if

- if chest pain, rapid heartbeat, faintness, or dizziness occurs.
- if sudden, unexplained weight gain occurs.
- if your hands or feet swell.
- if scalp irritation or redness occurs.
- if unwanted facial hair growth occurs.
- if you do not see hair regrowth in 6 months.

May be harmful if used when pregnant or breast-feeding.

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away. (1-800-222-1222) right away.

Directions for use

- See enclosed leaflet for complete directions on how to use.
- Apply half a capful twice daily directly to the scalp in the hair loss area.
- Massage into scalp with fingers, then wash hands well.
- Using more or more often will not improve results.
- Continued use is necessary to increase and keep your hair regrowth or hair loss will begin again.

Other Information

- Before use, read all information on carton and enclosed leaflet.
- Store at controlled room temperature 20° to 25°C (68° to 77°F).
- Do not incinerate container. Do not expose to heat or store at temperature above 120°F (49°C).

Inactive Ingredients

ALCOHOL, GLYCERIN, CETYL ALCOHOL, STEARYL ALCOHOL, POLYSORBATE 80, ANHYDROUS CITRIC ACID, LACTIC ACID, CASTOR OIL, ALPHA-TOCOPHEROL, EDTATE DISODIUM, WATER

Questions ?

support@pdamhealth.com

PDAM[®]

Minoxidil Topical Aerosol, 2% (Foam)

To regrow hair on the top of the scalp. The 2% Minoxidil Foam is a hair regrowth treatment. The active ingredient works by increasing blood flow to the scalp and revitalizing hair follicles leading to thicker, fuller hair over time.



This package Contains

Two 60g(2.11 oz) Cans
Two months supply

Sold by: SOLARFACE INC
Address: 110 16TH St Ste 1400,
Denver CO, US
Manufacturer: Lianjiang Shanlilai
E-commerce Co., Ltd
Made IN PRC

Email: support@pdamhealth.com

PDAM[®]

2% Minoxidil Foam For Women

Hair Regrowth Treatment

Reactivates Hair Follicles to Stimulate Regrowth
Clinically Proven to Regrow Hair
Fast & Non-Irritating
Non-Greasy

#1 DERMATOLOGIST RECOMMENDED ACTIVE INGREDIENT



Unscented

Easy-to-Use
Use Twice Daily
Foam for woman

TWO Months Supply
TWO 60g(2.11 OZ) CANS

PDAM[®]

DIRECTIONS FOR USE

See information booklet with complete directions on how to use and obtain best results.

1. Wash hands with cold water: Rinse your fingers in cool water and ensure they are dry. It is to be noted that the foam will instantly melt upon contact with warm surfaces.
2. Open the container: Elevate the cap upwards to open it.
3. Dispense vertically onto a cold surface: Completely invert the can, press the nozzle, and dispense half a capful of foam onto a cold surface (such as a dish or cold hands).
4. Apply to scalp, not hair: Part your hair to expose the area of hair loss. Gently massage the foam into the scalp rather than the hair. Repeat this process until all areas of hair loss have been covered.
5. Close the cap and wash hands: Snap the cap back into place, and then thoroughly wash hands and the surface.

PDAM[®] Foam is for women who have a general thinning of hair on the top of the scalp (as shown below). PDAM[®] Foam has been shown to regrow hair in women with the following degrees of thinning hair or hair loss. If women have more hair loss than shown above PDAM[®] Foam may not work.



Drug Facts

Active Ingredient	Purpose
Minoxidil 2% w/w Biotin 0.5% w/w	Hair regrowth treatment

Use to regrow hair on the top of the scalp

Warnings

For external use only.
Extremely Flammable: Avoid fire, flame, or smoking during and immediately following application.

Do not use if

- your degree of hair loss is different than that shown on side of this carton because this product may not work for you.
- You have no family history of hair loss.
- Your hair loss is sudden and/or patchy.
- You do not know the reason for your hair loss.
- Your hair loss is associated with childbirth.
- You are under 18 years of age. Do not use on babies and children.
- You use other medicines on the scalp.
- Your scalp is red, inflamed, infected, irritated, or painful.

When Using

- Do not use more than directed.
- Do not apply on other parts of the body.
- Avoid contact with the eyes. In case of accidental contact, rinse eyes with large amounts of cool tap water.
- For some women, you may need to use this product once a day for at least 6 months before you see results.
- The amount of hair regrowth is different for each person. This product will not work for all women.

Stop use and ask a doctor if

- if chest pain, rapid heartbeat, faintness, or dizziness occurs.
- if sudden, unexplained weight gain occurs.
- if your hands or feet swell.
- if scalp irritation or redness occurs.
- if unwanted facial hair growth occurs.
- if you do not see hair regrowth in 6 months.

May be harmful if used when pregnant or breast-feeding.

Keep out of reach of children.
If swallowed, get medical help or contact a Poison Control Center right away. (1-800-222-1222) right away.

Directions for use

- See enclosed leaflet for complete directions on how to use.
- Apply half a capful twice daily directly to the scalp in the hair loss area.
- Massage into scalp with fingers, then wash hands well.
- Using more or more often will not improve results.
- Continued use is necessary to increase and keep your hair regrowth or hair loss will begin again.

Other Information

- Before use, read all information on carton and enclosed leaflet.
- Store at controlled room temperature 20° to 25°C (68° to 77°F).
- Do not incinerate container. Do not expose to heat or store at temperature above 120°F (49°C).

Inactive Ingredients

ALCOHOL, GLYCERIN, CETYL ALCOHOL, STEARYL ALCOHOL, POLYSORBATE 80, ANHYDROUS CITRIC ACID, LACTIC ACID, CASTOR OIL, ALPHA-TOCOPHEROL, EDTATE DISODIUM, WATER

Questions ?

support@pdamhealth.com

PDAM[®]

Minoxidil Topical Aerosol, 2% (Foam)

To regrow hair on the top of the scalp. The 2% Minoxidil Foam is a hair regrowth treatment. The active ingredient works by increasing blood flow to the scalp and revitalizing hair follicles leading to thicker, fuller hair over time.



This package Contains

Three 60g(2.11 oz) Cans
Three months supply

Sold by: SOLARFACE INC
Address: 110 16TH St Ste 1400,
Denver CO, US
Manufacturer: Lianjiang Shanlilai
E-commerce Co., Ltd
Made IN PRC

Email: support@pdamhealth.com

PDAM[®]

2% Minoxidil Foam For Women

Hair Regrowth Treatment

Reactivates Hair Follicles to Stimulate Regrowth
Clinically Proven to Regrow Hair
Fast & Non-Irritating
Non-Greasy

#1 DERMATOLOGIST RECOMMENDED ACTIVE INGREDIENT



Unscented

Easy-to-Use
Use Twice Daily
Foam for woman

THREE Months Supply
THREE 60g(2.11 OZ) CANS

PDAM[®]

DIRECTIONS FOR USE

See information booklet with complete directions on how to use and obtain best results.

1. Wash hands with cold water: Rinse your fingers in cool water and ensure they are dry. It is to be noted that the foam will instantly melt upon contact with warm surfaces.
2. Open the container: Elevate the cap upwards to open it.
3. Dispense vertically onto a cold surface: Completely invert the can, press the nozzle, and dispense half a capful of foam onto a cold surface (such as a dish or cold hands).
4. Apply to scalp, not hair: Part your hair to expose the area of hair loss. Gently massage the foam into the scalp rather than the hair. Repeat this process until all areas of hair loss have been covered.
5. Close the cap and wash hands: Snap the cap back into place, and then thoroughly wash hands and the surface.

PDAM[®] Foam is for women who have a general thinning of hair on the top of the scalp (as shown below). PDAM[®] Foam has been shown to regrow hair in women with the following degrees of thinning hair or hair loss. If women have more hair loss than shown above PDAM[®] Foam may not work.



2% MINOXIDIL HAIR REGROWTH FOAM

minoxidil aerosol, foam

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:85038-004
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
MINOXIDIL (UNII: 5965120SH1) (MINOXIDIL - UNII:5965120SH1)	MINOXIDIL	2 g in 100 g
BIOTIN (UNII: 6SO6U10H04) (BIOTIN - UNII:6SO6U10H04)	BIOTIN	0.5 g in 100 g

Inactive Ingredients

Ingredient Name	Strength
ANHYDROUS CITRIC ACID (UNII: XF417D3PSL)	
STEARYL ALCOHOL (UNII: 2KR89I4H1Y)	
POLYSORBATE 80 (UNII: 6OZP39ZG8H)	
CETYL ALCOHOL (UNII: 936JST6JCN)	
LACTIC ACID (UNII: 33X04XA5AT)	
EDETATE DISODIUM (UNII: 7FLD91C86K)	
WATER (UNII: 059QF0KO0R)	
CASTOR OIL (UNII: D5340Y2I9G)	
.ALPHA.-TOCOPHEROL (UNII: H4N855PNZ1)	
GLYCERIN (UNII: PDC6A3C0OX)	
ALCOHOL (UNII: 3K9958V90M)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:85038-004-01	1 in 1 PACKAGE	12/11/2024	
1		60 g in 1 BOTTLE; Type 0: Not a Combination Product		
2	NDC:85038-004-02	2 in 1 PACKAGE	12/11/2024	
2		60 g in 1 BOTTLE; Type 0: Not a Combination Product		
3	NDC:85038-004-03	3 in 1 PACKAGE	12/11/2024	
3		60 g in 1 BOTTLE; Type 0: Not a Combination Product		

Marketing Information

Marketing	Application Number or Monograph	Marketing Start	Marketing End
-----------	---------------------------------	-----------------	---------------

Category	Citation	Date	Date
OTC Monograph Drug	505G(a)(3)	12/11/2024	

Labeler - Lianjiang Shanlilai E-commerce Co., Ltd. (638192827)

Establishment

Name	Address	ID/FEI	Business Operations
Lianjiang Shanlilai E-commerce Co., Ltd.		638192827	manufacture(85038-004)

Revised: 12/2024

Lianjiang Shanlilai E-commerce Co., Ltd.