

STOOL SOFTENER LAXATIVE- docusate sodium capsule, liquid filled
TARGET CORPORATION

730T- Target-Docusate Sodium 100mg - Dual color

Drug Facts

Drug Facts

Active ingredient (in each softgel)

Docusate sodium USP 100 mg

Purpose

Stool softener

Uses:

- relieves occasional constipation (irregularity)
- generally produces bowel movement in 12 to 72 hours

Warnings

Do not use

- if you are presently taking mineral oil, unless told to do so by a doctor

Ask a doctor before use if you have

- stomach pain
- nausea
- vomiting
- noticed a sudden change in bowel habits that lasts over 2 weeks

Stop use and ask a doctor if

- you have rectal bleeding or fail to have a bowel movement after use of a laxative. These could be signs of a serious condition.
- you need to use a stool softener laxative for more than 1 week

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

Directions:

- take only by mouth. Doses may be taken as a single daily dose or in divided doses.

adults and children 12 years and over
children 2 to under 12 years of age
children under 2 years

take 1-3 softgels daily
take 1 softgel daily
ask a doctor

Other information

- each capsule contains: **sodium 6 mg**
- keep tightly closed.
- store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F).

Inactive ingredients D&C red no. 33, FD&C blue no. 1, FD&C red no. 40, FD&C yellow no. 6, ferrousferic oxide, gelatin, glycerin, polyethylene glycol 400, propylene glycol, purified water, shellac, sorbitol solution, titanium dioxide

Questions or comments? Call **1-800-910-6874**

Adhesive Area

Drug Facts (continued)
bowel movement after use of a laxative. These could be signs of a serious condition.
■ you need to use a stool softener laxative for more than 1 week
If pregnant or breast-feeding, ask a health professional before use.
Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

Directions
■ take only by mouth. Doses may be taken as a single daily dose or in divided doses.
adults and children 12 years and over take 1-3 softgels daily
children 2 to under 12 years of age take 1 softgel daily
children under 2 years ask a doctor

Other information
■ each capsule contains: **sodium 6 mg**
■ keep tightly closed.
■ store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F).

Inactive ingredients
D&C red no. 33, FD&C blue no. 1, FD&C red no. 40, FD&C yellow no. 6, ferrousferic oxide, gelatin, glycerin, polyethylene glycol 400, propylene glycol, purified water, shellac, sorbitol solution, titanium dioxide

Questions or comments?
Call 1-800-910-6874

Inside

Compare to active ingredient in Colace® Regular Strength Stool Softener*

Stool Softener Laxative

Docusate Sodium, 100 mg

- Gentle, effective relief
- Stimulant free

Actual Size 160 Softgels

Drug Facts
Active ingredient (in each softgel)
Docusate sodium USP 100 mg..... Stool softener

Purpose
relieves occasional constipation (irregularity) generally produces bowel movement in 12 to 72 hours

Warnings
Do not use
■ if you are presently taking mineral oil, unless told to do so by a doctor

Ask a doctor before use if you have
■ stomach pain
■ nausea
■ vomiting
■ noticed a sudden change in bowel habits that lasts over 2 weeks

Stop use and ask a doctor if
■ you have rectal bleeding or fail to have a

Drug Facts (continued under label)
*This product is not manufactured or distributed by Allantix Consumer Healthcare Inc. owner of the registered trademark Colace® Regular Strength.
NDC 11673-512-66
245 05 0623 R00
C002282-01-073-0000
Dist. by Target Corp.
Mpls., MN 55403
Made in India
TM & © 2025
Target Brands, Inc.
730T 0325

11673 51266 1

Varnish Omit Area
LOT:
EXP.:
PEEL HERE

Outside

STOOL SOFTENER LAXATIVE

docusate sodium capsule, liquid filled

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:11673-512
Route of Administration	ORAL		

Active Ingredient/Active Moiety				
Ingredient Name		Basis of Strength	Strength	
DOCUSATE SODIUM (UNII: F05Q2T2JA0) (DOCUSATE - UNII:M7P27195AG)		DOCUSATE SODIUM	100 mg	
Inactive Ingredients				
Ingredient Name		Strength		
D&C RED NO. 33 (UNII: 9DBA0SBB0L)				
FD&C RED NO. 40 (UNII: WZB9127XOA)				
GELATIN (UNII: 2G86QN327L)				
GLYCERIN (UNII: PDC6A3C0OX)				
POLYETHYLENE GLYCOL 400 (UNII: B697894SGQ)				
WATER (UNII: 059QF0KO0R)				
SORBITOL SOLUTION (UNII: 8KW3E207O2)				
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)				
FERROSOFERRIC OXIDE (UNII: XM0M87F357)				
FD&C BLUE NO. 1 (UNII: H3R47K3TBD)				
FD&C YELLOW NO. 6 (UNII: H77VEI93A8)				
SHELLAC (UNII: 46N107B71O)				
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)				
Product Characteristics				
Color	red (Pinkish red light beige translucent)	Score	no score	
Shape	OVAL	Size	12mm	
Flavor		Imprint Code	102	
Contains				
Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:11673-512-66	160 in 1 BOTTLE; Type 0: Not a Combination Product	09/01/2025	
Marketing Information				
Marketing Category		Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug		M007	06/25/2025	

Labeler - TARGET CORPORATION (006961700)

Registrant - TIME CAP LABORATORIES, INC. (037052099)

Establishment

Name	Address	ID/FEI	Business Operations
MARKSANS PHARMA LIMITED		925822975	manufacture(11673-512)

Revised: 6/2025

TARGET CORPORATION