

**BEACH BUM 30SPF SUNSCREEN 3FL OZ- beach bum 30 sport sunscreen 3fl oz lotion**  
**TSM BRANDS LLC**

-----  
**BEACH BUM SUNSCREEN**

**ACTIVE INGREDIENTS**

Avobenzzone 3.0%

Homosalate 8.0%

Octisalate 4.5%

Octocrylene 6.0%

Sunscreen

**USES**

Helps prevent sunburn

If used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun.

**DO NOT USE**

Do not use on damaged or broken skin.

**WHEN USING**

When using this product, keep out of eyes. Rinse with water to remove.

**STOP USE**

Stop use and as a doctor if rash occurs

**ASK A DOCTOR**

Stop use and ask a doctor if rash occurs.

**KEEP OUT OF REACH**

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

**INACTIVE INGREDIENTS**

water, polyester-7, neopentyl glycol diheptanoate, glycerin, styrene/acrylates copolymer,

aluminum starch octenylsuccinate, silica, phenoxyethanol, isododecane, arachidyl alcohol, beeswax, ethylhexylglycerin, acrylates/C10-30 alkyl acrylate crosspolymer, behenyl alcohol, tocopherol (vitamin E), arachidyl glucoside, glyceryl stearate, PEK-100 stearate, potassium hydroxide, disodium EDTA, sodium ascorbyl phosphate, fragrance.

## **OTHER INFORMATION**

Protect the product in this container from excessive heat and direct sun.

May stain or damage some fabrics, materials or surfaces.

## **WARNINGS**

For external use only.

## **DIRECTIONS**

Apply liberally 15 minutes before sun exposure.

Reapply:

-After 80 minutes of swimming or sweating.

-Immediately after towel drying.

-At least every 2 hours.

-Children under 6 months of age: Ask a doctor.

-Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease the risk, regularly use a sunscreen with a broad spectrum SPF value of 15 or higher and other sun protection measures including:

- Limit time in the sun, especially from 10am - 2 pm

Wear long-sleeved shirts, pants, hats and sunglasses.

## **Directions**

Apply liberally 15 minutes before sun exposure.

Reapply:

-After 80 minutes of swimming or sweating.

-Immediately after towel drying.

-At least every 2 hours.

-Children under 6 months of age: Ask a doctor.

-Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease the risk, regularly use a sunscreen with a broad spectrum SPF value of 15 or higher and other sun protection measures including:

- Limit time in the sun, especially from 10am - 2 pm

Wear long-sleeved shirts, pants, hats and sunglasses.

## LABELS

### FRONT LABEL





**BACK LABEL**

**Drug facts****Active Ingredients**

Avobenzone 3.0%  
 Homosalate 8.0%  
 Octisalate 4.5%  
 Octocrylene 6.0%

**Purpose****Sunscreen****Uses**

- Helps prevent sunburn
- If used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun.

**Warnings****For external use only****Do not use** • on damaged or broken skin.**When using this product** • keep out of eyes. Rinse with water to remove.**Stop use and ask a doctor if** • rash occurs.**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.**Directions**

- Apply liberally 15 minutes before sun exposure.
- Reapply:
  - After 80 minutes of swimming or sweating.
  - Immediately after towel drying.
  - At least every 2 hours.
- Children under 6 months of age: Ask a doctor.
- Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad - spectrum SPF value of 15 or higher and other sun protection measures including:
  - Limit time in the sun, especially from 10 a.m. - 2 p.m.
  - Wear long-sleeved shirts, pants, hats, and sunglasses.

**Other information**

- Protect the product in this container from excessive heat and direct sun.
- May stain or damage some fabrics, materials or surfaces

**Inactive ingredients**

water, polyester-7, neopentyl glycol diheptanoate, glycerin, styrene / acrylates copolymer, aluminum starch octenylsuccinate, silica, phenoxyethanol, isododecane, arachidyl alcohol, beeswax, ethylhexylglycerin, acrylates / C10-30 alkyl acrylate crosspolymer, behenyl alcohol, tocopherol, (vitamin E), arachidyl glucoside, glyceryl stearate, PEG-100 stearate, potassium hydroxide, disodium EDTA, sodium ascorbyl phosphate, fragrance.

DISTRIBUTED BY: TSM BRANDS LLC

300-2 Route 17 South, Unit D, Lodi, NJ 07644.

[www.tsmbrands.com](http://www.tsmbrands.com) / MADE IN TURKEY**BEACH BUM 30SPF SUNSCREEN 3FL OZ**

beach bum 30 sport sunscreen 3fl oz lotion

**Product Information**

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:76567-9876
<b>Route of Administration</b>	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>AVOBENZONE</b> (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)	AVOBENZONE	2.67 g in 89 mL
<b>OCTISALATE</b> (UNII: 4X49Y0596W) (OCTISALATE - UNII:4X49Y0596W)	OCTISALATE	4.005 g in 89 mL
<b>OCTOCRYLENE</b> (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM)	OCTOCRYLENE	5.34 g in 89 mL
<b>HOMOSALATE</b> (UNII: V06SV4M95S) (HOMOSALATE - UNII:V06SV4M95S)	HOMOSALATE	7.12 g in 89 mL

### Inactive Ingredients

Ingredient Name	Strength
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	2.67 mL in 89 mL
<b>STYRENE/ACRYLAMIDE COPOLYMER (MW 500000)</b> (UNII: 5Z4DPO246A)	0.445 mL in 89 mL
<b>EDTA</b> (UNII: 9G34HU7RV0)	0.089 mL in 89 mL
<b>ARACHIDYL ALCOHOL</b> (UNII: 1QR1QRA9BU)	1.246 mL in 89 mL
<b>BEHENYL ALCOHOL</b> (UNII: 9G10E216XY)	0.356 mL in 89 mL
<b>SODIUM ASCORBYL PHOSPHATE</b> (UNII: 836SJG51DR)	0.089 mL in 89 mL
<b>TOCOPHEROL</b> (UNII: R0ZB2556P8)	0.089 mL in 89 mL
<b>BEESWAX</b> (UNII: 2ZA36H0S2V)	1.78 mL in 89 mL
<b>ETHYLHEXYLGLYCERIN</b> (UNII: 147D247K3P)	0.0445 mL in 89 mL
<b>ISODODECANE</b> (UNII: A8289P68Y2)	0.089 mL in 89 mL
<b>HYDRATED SILICA</b> (UNII: Y6O7T4G8P9)	0.001 mL in 89 mL
<b>ALUMINUM STARCH OCTENYLSUCCINATE</b> (UNII: I9PJ006294)	0.089 mL in 89 mL
<b>PHENOXYETHANOL</b> (UNII: HIE492ZZ3T)	0.4 mL in 89 mL
<b>ACRYLATES/C10-30 ALKYL ACRYLATE CROSSPOLYMER (60000 MPA.S AT 0.5%)</b> (UNII: YY2HMJ9NZF)	0.1335 mL in 89 mL
<b>AQUA</b> (UNII: 059QF0K00R)	58.177 mL in 89 mL
<b>GLYCERYL STEARATE/PEG-100 STEARATE</b> (UNII: RD25J5V947)	3 mL in 89 mL
<b>POTASSIUM HYDROXIDE</b> (UNII: WZH3C48M4T)	0.01 mL in 89 mL
<b>FRAGRANCE 13576</b> (UNII: 5EM498GW35)	0.445 mL in 89 mL
<b>POLYESTER-7</b> (UNII: 0841698D2F)	0.2225 mL in 89 mL
<b>NEOPENTYL GLYCOL DIHEPTANOATE</b> (UNII: 5LKW3C543X)	0.2225 mL in 89 mL
<b>ARACHIDYL GLUCOSIDE</b> (UNII: 6JVV35J00J)	0.178 mL in 89 mL

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:76567-9876-2	89 mL in 1 TUBE; Type 0: Not a Combination Product	03/01/2025	

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	03/01/2025	

**Labeler** - TSM BRANDS LLC (079777521)

## Establishment

Name	Address	ID/FEI	Business Operations
TSM BRANDS KIMYA SANAYI VE DIS TICARET ANONIM SIRKETI		533120570	manufacture(76567-9876)

Revised: 2/2025

TSM BRANDS LLC