

# **DIPHENHYDRAMINE HCL- diphenhydramine hcl liquid**

## **BI-MART**

-----

### **Nighttime Sleep-Aid**

#### ***Drug Facts***

##### ***Active ingredient (in each 30 mL dose cup)***

Diphenhydramine HCl 50mg

#### ***Purpose***

Nighttime sleep-aid

#### ***Uses***

- for the relief of occasional sleeplessness
- reduces time to fall asleep if you have difficulty falling asleep

#### ***Warnings***

##### **Do not use**

- for children under 12 years of age
- with any other product containing diphenhydramine, even one used on skin
- with other drugs that cause drowsiness such as antihistamines and nighttime cold/flu products

##### **Ask a doctor before use if you have**

- a breathing problem such as emphysema or chronic bronchitis
- glaucoma
- difficulty in urination due to enlargement of the prostate gland

##### **Ask a doctor or pharmacist before use if you are**

taking sedatives or tranquilizers

##### **When using this product**

avoid alcoholic beverages

##### **Stop use and ask a doctor if**

sleeplessness persists continuously for more than 2 weeks. Insomnia may be a symptom

of serious underlying medical illness.

**If pregnant or breast-feeding,**

ask a health professional before use.

**Keep out of the reach of children.**

In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

***Directions***

- take only one dose (30 mL) per day (24 hours)
- only use dose cup provided

Age	Dose
adults and children 12 years and over	30 mL at bedtime if needed or as directed by a doctor
children under 12 years	do not use

***Other information***

- **each 30 mL dose cup contains:**sodium 24 mg
- store between 15-30°C (59-86°F).

***Inactive ingredients***

anhydrous citric acid, FD&C Blue #1, FD&C Red #40, flavor, glycerin, menthol, propylene glycol, purified water, sodium benzoate, sodium citrate, sorbitol, sucralose.

***Questions or comments?***

1-844-912-4012

**PRINCIPAL DISPLAY PANEL**

**NDC 37835-519-12**

Compare to the active  
ingredient in Vicks® ZzzQuil®  
**NIGHTTIME SLEEP-AID\***

## Nighttime Sleep-Aid

Diphenhydramine HCl  
50 mg per 30 mL  
Nighttime Sleep-Aid

Non-Habit Forming  
Not For Colds or For Pain

## Ages 12 Years and Over

Berry Flavor  
**12 FL OZ (355 mL)**

## Drug Facts

Active ingredient (in each 30 mL dose cup)	Purpose
Diphenhydramine HCl 50 mg	Nighttime sleep-aid

### Uses

- for the relief of occasional sleeplessness
- reduces time to fall asleep if you have difficulty falling asleep

### Warnings

**Do not use**

- for children under 12 years of age
- with any other product containing diphenhydramine, even one used on skin
- with other drugs that cause drowsiness such as antihistamines and nighttime cold/flu products

Ask a doctor before use if you have

- a breathing problem such as emphysema or chronic bronchitis
- glaucoma
- difficulty in urination due to enlargement of the prostate gland

**Ask a doctor or pharmacist before use if you are taking sedatives or tranquilizers**

**When using this product avoid alcoholic beverages.**

**Stop use and ask a doctor if sleeplessness persists continuously for more than 2 weeks.** Insomnia may be a symptom of a serious underlying medical illness.

**If pregnant or breast-feeding, ask a health professional before use.**  
**Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

**Directions**

- take only one dose (30 mL) per day (24 hours)
- only use dose cup provided

Age	Dose
adults and children 12 years and over	30 mL at bedtime if needed or as directed by a doctor
children under 12 years	do not use

**Drug Facts** (continued)

**Other information**

- each 30 mL dose cup contains: sodium 24 mg
- store between 15-30°C (59-86°F).

**Inactive ingredients** anhydrous citric acid, FD&C Blue #1, FD&C Red #40, flavor, glycerin, menthol, propylene glycol, purified water, sodium benzoate, sodium citrate, sorbitol, sucralose.

**Questions or comments? 1-844-912-4012**

\*This product is not manufactured or distributed by The Procter & Gamble Company, owner of the registered trademark Vicks® ZzzQuil® Nighttime Sleep-Aid.

**TAMPER EVIDENT: DO NOT USE IF PRINTED  
NECK WRAP IS BROKEN OR MISSING**



**BI-MART UNCONDITIONAL MONEY BACK GUARANTEE**  
If you are not completely satisfied with your BI-MART  
QUALITY PRODUCT, regardless of the reason, return the  
unused portion and your entire purchase price will be  
cheerfully refunded.

Distributed by:  
**BI-MART**  
Eugene, OR 97402

519-12-BM 05/25  
Rev. 2

no print / no varnish area  
lot no. & exp. date

## DIPHENHYDRAMINE HCL

diphenhydramine hcl liquid

## Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:37835-519
Route of Administration	ORAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>DIPHENHYDRAMINE HCL</b> (UNII: TC2D6JAD40) (DIPHENHYDRAMINE - UNII:8GTS82S83M)	DIPHENHYDRAMINE HCL	50 mg in 30 mL

## Inactive Ingredients

Ingredient Name	Strength
SUCRALOSE (UNII: 96K6UQ3ZD4)	
SORBITOL SOLUTION 70% (UNII: 8KW3E207O2)	
WATER (UNII: 059QF0KO0R)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
SODIUM BENZOATE (UNII: OJ245FE5EU)	
FD&C RED NO. 40 (UNII: WZB9127XOA)	
SODIUM CITRATE (UNII: 1Q73Q2JULR)	
CITRIC ACID (UNII: 2968PHW8QP)	
FD&C BLUE NO. 1 (UNII: H3R47K3TBD)	
GLYCERIN (UNII: PDC6A3C0OX)	
MENTHOL (UNII: L7T10EIP3A)	

## Product Characteristics

Color	purple	Score	
Shape		Size	
Flavor	BERRY	Imprint Code	
Contains			

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:37835-519-12	355 mL in 1 BOTTLE; Type 0: Not a Combination Product	05/01/2025	

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M010	05/01/2025	

**Labeler** - BI-MART (027630078)

**Registrant** - BI-MART (027630078)

## Establishment

Name	Address	ID/FEI	Business Operations
Rnv LLC		118917568	manufacture(37835-519)

Revised: 5/2025

BI-MART