

**QUALITY CHOICE LICE KILLING- piperonyl butoxide, pyrethrum extract shampoo**  
**Quality Choice**

-----  
**Lice Killing Shampoo Drug Facts**

**Active ingredient**

Piperonyl butoxide 4%

Pyrethrum extract (equivalent to 0.33% pyrethrins)

**Uses**

treats head, pubic (crab), and body lice

**Purpose**

Lice treatment

**Warnings**

**For external use only**

**Do not use**

- near eyes
- inside nose, mouth, or vagina
- on lice in eyebrows or eyelashes. See a doctor if lice are present in these areas.

**Ask a doctor before use if you are**

- allergic to ragweed. May cause breathing difficulty or an asthmatic attack.

**When using this product**

- keep eyes tightly closed and protect eyes with a washcloth or towel
- if product gets into eyes, flush with water right away
- scalp itching or redness may occur

**Stop use and ask a doctor if**

- breathing difficulty occurs
- eye irritation occurs
- skin or scalp irritation continues or infection occurs

**Keep out of reach of children.**

If swallowed, get medical help or contact a Poison Control Center right away.

## Directions

- **Important: Read warnings before use**
- **Adults and children 2 years and over:**

## Inspect

- check each household member with a magnifying glass in bright light for lice/nits (eggs)
- look for tiny nits near scalp, beginning at back of neck and behind ears
- examine small sections of hair at a time
- unlike dandruff which moves when touched, nits stick to the hair
- if either lice or nits are found, treat with this product

## Treat

- apply thoroughly to DRY HAIR or other affected area. For head lice, first apply behind ears and to back of neck.
- allow product to remain for 10 minutes, but no longer
- use warm water to form a lather, shampoo, then thoroughly rinse
- for head lice, towel dry hair and comb out tangles

## Remove lice and their eggs (nits)

- use a fine-tooth or special lice/nit comb. Remove any remaining nits by hand (using a throw-away glove).
- hair should remain slightly damp while removing nits
- if hair dries during combing, dampen slightly with water
- for head lice, part hair into sections. Do one section at a time starting on top of the head. Longer hair may take 1 to 2 hours.
- lift a 1-to 2-inch wide strand of hair. Place comb as close to scalp as possible and comb with a firm, even motion away from scalp.
- pin back each strand of hair after combing
- clean comb often. Wipe nits away with tissue and discard in a plastic bag. Seal bag and discard to prevent lice from coming back.
- after combing, thoroughly recheck for lice/nits. Repeat combing if necessary.
- check daily for any lice/nits that you missed
- a second treatment must be done in 7 to 10 days to kill any newly hatched lice
- if infestation continues, see a doctor for other treatments
- **Children under 2 years:** ask a doctor

## Other information

- do not freeze
- store at controlled room temperature 20°-25°C (68°-77°F)
- to report serious side effects due to the use of this product call (515) 276-1586
- see package insert for additional information

## Inactive ingredients

ammonium laureth sulfate, fragrance, PEG-25 hydrogenated castor oil, polyquaternium-10, purified water, SD-40 alcohol

## **Additional Information**

**Hair Length** - Recommended Application for 1 Adult/Child

**Short** (ear length or shorter) Day 1: 1-2 oz; Day 7-10: 1-2oz; Total : 2-4oz

**Medium** (shoulder length) Day1: 2-3oz; Day 7-10: 2-3oz; Total: 4-6oz

**Long** (past shoulder length) Day 1: 3-4oz; Day 7-10: 3-4oz; Total: 6-8oz

**Largo del cabello** - Cantidad recomendada para 1 adulto/niño

**Corto** (hasta la oreja o más corto) Dia 1: 1-2oz; Dia7-10: 1-2oz; Total: 2-4oz

**Medio** (hasta el hombro) Dia1: 2-3oz; Dia 7-10: 2-3oz; Total: 4-6oz

**Largo** (más abajo del hombro) Dia 1: 3-4oz; Dia 7-10: 3-4oz; Total: 6-8oz

**Important:** keep this outer carton for future reference.

## **Package Insert**

### **Consumer Information**

#### **LICE KILLING SHAMPOO**

**For the treatment of Head Lice, Pubic (Crab) Lice and Body Lice**

#### **DIRECTIONS**

Important: Read warnings before using this product. A second treatment must be done in 7-10 days to kill any newly hatched lice eggs (nits)

#### **Inspect**

- examine each household member with a magnifying glass in bright light for lice/eggs (nits)
- look for tiny eggs (nits) near scalp, beginning at the back of neck and behind ears
- examine small sections of hair
- eggs (nits) stick to the hair
- if either lice or eggs (nits) are found, treat with this product

#### **Treat**

- apply thoroughly to dry hair or other affected area. For head lice, first apply behind ears and to back of neck
- allow product to remain for 10 minutes but no longer
- use warm water to form a lather, shampoo, then thoroughly rinse
- for head lice, towel dry hair and comb out tangles

#### **To Remove Lice and Their Eggs (Nits)**

- use a special lice/nit or fine-toothed comb (included). Remove any remaining eggs (nits) by hand, using a throwaway glove
- hair should remain slightly damp while removing eggs (nits)
- if hair dries during combing, dampen slightly with water
- for head lice, part hair into sections. Do one section at a time starting on top of the head. Longer hair may take 1 to 2 hours

- lift a 1- to 2-inch wide strand of hair. Place comb firm, even motion away from scalp
- pin back each strand of hair after combing
- clean comb often. Wipe eggs (nits) away with tissue and discard in a plastic bag. Seal bag and discard to prevent lice from coming back
- after combing, thoroughly recheck for lice/eggs (nits). Repeat combing if necessary
- check daily for any lice/eggs (nits) that you missed
- a second treatment must be done within 7 to 10 days to kill any newly hatched lice/eggs (nits)
- if infestation continues, see a doctor for other treatments

### **1. HEAD LICE**

- head lice lay small white eggs (nits) on the hair shaft close to the scalp
- eggs (nits) are most easily found on the back of the neck or behind the ears
- disinfect hats, hair ribbons, scarves, coats, towels and bed linens by machine washing in hot water [above 54 C (130 F)], then using the hottest dryer setting for at least 20 minutes
- items that cannot be washed, dry cleaned or stored may be sprayed with a product designed for this purpose
- soak all combs and brushes in hot water [above 54 C (130 F)] for at least 10 minutes
- vacuum all carpets, mattresses, upholstered furniture, and car seats that may have been used by affected people

### **2. PUBIC (CRAB) LICE**

- pubic (crab) lice may be contracted by sexual contact
- sexual partners should be treated simultaneously to avoid reinfestation
- lice are very small and look like brown or grey dots on the skin
- pubic (crab) lice usually cause intense itching and lay small white eggs (nits) on the hair shaft generally close to the skin surface
- pubic (crab) lice may be present on the short hairs of the groin, thighs, trunk, and underarms, -and occasionally on the beard, eyelids, and mustache
- disinfect underwear by machine washing in hot water [above 54 C (130 F)], then using the hottest dryer setting for at least 20 minutes

### **3. BODY LICE**

- body lice and their eggs (nits) are generally found in the seams of clothing, particularly in the waistline and armpit areas
- body lice feed on skin then return to clothing to lay their eggs (nits)
- disinfect clothing by machine washing in hot water [above 54 C (130 F)], then using the hottest dryer setting for at least 20 minutes
- do not seal clothing in a plastic bag because eggs (nits) can remain dormant for up to 30 days

**Save this insert for future reference**

**SHAKE WELL BEFORE USING**

**CHAMPÚ PARA MATAR PIOJOS**

**Para el tratamiento de piojos de cabeza, piojos púbicos (ladillas) y piojos del cuerpo**

## **Para uso externo solamente.**

### **No lo use**

- cerca de los ojos
- dentro de la nariz, boca o vagina
- para piojos en las cejas o pestañas. Consulte a un doctor si hay piojos en estas áreas.

### **Pregúntele a un doctor antes de usarlo si**

- es alérgico a la ambrosía. Puede provocar dificultades para respirar o un ataque asmático.

### **Cuando use este producto**

- mantenga los ojos bien cerrados y protéjalos con una toallita o toalla
- si el producto entra en los ojos, enjuáguese inmediatamente con agua
- puede experimentar picazón o enrojecimiento del cuero cabelludo.

### **Deje de usarlo y consulte a un doctor si**

- tiene dificultad para respirar
- presenta irritación de los ojos
- prevalece la irritación de la piel o el cuero cabelludo o se presenta una infección. Si está embarazada o lactando, antes de usarlo pregunte a un profesional médico. Manténgalo fuera del alcance de los niños. Si e traga, obtenga ayuda médica o póngase en contacto de inmediato con el Centro de Control de Envenenamientos

## **INSTRUCCIONES**

**IMPORTANTE: LEA LAS ADVERTENCIAS ANTES DE USAR ESTA PRODUCTO. UN SEGUNDO TRATAMIENTO DEBE SER REALIZADO ENTRE 7 Y 10 DIAS PARA ELIMINAR LA REPRODUCCIÓN DE NUEVOS PIOJOS Y HUEVECILLOS (LIENDRES).**

### **Inspeccione**

- Examine a cada uno de los integrantes de la familia bajo luz brillante con una lupa en busca de piojos o huevecillos (liendres)
- usque los huevecillos (liendres) en el cabello, comenzando en la parte posterior del cuello y detrás de las orejas
- examine áreas pequeñas del cabello
- a diferencia de la caspa, la cual se mueve al tocarla, los huevecillos (liendres) permanecen adheridos al cabello
- si encuentra piojos o huevecillos (liendres) trate las áreas afectadas con este producto.

### **Tratamiento**

- aplique sobre todo el cabello seco u otras áreas afectadas. Para liendres de cabeza primero aplique detrás de las orejas y en la parte posterior del cuello
- deje el producto durante 10 minutos, pero no se exceda del tiempo sugerido
- use agua tibia para formar espuma, lave con champú y luego enjuague muy bien
- para liendres de cabeza, seque el cabello con una toalla y desenrede con un peine.

### **Para eliminar los piojos y sus huevecillos (liendres)**

- use un peine de dientes finos o un peine especial para piojos y liendres. Remueva

todos los huevecillos (liendres) restantes a uno usando guantes desechables

- el pelo debe permanecer húmedo mientras se remueven los huevecillos (liendres)
- si el pelo se seca mientras es peinado, humidézcalo con agua
- para liendres de cabeza, divida el pelo en secciones. Revise una sección a la vez comenzando por la parte de arriba de la cabeza. Si tiene pelo largo le puede tomar de 1 o 2 horas
- levante mechones de una pulgada de ancho. Ponga el peine lo más cerca posible del cuero cabelludo y peine con movimientos parejos y firmes
- sujete cada mechón de pelo después de peinar limpie el peine con frecuencia. Limpie los huevecillos (liendres) con un papel toalla y tirelos en una bolsa plástica. Cierre la bolsa y tirela para prevenir que los piojos vuelvan a aparecer
- después de peinar, vuelva a revisar para ver si encuentra piojos o huevecillos (liendres). Si fuera necesario repita el procedimiento
- revise a diario para ver si aparece algún piojo o huevecillo (liendres)
- se debe efectuar un segundo tratamiento a los 7 a 10 días para matar los huevecillos nuevos (liendres)
- si la plaga continua se debe consultar con el doctor para hacer otros tratamiento.

### **Otra Información**

- no lo congele
- protéjalo del calor excesivo
- vea la información adicional en el anexo del paquete

**Ingredientes Inactivos** ,lauril sulfato de amonio, lauril sulfato de amonio, fragancia, PEG-25 aceite de ricino hidrogenado, policuaternio-10, alcohol desnaturalizado SD 40-B, agua

### **1. PIOJOS DE LA CABEZA**

- Los piojos de cabeza ponen huevos blancos (liendres) en los hebra del cabello cerca del cuero cabelludo. Las liendres son fáciles de encontrar en la parte posterior del cuello o detrás de las orejas.
- Desinfecte los sombreros, cintas para el cabello, bufandas, abrigos, toallas y sábanas lavándolos en lavadora con agua caliente [a una temperatura de más de 54 C (130 F)], y luego séquelos en la secadora a la temperatura más alta durante un mínimo de 20 minutos.
- Los artículos que no pueden ser lavados (cubrecamas, frizas, almohadas, juguetes de peluche, etc.) deben ser limpiados en seco o deben ser sellados en bolsas plásticas por 4 semanas, después sacados a la intemperie y sacudidos enérgicamente antes de ser usados otra vez.
- artículos que no pueden ser lavados, limpiados en seco o guardados deben ser rociados con productos designados para este fin.
- Sumerja todos los peines y cepillos en agua caliente, [por más de 54 C (130 F)] por lo menos por 10 minutos.
- Limpie las alfombras, colchones, muebles tapizados y asientos del carro que pueden haber sido usados por personas infectadas.

### **2. PIOJOS PÚBLICOS (LADILLAS)**

- Los piojos públicos (ladillas) pueden adquirirse por contacto sexual.
- Compañeros sexuales deben ser tratados simultáneamente para evitar contagios.
- Los piojos son muy pequeños y parecen puntos cafés o grises sobre la piel.

- Piojos púbicos producen picazón muy intensa y ponen huevos muy pequeños (liendres) en los mechones de pelo cerca de la superficie de la piel.
- Los piojos púbicos pueden encontrarse en los pelos cortos de las ingles, muslos, tórax y axilas, y ocasionalmente pueden encontrarse en la barba, párpados y bigote.
- Desinfecte la ropa interior lavándola en lavadora con agua caliente [a una temperatura de más de 54 C (130 F)], y secándola luego en la secadora a la temperatura más alta durante un mínimo de 20 minutos.

### **3. PIOJOS DE CUERPO**

- Los piojos de cuerpo (y sus liendres) son generalmente encontrados en los dobladillos de la ropa, particularmente en el elástico de la cintura o en la zona de la axila.
- Las liendres del cuerpo se alimentan de la piel y luego retornan a la ropa para depositar sus huevos (liendres).
- Desinfecte la ropa lavándola en la lavadora en agua caliente [a una temperatura de más de 54 C (130 F)], y luego use el ciclo más caliente de la secadora por más caliente de la secadora por más de 20 minutos.
- No selle la ropa dentro de una bolsa de plástico debido a que los huevecillos (liendres) pueden permanecer en estado inactivo durante un período de hasta 30 días.

**Guarde las instrucciones para futuras referencias.**

**AGÍTESE MUY BIEN ANTES DE USAR**

# LICE KILLING SHAMPOO

For the treatment of Head Lice,  
Pubic (Crab) Lice and Body Lice

## DIRECTIONS

**IMPORTANT:**  
READ WARNINGS BEFORE USING THIS PRODUCT. A SECOND TREATMENT  
MUST BE DONE IN 7-10 DAYS TO KILL ANY NEWLY HATCHED LICE EGGS (NITS)

### Inspect

- examine each household member with a magnifying glass in bright light for lice/eggs (nits)
- look for tiny eggs (nits) near scalp, beginning at the back of neck and behind ears
- examine small sections of hair
- unlike dandruff, which moves when touched, eggs (nits) stick to the hair
- if either lice or eggs (nits) are found, treat with this product

### Treat

- apply thoroughly to dry hair or other affected area. For head lice, first apply behind ears and to back of neck
- allow product to remain for 10 minutes but no longer
- use warm water to form a lather, shampoo, then thoroughly rinse
- for head lice, towel dry hair and comb out tangles

### To Remove Lice and Their Eggs (Nits)

- use a special lice/ nit or fine-toothed comb (included). Remove any remaining eggs (nits) by hand, using a throwaway glove
- hair should remain slightly damp while removing eggs (nits)
- if hair dries during combing, dampen slightly with water
- for head lice, part hair into sections. Do one section at a time starting on top of the head. Longer hair may take 1 to 2 hours
- lift a 1- to 2-inch wide strand of hair. Place comb as close to scalp as possible and comb with a firm, even motion away from scalp
- pin back each strand of hair after combing
- clean comb often. Wipe eggs (nits) away with tissue and discard in a plastic bag. Seal bag and discard to prevent lice from coming back
- after combing, thoroughly recheck for lice/eggs (nits). Repeat combing if necessary
- check daily for any lice/eggs (nits) that you missed
- a second treatment must be done within 7 to 10 days to kill any newly hatched lice/eggs (nits)
- if infestation continues, see a doctor for other treatments

### 1. HEAD LICE

- head lice lay small white eggs (nits) on the hair shaft close to the scalp
- eggs (nits) are most easily found on the back of the neck or behind the ears
- disinfect hats, hair ribbons, scarves, coats, towels and bed linens by machine washing in hot water (above 54° C (130° F)), then using the hottest dryer setting for at least 20 minutes
- items that cannot be washed, dry cleaned or stored may be sprayed with a product designed for this purpose
- soak all combs and brushes in hot water (above 54° C (130° F)) for at least 10 minutes
- vacuum all carpets, mattresses, upholstered furniture, and car seats that may have been used by affected people

### 2. PUBIC (CRAB) LICE

- pubic (crab) lice may be contracted by sexual contact
- sexual partners should be treated simultaneously to avoid reinfestation
- lice are very small and look like brown or grey dots on the skin
- pubic (crab) lice usually cause intense itching and lay small white eggs (nits) on the hair shaft generally close to the skin surface
- pubic (crab) lice may be present on the short hairs of the groin, thighs, trunk, and underarms, and occasionally on the beard, eyelids, and mustache
- disinfect underwear by machine washing in hot water (above 54° C (130° F)), then using the hottest dryer setting for at least 20 minutes

### 3. BODY LICE

- body lice and their eggs (nits) are generally found in the seams of clothing, particularly in the waistline and armpit areas
- body lice feed on skin then return to clothing to lay their eggs (nits)
- disinfect clothing by machine washing in hot water (above 54° C (130° F)), then using the hottest dryer setting for at least 20 minutes
- do not seal clothing in a plastic bag because eggs (nits) can remain dormant for up to 30 days

Save this insert for future reference

SHAKE WELL BEFORE USING

25365.0

## CHAMPÚ PARA MATAR PIOJOS

Para el tratamiento de piojos de cabeza, piojos púbicos (ladillas) y piojos del cuerpo

### Para uso externo solamente.

- No lo use
- cerca de los ojos
- dentro de la nariz, boca o vagina
- para piojos en las cejas o pestañas. Consulte a un doctor si hay piojos en estas áreas.
- Pregúntele a un doctor antes de usarlo si es alérgico a la ambrosía. Puede provocar dificultades para respirar o un ataque asmático.

### Cuando use este producto

- mantenga los ojos bien cerrados y protéjalos con una toallita o toalla
- si el producto entra en los ojos, enjuáguese inmediatamente con agua
- puede experimentar picazón o enrojecimiento del cuero cabelludo.
- Deje de usarlo y consulte a un doctor si
- tiene dificultad para respirar
- presenta irritación de los ojos

- prevalece la irritación de la piel o el cuero cabelludo o se presenta una infección.
- Si está embarazada o lactando, antes de usarlo pregunte a un profesional médico. Manténgalo fuera del alcance de los niños. Si se traga, obtenga ayuda médica o póngase en contacto de inmediato con el Centro de Control de Envenenamientos

## INSTRUCCIONES

**IMPORTANTE: LEA LAS ADVERTENCIAS ANTES DE USAR ESTE PRODUCTO. UN SEGUNDO TRATAMIENTO DEBE SER REALIZADO ENTRE 7 Y 10 DÍAS PARA ELIMINAR LA REPRODUCCIÓN DE NUEVOS PIOJOS Y HUEVECILLOS (LIENDRES).**

### Inspeccione

- Examine a cada uno de los integrantes de la familia bajo luz brillante con una lupa en busca de piojos o huevecillos (liendres)
- busque los huevecillos (liendres) en el cabello, comenzando en la parte posterior del cuello y detrás de las orejas
- examine áreas pequeñas del cabello
- a diferencia de la caspa, la cual se mueve al tocarla, los huevecillos (liendres) permanecen adheridos al cabello
- si encuentra piojos o huevecillos (liendres) trate las áreas afectadas con este producto.

### Tratamiento

- aplique sobre todo el cabello seco u otras áreas afectadas. Para liendres de cabeza primero aplique detrás de las orejas y en la parte posterior del cuello
- deje el producto durante 10 minutos, pero no se exceda del tiempo sugerido
- use agua tibia para formar espuma, lave con champú y luego enjuague muy bien
- para liendres de cabeza, seque el cabello con una toalla y desenrede con un peine.

### Para eliminar los piojos y sus huevecillos (liendres)

- use un peine de dientes finos o un peine especial para piojos y liendres. Remueva todos los huevecillos (liendres) restantes a mano usando guantes desechables
- el pelo debe permanecer húmedo mientras se remueven los huevecillos (liendres)
- si el pelo se seca mientras es peinado, humedézcalo con agua
- para liendres de cabeza, divida el pelo en secciones. Revise una sección a la vez comenzando por la parte de arriba de la cabeza. Si tiene pelo largo le puede tomar de 1 o 2 horas
- levante mechones de una pulgada de ancho. Ponga el peine lo más cerca posible del cuero cabelludo y peine con movimientos pares y firmes
- sujete cada mechón de pelo después de peinar
- limpie el peine con frecuencia. Limpie los huevecillos (liendres) con un papel toalla y tirvelas en una bolsa plástica. Cierre la bolsa y tirela para prevenir que los piojos vuelvan a aparecer
- después de peinar, vuelva a revisar para ver si encuentra piojos o huevecillos (liendres). Si fuera necesario repita el procedimiento
- revise a diario para ver si aparece algún piojo o huevecillo (liendres)
- se debe efectuar un segundo tratamiento a los 7 a 10 días para matar los huevecillos nuevos (liendres)
- si la plaga continua se debe consultar con el doctor para hacer otros tratamientos.

### Otra Información

- no lo congele
  - protéjalo del calor excesivo
  - vea la información adicional en el anexo del paquete
- Ingredientes Inactivos** lauril sulfato de amonio, fragancia, PEG-25 aceite de ricino hidrogenado, policuaternio-10, alcohol desnaturalizado SD 40-8, agua

### 1. PIOJOS DE LA CABEZA

- Los piojos de cabeza ponen huevos blancos (liendres) en los hebra del cabello cerca del cuero cabelludo. Las liendres son fáciles de encontrar en la parte posterior del cuello o detrás de las orejas.
- Desinfecte los sombreros, cintas para el cabello, bufandas, abrigos, toallas y sábanas lavándolos en lavadora con agua caliente (a una temperatura de más de 54° C (130° F)), y luego séquelos en la secadora a la temperatura más alta durante un mínimo de 20 minutos.
- Los artículos que no pueden ser lavados (cubrecamas, frizas, almohadas, juguetes de peluche, etc.) deben ser limpiados en seco o deben ser sellados en bolsas plásticas por 4 semanas, después sacados a la intemperie y sacudidos enérgicamente antes de ser usados otra vez.
- artículos que no pueden ser lavados, limpiados en seco o guardados deben ser rociados con productos designados para este fin.
- Sumergir todos los peines y cepillos en agua caliente (por más de 54° C (130° F)) por lo menos por 10 minutos.
- Limpie las alfombras, colchones, muebles tapizados y asientos del carro que pueden haber sido usados por personas infectadas.

### 2. PIOJOS PÚBLICOS (LADILLAS)

- Los piojos públicos (ladillas) pueden adquirirse por contacto sexual.
- Compañeros sexuales deben ser tratados simultáneamente para evitar contagios.
- Los piojos son muy pequeños y parecen puntos café o grises sobre la piel.
- Piojos públicos producen picazón muy intensa y ponen huevos muy pequeños (liendres) en los mechones de pelo cerca de la superficie de la piel.
- Los piojos públicos pueden encontrarse en los pelos cortos de las ingles, muslos, tórax y axilas, y ocasionalmente pueden encontrarse en la barba, párpados y bigote.
- Desinfecte la ropa interior lavándola en lavadora con agua caliente (a una temperatura de más de 54° C (130° F)), y secándola luego en la secadora a la temperatura más alta durante un mínimo de 20 minutos.

### 3. PIOJOS DE CUERPO

- Los piojos de cuerpo (y sus liendres) son generalmente encontrados en los dobladillos de la ropa, particularmente en el elástico de la cintura o en la zona de la axila.
- Las liendres del cuerpo se alimentan de la piel y luego retornan a la ropa para depositar sus huevos (liendres).
- Desinfecte la ropa lavándola en la lavadora en agua caliente (a una temperatura de más de 54° C (130° F)), y luego use el ciclo más caliente de la secadora por más caliente de la secadora por más de 20 minutos.
- No selle la ropa dentro de una bolsa de plástico debido a que los huevecillos (liendres) pueden permanecer en estado inactivo durante un periodo de hasta 30 días.

Guarda las instrucciones para futuras referencias.

AGÍTESE MUY BIEN ANTES DE USAR

## Principal Display Panel

quality choice

Maximum Strength

## LICE KILLING SHAMPOO

For The Treatment of Head Lice, Pubic (Crab) Lice, and Body Lice  
A Liquid Pediculicide For Human Use

Keep out of reach of children.

Important Read carton for complete directions, warnings, and information

Compare to the Active Ingredients in RID® SHAMPOO

4 fl OZ (118 ml)





**Drug Facts (continued)**  
**Inactive ingredients**  
 ammonium laureth sulfate, fragrance, PEG-25 hydrogenated castor oil, polyquaternium-10, purified water, SD-40 alcohol

Hair Length	Recommended Application† for 1 Adult/Child
Short (ear length or shorter)	Day 1: 1 - 2 oz Day 7-10: 1 - 2 oz Total: 2 - 4 oz
Medium (shoulder length)	Day 1: 2 - 3 oz Day 7-10: 2 - 3 oz Total: 4 - 6 oz
Long (past shoulder length)	Day 1: 3 - 4 oz Day 7-10: 3 - 4 oz Total: 6 - 8 oz

†Recommended application dependent upon hair thickness

Largo del cabello	Cantidad recomendada para 1 adulto/niño
Corto (hasta la oreja o más corto)	Día 1: 1 - 2 oz Día 7-10: 1 - 2 oz Total: 2 - 4 oz
Medio (hasta el hombro)	Día 1: 2 - 3 oz Día 7-10: 2 - 3 oz Total: 4 - 6 oz
Largo (más abajo del hombro)	Día 1: 3 - 4 oz Día 7-10: 3 - 4 oz Total: 6 - 8 oz

\*This product is not manufactured by Bayer HealthCare, distributor of the product RID®

Manufactured by Quality Choice, Inc.®  
 43327 W 9 Mile Rd  
 Novi, MI 48375  
 www.qualitychoice.com  
 Questions: 800-935-2362  
 05-253-04/3.2

4 fl oz (118 mL)



Lot No. 6 35515 95399 4 Expires

**Drug Facts (continued)**

**Inspect**

- check each household member with a magnifying glass in bright light for lice/nits (eggs)
- look for tiny nits near scalp, beginning at back of neck and behind ears
- examine small sections of hair at a time
- unlike dandruff which moves when touched, nits stick to the hair
- if either lice or nits are found, treat with this product

**Treat**

- apply thoroughly to dry hair or other affected area. For head lice, first apply behind ears and to back of neck.
- allow product to remain for 10 minutes, but no longer
- use warm water to form a lather, shampoo, then thoroughly rinse
- for head lice, towel dry hair and comb out tangles

**Remove lice and their eggs (nits)**

- use a fine-tooth or special lice/nit comb. Remove any remaining nits by hand (using a throw-away glove).
- hair should remain slightly damp while removing nits
- if hair dries during combing, dampen slightly with water
- for head lice, part hair into sections. Do one section at a time starting on top of head. Longer hair may take 1 to 2 hours.
- pin back each strand of hair after combing
- clean comb often. Wipe nits away with tissue and discard in a plastic bag. Seal bag and discard to prevent lice from coming back.
- after combing, thoroughly recheck for lice/nits. Repeat combing if necessary.
- check daily for any lice/nits that you missed
- a second treatment must be done in 7 to 10 days to kill any newly hatched lice
- if infestation continues, see a doctor for other treatments

**children under 2 years:** ask a doctor

**Other information**

- do not freeze
- store at controlled room temperature, 20 °C to 25 °C (68 °F to 77 °F)
- to report serious side effects due to the use of this product call (515) 276-1586
- see package insert for additional information

**NOTE TO OUR CUSTOMERS:**  
 When viewing proof with Acrobat always activate "Overprint Preview" Preferences / General / Page Display / Use Overprint Preview / Always

Job: 378617  
 Item Code: 156805  
 CAD Number: 17144A  
 Dimensions: W: 9.000 x H: 8.874  
 Inks: Cyan Magenta Yellow Black Cut crease Outside Bleed Glue/No coat area  
 Proof Date: 9/10/2019 2:56:45 PM

**QUALITY CHOICE LICE KILLING**  
 piperonyl butoxide, pyrethrum extract shampoo

**Product Information**

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:83324-269
---------------------	----------------	---------------------------	---------------

Route of Administration TOPICAL

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>PIPERONYL BUTOXIDE</b> (UNII: LWK91TU9AH) (PIPERONYL BUTOXIDE - UNII:LWK91TU9AH)	PIPERONYL BUTOXIDE	4 g in 100 mL
<b>PYRETHRUM EXTRACT</b> (UNII: ZUM06L90GV) (PYRETHRUM EXTRACT - UNII:ZUM06L90GV)	PYRETHRUM EXTRACT	0.33 g in 100 mL

### Inactive Ingredients

Ingredient Name	Strength
<b>ALCOHOL</b> (UNII: 3K9958V90M)	
<b>POLYQUATERNIUM-10 (400 MPAS AT 2%)</b> (UNII: HB1401PQFS)	
<b>PEG-25 HYDROGENATED CASTOR OIL</b> (UNII: 0ZNO9PJJ9J)	
<b>AMMONIUM LAURETH-2 SULFATE</b> (UNII: 698O4Z48G6)	
<b>WATER</b> (UNII: 059QF0KO0R)	

### Product Characteristics

<b>Color</b>	yellow (cloudy to transparent, cream to straw)	<b>Score</b>	
<b>Shape</b>		<b>Size</b>	
<b>Flavor</b>		<b>Imprint Code</b>	
<b>Contains</b>			

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:83324-269-04	1 in 1 CARTON	01/03/2014	
1		118 mL in 1 BOTTLE; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M031	10/28/2010	

**Labeler** - Quality Choice (011920774)

**Registrant** - Weeks & Leo Co., Inc. (005290028)

### Establishment

Name	Address	ID/FEI	Business Operations
------	---------	--------	---------------------

Weeks & Leo Co., Inc.

005290028

manufacture(83324-269)

Revised: 12/2024

Quality Choice