

**SUNSCREEN SETTING SPRITZ, SPF 45- sunscreen setting spray liquid**  
**Cardinal Health, inc.**

-----  
AVOBENZONE G63QQF2NOX 2.9%  
OCTISALATE 4X49Y0596W 4.9%  
OCTOCRYLENE 5A68WGF6WM 9.5%

WATER  
BHT  
ALCOHOL  
PEG-400  
PROPYLENE GLYCOL LAURATE

WATER  
BHT  
ALCOHOL  
PEG-400  
PROPYLENE GLYCOL LAURATE

Warnings

For external use only Do not use on damaged or broken skin.

When using this product: keep out of eyes, Rinse with water to remove.

Stop use and ask a doctor if rash occurs.

Keep out of reach of children.If swallowed, get medical help or contacta Poison Control Center right away

Flammable. Do not spray near heat sparks, sources of ignition, or flames

For external use only Do not use on damaged or broken skin.

When using this product: keep out of eyes, Rinse with water to remove.

Stop use and ask a doctor if rash occurs.

Keep out of reach of children.If swallowed, get medical help or contacta Poison Control Center right away

Flammable. Do not spray near heat sparks, sources of ignition, or flames

Keep out of reach of children.If swallowed, get medical help or contacta Poison Control Center right away

Flammable. Do not spray near heat sparks, sources of ignition, or flames

Directions

Apply liberally 15 minutes before sun exposure. Reaooly. at least every 2 hours or after 80 minutes ofswimming or sweating.Sun Protection Measures, Spending time in the sun increases your riskof skan cancer and early skin aging. lo decrease this risk, regularly use asunscreen with a Broad Spectrum SPF value of 15 or higher and other sunprotection measures including, limit time in sun, especiallv from 10 a.m.-2p.m, and wear long-sleeved shirts, pants, hats, and sunalasses. Chitdrenunder 6 months of age:

ask a doctor.

Apply liberally 15 minutes before sun exposure.

Reapply. at least every 2 hours or after 80 minutes of swimming or sweating.

When using this product: keep out of eyes, Rinse with water to remove.

Stop use and ask a doctor if rash occurs.

**Drug Facts**

Active ingredients	Purpose
Avo benzene 2.9%	Sunscreen
Octisalate 4.9%	Sunscreen
Octocrylene 9.5%	Sunscreen

**Uses**

- Helps prevent sunburn.
- If used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun.

**Warnings**

For external use only. Do not use on damaged or broken skin.

- When using this product: keep out of eyes. Rinse with water to remove.
- Stop use and ask a doctor if rash occurs.
- Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.
- Flammable. Do not spray near heat sparks, sources of ignition, or flames.

**Directions**

- Apply liberally 15 minutes before sun exposure.
- Reapply: at least every 2 hours or after 80 minutes of swimming or sweating.
- Sun Protection Measures:** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: limit time in sun, especially from 10 a.m.–2 p.m., and wear long-sleeved shirts, pants, hats, and sunglasses. Children under 6 months of age: ask a doctor.

**Other information**

- Protect this product in this container from excessive heat and direct sun.

**Inactive ingredients**

Ethanol, Water, PEG-400, Propylene Glycol Laurate, Butylated Hydroxytoluene

Distributed by FSA Store, Inc.  
5473 Blair Rd, Suite 100, PMB 24308, Dallas, TX 75231  
Customer Care Help Line: 1-650-634-7044  
Made in China

This product is not manufactured or distributed by e.l.f. Cosmetics, Inc., the distributor of e.l.f. Skin® Suntouchable All Set for Sun SPF 45 Sun Protection + Setting Spray

## SUNSCREEN SETTING SPRITZ, SPF 45

sunscreen setting spray liquid

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:70000-1543
<b>Route of Administration</b>	TOPICAL		

**Active Ingredient/Active Moiety**

Ingredient Name	Basis of Strength	Strength
<b>AVOBENZONE</b> (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)	AVOBENZONE	1.74 g in 60 mL
<b>OCTISALATE</b> (UNII: 4X49Y0596W) (OCTISALATE - UNII:4X49Y0596W)	OCTISALATE	2.94 g in 60 mL
<b>OCTOCRYLENE</b> (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM)	OCTOCRYLENE	5.7 g in 60 mL

**Inactive Ingredients**

Ingredient Name	Strength
<b>PROPYLENE GLYCOL LAURATE</b> (UNII: 668Z5835Z3)	
<b>ALCOHOL</b> (UNII: 3K9958V90M)	
<b>BHT</b> (UNII: 1P9D0Z171K)	
<b>POLYETHYLENE GLYCOL 400</b> (UNII: B697894SGQ)	
<b>AQUA</b> (UNII: 059QF0K00R)	

**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:70000-1543-1	60 mL in 1 BOTTLE; Type 0: Not a Combination Product	12/15/2024	11/10/2028

**Marketing Information**

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	12/15/2024	11/10/2028

**Labeler** - Cardinal Health, inc. (063997360)

Revised: 12/2025

Cardinal Health, inc.