

**KIEHLS DERMATOLOGIST SOLUTIONS BETTER SCREEN MINER ALL UV SERUM  
BROAD SPECTRUM SPF 50 PLUS MINERAL SUNSCREEN- titanium dioxide and  
zinc oxide cream  
L'Oreal USA Products Inc**

-----

**Drug Facts**

**Active ingredients**

Titanium dioxide 2.66%

Zinc oxide 15.35%

**Purpose**

Sunscreen

**Uses**

- helps prevent sunburn
- if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

**Warnings**

**For external use only**

**Do not use**

on damaged or broken skin

**When using this product**

keep out of eyes. Rinse with water to remove.

**Stop use and ask a physician if**

rash occurs

**Keep out of reach of children.**

If swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

For sunscreen use:

- shake well before use
- apply generously and evenly 15 minutes before sun exposure
- reapply at least every 2 hours
- use a water resistant sunscreen if swimming or sweating
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
  - limit time in the sun, especially from 10 a.m. – 2 p.m.
  - wear long-sleeved shirts, pants, hats, and sunglasses
  - children under 6 months of age: Ask a doctor

### **Other information**

protect the product in this container from excessive heat and direct sun

### **Inactive ingredients**

water, C15-19 alkane, glycerin, dicaprylyl carbonate, niacinamide, propanediol, cetearyl isononanoate, polyhydroxystearic acid, dimethicone, ethylhexyl methoxycrylene, cellulose, triethylhexanoin, isohexadecane, triethoxycaprylylsilane, steareth-20, silica, glycine soja (soybean) oil, aloe barbadensis leaf juice powder, centella asiatica extract, steareth-2, bisabolol, glyceryl stearate, cetearyl alcohol, alumina, aluminum stearate, hydroxyacetophenone, caprylic/ capric triglyceride, caprylyl glycol, citric acid, xanthan gum, panthenol, polysorbate 20, acrylates/C10-30 alkyl acrylate crosspolymer, tocopherol, diethylhexyl syringyldenemalonate, chlorphenesin

### **Questions or comments?**

Call toll free **1-800-946-4453**

**DRUG FACTS: Active ingredients:** Titanium dioxide 2.66%, Zinc oxide 15.35% **Purpose:** Sunscreen  
**Uses:** Helps prevent sunburn. If used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun.

**Warnings: For external use only. Do not use** on damaged or broken skin. **When using this product** keep out of eyes. Rinse with water to remove. **Stop use and ask a doctor** if rash occurs. **Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

**Directions:** For sunscreen use: Shake well before use. Apply generously and evenly 15 minutes before sun exposure. Reapply at least every 2 hours. Use a water resistant sunscreen if swimming or sweating.

**Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: limit time in the sun, especially from 10 a.m. - 2 p.m.; wear long-sleeved shirts, pants, hats and sunglasses. Children under 6 months of age: Ask a doctor.

**Other information:** Protect the product in this container from excessive heat and direct sun.

**Questions or comments?** Call toll free 1-800-946-4453 Monday – Friday (9 a.m. – 5 p.m. EST)

L'ORÉAL USA S/D, INC., DIST., NEW YORK, NY 10001 • Ingredients sourced worldwide, made in U.S.A.  
Dist., Kiehl's Canada, Montreal H4T 1K5 • 14 rue Royale 75008 Paris • LONDON W12 7SA  
TSA 75000 93584 ST QUEN CEDEX FR • [www.kiehls.com](http://www.kiehls.com) • 4939924



SINCE 1851

**KIEHL'S**

**DERMATOLOGIST  
SOLUTIONS™**

## Better Screen™ Miner-ALL™ UV Serum

**MINERAL SUNSCREEN Broad Spectrum SPF 50+**

*with Cica Centella and Bisabolol*

\*Helps Reduce the Look of Redness, Hydrates to Soothe, and Reinforces Skin's Barrier While Helping to Protect Against UVA and UVB Rays

*With Miner-ALL™ Technology – Suitable for All Skin Types,  
Including Sensitive – Fragrance Free*

**1.4 fl. oz. - 40 ml**

### Drug Facts (continued)

medical help or contact a Poison Control Center right away.

#### Directions

For sunscreen use:

- shake well before use
- apply generously and evenly 15 minutes before sun exposure
- reapply at least every 2 hours
- use a water-resistant sunscreen if swimming or sweating
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: ▶

### Drug Facts (continued)

- limit time in the sun, especially from 10 a.m.-2 p.m.
- wear long-sleeved shirts, pants, hats, and sunglasses
- children under 6 months of age: Ask a doctor

#### Other information

- protect the product in this container from excessive heat and direct sun

#### Inactive ingredients

water, C15-19 alkane, glycerin, dicaprylyl carbonate, niacinamide, propylene glycol, cetearyl isononanoate, polyhydroxystearic acid, dimethicone, ethylhexyl methoxycrylate, cellulose, triethylhexanoin, isohexadecane, triethoxycaprylsilane, steareth-20, silica, glycine soja (soybean) oil, aloe barbadensis ▶

### Drug Facts (continued)

leaf juice powder, centella asiatica extract, steareth-2, bisabolol, glyceryl stearate, cetearyl alcohol, alumina, aluminum stearate, hydroxyacetophenone, caprylic/capric triglyceride, caprylyl glycol, citric acid, xanthan gum, panthenol, polysorbate 20, acrylates/C10-30 alkyl acrylate crosspolymer, tocopherol, diethylhexyl syringylidenemalonate, chlorphenesin

#### Questions or comments?

Call toll free 1-800-946-4453

Fmla 2068503 20 FLL, Code V70077249/1 PAT: patent.kiehls.com



SINCE 1851

**KIEHL'S**  
DERMATOLOGIST  
SOLUTIONS<sup>®</sup>

## Better Screen<sup>™</sup> Miner-ALL<sup>™</sup> UV Serum

**MINERAL  
SUNSCREEN**  
Broad Spectrum SPF 50+

with Cica Centella  
and Bisabolol

\*Helps Reduce the Look of  
Redness, Hydrates to Soothe,  
and Reinforces Skin's Barrier  
While Helping to Protect  
Against UVA and UVB Rays

With Miner-ALL<sup>™</sup> Technology  
Suitable for All Skin Types,  
Including Sensitive.  
Fragrance Free

1.4 fl. oz. - 40 ml



Learn More



LOREAL USA S/D, INC., DIST., NEW YORK, NY 10001  
Ingredients sourced worldwide, made in U.S.A.  
Dist., Kiehl's Canada, Montreal H4T 1K5  
14 rue Royale 75008 Paris • LONDON W12 7SA  
ISA 75000 93584 ST OIEN CEDEX FR  
www.kiehls.com • 4982029



PAP



### Drug Facts (continued)

#### Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a physician if rash occurs

Keep out of reach of children. If swallowed, get ▶

### Drug Facts

#### Active ingredients

Titanium dioxide 2.66%..... Sunscreen  
Zinc oxide 15.35%..... Sunscreen

#### Purpose

Sunscreen

#### Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see *Directions*), decreases the risk of skin cancer and early skin aging caused by the sun ▶

Better Screen<sup>®</sup> Miner-ALL<sup>™</sup> UV Serum goes beyond our traditional sunscreens, helping to visibly improve the appearance of skin and protect against UVA and UVB rays. Formulated with Bisabolol and Cica Centella, our non-fragrant serum helps reduce the look of redness, hydrates to soothe and reinforces skin's barrier. Our lightweight serum absorbs easily helping to protect and visibly correct the appearance of uneven tone and texture. Fragrance free and suitable for all skin types, including sensitive, even post-procedure (non-ablative laser).

\*Compared to other Kiehl's sunscreen formulas

## KIEHL'S DERMATOLOGIST SOLUTIONS BETTER SCREEN MINER ALL UV SERUM BROAD SPECTRUM SPF 50 PLUS MINERAL SUNSCREEN

titanium dioxide and zinc oxide cream

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:82046-762
<b>Route of Administration</b>	TOPICAL		

**Active Ingredient/Active Moiety**

<b>Ingredient Name</b>	<b>Basis of Strength</b>	<b>Strength</b>
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP) (CI 77891 - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	26.6 mg in 1 mL
<b>ZINC OXIDE</b> (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	153.5 mg in 1 mL

**Inactive Ingredients**

<b>Ingredient Name</b>	<b>Strength</b>
<b>WATER</b> (UNII: 059QF0K00R)	
<b>C15-19 ALKANE</b> (UNII: C187N1M01)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>DICAPRYLYL CARBONATE</b> (UNII: 609A3V1SUA)	
<b>NIACINAMIDE</b> (UNII: 25X51I8RD4)	
<b>PROPANEDIOL</b> (UNII: 5965N8W85T)	
<b>CETEARYL ISONONANOATE</b> (UNII: P5O01U99NI)	
<b>POLYHYDROXYSTEARIC ACID (2300 MW)</b> (UNII: YXH47AOU0F)	
<b>DIMETHICONE</b> (UNII: 92RU3N3Y1O)	
<b>ETHYLHEXYL METHOXYCRYLENE</b> (UNII: S3KFG6Q5X8)	
<b>POWDERED CELLULOSE</b> (UNII: SMD1X3XO9M)	
<b>TRIETHYLHEXANOIN</b> (UNII: 7K3W1BIU6K)	
<b>ISOHEXADECANE</b> (UNII: 918X1OUF1E)	
<b>TRIETHOXYCAPRYLYLSILANE</b> (UNII: LDC331P08E)	
<b>STEARETH-20</b> (UNII: L0Q8IK9E08)	
<b>SILICA</b> (UNII: ETJ7Z6XBU4)	
<b>SOYBEAN OIL</b> (UNII: 241ATL177A)	
<b>ALOE BARBADENSIS LEAF POWDER</b> (UNII: ZY81Z83H0X)	
<b>CENTELLA ASIATICA TRITERPENOIDS</b> (UNII: 4YS74Q4G4J)	
<b>STEARETH-2</b> (UNII: V56DFE46J5)	
<b>BISABOLOL</b> (UNII: 24WE03BX2T)	
<b>GLYCERYL STEARATE</b> (UNII: 230OU9XXE4)	
<b>CETEARYL ALCOHOL</b> (UNII: 2DMT128M1S)	
<b>ALUMINA</b> (UNII: LMI26O6933)	
<b>ALUMINUM STEARATE</b> (UNII: U6XF9NP8HM)	
<b>HYDROXYACETOPHENONE</b> (UNII: G1L3HT4CMH)	
<b>CAPRYLIC/CAPRIC TRIGLYCERIDE</b> (UNII: C9H2L21V7U)	
<b>CAPRYLYL GLYCOL</b> (UNII: 00YIU5438U)	
<b>CITRIC ACID</b> (UNII: 2968PHW8QP)	
<b>XANTHAN GUM</b> (UNII: TTV12P4NEE)	
<b>PANTHENOL</b> (UNII: WW9CM0O67Z)	
<b>POLYSORBATE 20</b> (UNII: 7T1F30V5YH)	
<b>ACRYLATES/C10-30 ALKYL ACRYLATE CROSSPOLYMER (60000 MPA.S)</b> (UNII: 8Z5ZAL5H3V)	
<b>TOCOPHEROL</b> (UNII: ROZB2556P8)	
<b>DIETHYLHEXYL SYRINGYLIDENEMALONATE</b> (UNII: 3V5U97P248)	
<b>CHLORPHENESIN</b> (UNII: I670DAL4SZ)	

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:82046-762-01	1 in 1 CARTON	05/27/2026	
1		40 mL in 1 TUBE; Type 0: Not a Combination Product		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	05/27/2026	

**Labeler** - L'Oreal USA Products Inc (002136794)

## Establishment

Name	Address	ID/FEI	Business Operations
L'Oreal USA, Inc.		185931458	manufacture(82046-762)

Revised: 5/2026

L'Oreal USA Products Inc