CIRCADIA CIRCA-SHIELD MINERAL SUNSCREEN SPF 30- zinc oxide cream Circadia by Dr Pugliese, Inc.

Circadia Circa-Shield Mineral Sunscreen SPF 30

Drug Facts

Active Ingredient

Zinc Oxide (17.3%)

Purpose

Sunscreen

Uses

- helps prevent sunburn.
- If used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings

For external use only.

Do not use

on damaged or broken skin.

When using this product

keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if

rash occurs

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

apply liberally to skin 15 minutes before sun exposure.

- use a water resistant sunscreen if swimming or sweating.
- reapply at least every 2 hours.
- children under 6 months: Ask a doctor.
- Sun Protection Measures: Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with Broad

Spectrum SPF or higher and other sun protection measures including:

- limit time in the sun, especially from 10 a.m. 2 p.m.
- wear long-sleeved shirt, pants, hats and sunglasses.

Inactive Ingredients

C14-22 Alkane, Olea Europaea fruit Oil, Sorbitan Olivate, Diisopropyl Adipate, C9-12 Alkane, Silica, Oryza Sativa Bran Cera, Vegetable Oil, Simmondsia Chinensis Seed Oil, Curcuma Longa Root Extract, Saccharomyces Ferment, Polyglyceryl-4 Olivate/Polyricinoleate, Triethoxycaprylylsilane, Coco-Caprylate, Glycine Soja Oil, Polyhydroxystearic Acid, Triethyl Citrate, Lauroyl Lysine, Bis(Cyano Butylacetate) Antharacenediylidene, Polyglyceryl-3 Diisostearate, Oryza Sativa Germ Extract Oryza Sativa Extract, Caprylic /Capric Triglyceride, Camellia Sinensis Leaf Extract, Vanila Planifolia Fruit Extract, Salvia Officinalis Flower/Leaf/Stem Extract, Rosmarinus Officinalis Leaf Extract, Lavandula Angustifolia Flower/Leaf/Stem Extract, Salvia Triloba Leaf Extract, Jasminum Officinale Flower/Leaf Extract, Rosa Damascena Flower Extract, Linalool.

Other information

protect this product from excessive heat and direct sun.

Questions?

Call toll-free (800) 630-4710

Package Labeling:

Drug Facts

Active Ingredient

Purpose

Zinc

Oxide (17.3%)....Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see *Directions*), decreases risk of skin cancer and early skin aging caused by the sun.

Warnings For external use only.

Do not use on damaged or broken skin.

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions apply liberally to skin 15 minutes before sun exposure.

- use a water resistant sunscreen if swimming or sweating.
- reapply at least every 2 hours.
- children under 6 months: Ask a doctor.
- Sun Protection Measures: Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF15 or higher and other sun protection measures including:
- limit time in the sun, especially from 10 a.m. -2 p.m.
- wear long-sleeved shirt, pants, hats, and sunglasses.

Inactive Ingredients

C14-22 Alkane, Olea Europaea Fruit Oil, Sorbitan Olivate, Diisopropyl Adipate, C9-12 Alkane, Silica, Oryza Sativa Bran Cera, Vegetable Oil, Simmondsia Chinensis Seed Oil, Curcuma Longa



Drug Facts (continued)

Root Extract, Saccharomyces Ferment, Polyglyceryl-4 Olivate/Polyricinoleate, Triethoxycaprylylsilane, Coco-Caprylate/Caprate, Glycine Soja Oil, Polyhydroxystearic Acid, Triethyl Citrate, Lauroyl Lysine, Bis(Cyano Butylacetate) Anthracenediylidene, Polyglyceryl-3 Diisostearate, Oryza Sativa Germ Extract, Oryza Sativa Extract, Caprylic/Capric Triglyceride, Camellia Sinensis Leaf Extract, Vanilla Planifolia Fruit Extract, Linalyl Acetate, Fucus Vesiculosus Extract, Salvia Officinalis Flower/Leaf/Stem Extract, Rosmarinus Officinalis Leaf Extract, Lavandula Angustifolia Flower/Leaf/Stem Extract, Salvia Triloba Leaf Extract, Jasminum Officinale Flower/Leaf Extract, Rosa Damascena Flower Extract, Linalool.

Other information

protect this product from excessive heat and direct sun.

Questions?


Call toll-free (800) 630-4710



Made in USA Circadia by Dr. Pugliese, Inc. Leesport, PA Circa-Shield
Mineral Sunscreen

Broad Spectrum SPF 30

59 mL/2 fl.oz



Active ingredient/Ingrédient actif: Zinc oxide (17.3%)

Directions: Apply liberally to skin 15 minutes before sure exposure and as needed. • Use a wrater-resistant sunscreen if swimming or sweating. Reapply at least every 2 hours • Children under 6 months, ask a doctor.

Warnings: For external use only
•When using this product keep out
of eyes. If contact occurs, rinse with
water to remove • Stop use and ask
a doctor if rash occurs • Do not use
on damaged or broken skin • Keep
out of reach of children. If swallowed,
get medical help or contact Poison
Control Center right away.

Mode d'emploi: Appliquer généuresement 15 minutes avant de s'exposer au soleil • Réappliquer au moins toutes les deux heures. Communiquer avec un praticien de santé avant d'utiliser sur les enfants de moins de six mois.

Mises en garde: Pour usage externe seulement • Lors de l'utilisation de ce produit, éviter tout contact avec les yeux. En cas de contact, rincer avec de l'eau. • Clesser d'utiliser ce produit et consulter un médecin si eruption cutanée. • Garder hors de la portée des enfants. En cas d'ingestion, appeler un centre antipoison ou obtenir une assistance médicale immédiate.

Made in USA Circadia by Dr. Pugliese, Inc. Leesport, PA Ecomundo, EU: 75008 Paril, FR; UK: London EC1V 2NX

CIRCADIA CIRCA-SHIELD MINERAL SUNSCREEN SPF 30

zinc oxide cream

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:76458-401
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC CATION - UNII:13S1S8SF37)	ZINC CATION	173 mg in 1 mL	

Inactive Ingredients	
Ingredient Name	Strength
OLIVE OIL (UNII: 6UYK2W1W1E)	
SORBITAN OLIVATE (UNII: MDL271E3GR)	
DIISOPROPYL ADIPATE (UNII: P7E6YFV72X)	
C9-12 ALKANE (UNII: 7J5R5W72QM)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
JOJOBA OIL (UNII: 724GKU717M)	
TURMERIC (UNII: 856YO1Z64F)	
POLYGLYCERYL-4 OLIVATE/POLYRICINOLEATE (UNII: WYX2KZL5BD)	
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)	
COCO-CAPRYLATE (UNII: 4828G836N6)	
TRIETHYL CITRATE (UNII: 8Z96QXD6UM)	
LAUROYL LYSINE (UNII: 113171Q70B)	
POLYGLYCERYL-3 DIISOSTEARATE (UNII: 46P231IQV8)	
MEDIUM-CHAIN TRIGLYCERIDES (UNII: C9H2L21V7U)	
GREEN TEA LEAF (UNII: W2ZU1RY8B0)	
VANILLA BEAN (UNII: Q74T35078H)	
ROSEMARY (UNII: IJ67X351P9)	
LAVANDULA ANGUSTIFOLIA SUBSP. ANGUSTIFOLIA FLOWER (UNII: 19AH1RAF4M)	
THREE-LOBE SAGE (UNII: 3V97D33N0K)	
JASMINUM OFFICINALE FLOWER (UNII: 0Q8K841432)	
ROSA X DAMASCENA FLOWER (UNII: JWB78P295A)	
LINALOOL, (+/-)- (UNII: D81QY6I88E)	

P	Packaging					
#	Item Code	Package Description	Marketing Start Date	Marketing End Date		
1	NDC:76458-401- 00	1 in 1 BOX	12/31/2023			
1		59 mL in 1 TUBE; Type 0: Not a Combination Product				

Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
OTC Monograph Drug	M020	12/31/2023		

Revised: 12/2023 Circadia by Dr Pugliese, Inc.