

ANTICAVITY FLUORIDE- sodium fluoride liquid
Kingkey MBC Life Technology Group co., LTD

73928-090-01 WPGCNG ANTICAVITY FLUORIDE MOUTHWASH (0.03%)

Active ingredient

SODIUM FLUORIDE 0.05%

Purpose

Uses

helps protect teeth against cavities.

Warnings

Keep out of reach of children under 6 years of age. If you accidentally swallow more than used for rinsing, seek professional help or contact a Poison Control Center immediately.

Keep out of reach of children under 6 years of age. If you accidentally swallow more than used for rinsing, seek professional help or contact a Poison Control Center immediately.

Directions

Adults and children 6 years and older:

Use daily after you brush your teeth with toothpaste.

Rinse toothpaste from mouth prior to use.

Shake well before each use.

Twist and remove cap.

Rinse or gargle for 30 seconds with 15 ml and spit out

Do Not swallow the rinse.

Do Not eat or drink for 30 minutes after rinsing.

Supervise children as necessary.

Children under 6 years of age, consult with a dentist or doctor.

Inactive ingredients

Water

SORBITOL

GLYCERIN

XYLITOL

SODIUM BENZOATE

PEG-40 HYDROGENATED CASTOR OIL

POTASSIUM SORBATE
FLAVOR
SODIUM SACCHARIN
CETYLPYRIDINIUM CHLORIDE
METHYL DIISOPROPYL PROPIONAMIDE
SUCRALOSE
CITRIC ACID


FD&C Yellow No.5 CI 19140

FD&C Blue No.1 CI 42090

Questions or comments?

Call toll free 0755-89203021

label



WPGCNG[®]

Drug Facts

Active ingredient Sodium fluoride 0.03% (0.02% w/v fluoride ion)	Purpose Anticavity
Uses helps protect teeth against cavities	
Warnings Keep out of reach of children under 6 years of age. If more than the rinse dose is accidentally swallowed, seek immediate medical attention	
Directions Adults and children 6 years and older: <ul style="list-style-type: none"> • Use daily after you brush your teeth with toothpaste • Rinse toothpaste from mouth prior to use • Shake well before each use • Twist and remove cap • Rinse or gargle for 30 seconds with 15 ml and spit out • Do Not swallow the rinse • Do Not eat or drink for 30 minutes after rinsing • Supervise children as necessary • Children under 6 years of age, consult with a dentist or doctor 	
Inactive ingredients Water, Sorbitol, Glycerin, Xylitol, Potassium Sorbate, Sodium Benzoate, PEG-40 Hydrogenated Castor Oil, Flavor, Sodium Saccharin, Cetylpyridinium Chloride, Sucralose, Citric Acid, Methyl Diisopropyl Propionamide, FD&C Yellow No.5 (CI 19140), FD&C Blue No.1 (CI 42090)	
Questions or comments ? Call toll free 0755-89203021	

Distributor: BURNNA
HEALTHTECH GROUP LIMIT
Address: 8 THE GREEN STE
A, DOVER, DE USA 19901
Made In China

YD03-045



6 976176 452162

ANTICAVITY FLUORIDE

sodium fluoride liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:73928-090
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
SODIUM FLUORIDE (UNII: 8ZYQ1474W7) (FLUORIDE ION - UNII: Q80VPU4080)	SODIUM FLUORIDE	0.05 g in 100 mL

Inactive Ingredients

Ingredient Name	Strength
FD&C YELLOW NO. 5 (UNII: I753WB2F1M)	
POLYOXYL 40 HYDROGENATED CASTOR OIL (UNII: 7YC686GQ8F)	
SUCRALOSE (UNII: 96K6UQ3ZD4)	
METHYL DIISOPROPYL PROPIONAMIDE (UNII: 6QOP5A9489)	
POTASSIUM SORBATE (UNII: 1VPU26JZZ4)	
GLYCERIN (UNII: PDC6A3C0OX)	
XYLITOL (UNII: VCQ006KQ1E)	
SACCHARIN SODIUM (UNII: SB8ZUX40TY)	
WATER (UNII: 059QF0KO0R)	
CETYLPIRIDINIUM CHLORIDE (UNII: D9OM4SK49P)	
FD&C BLUE NO. 1 (UNII: H3R47K3TBD)	
SORBITOL (UNII: 506T60A25R)	
SODIUM BENZOATE (UNII: OJ245FE5EU)	
CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:73928-090-01	355 mL in 1 BOTTLE; Type 0: Not a Combination Product	12/01/2024	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M021	12/01/2024	

Labeler - Kingkey MBC Life Technology Group co., LTD (545349263)

Revised: 12/2025

Kingkey MBC Life Technology Group co., LTD