REINREUDE TAG WART- salicylic acid 40% tag wart patch Jiangxi Hemei Pharmaceutical Co., Ltd

84010-054

Active Ingredient

Salicylic acid 40%

Purpose

Wart and Corn Remover

Use

For the removal of warts and corns.

Warnings

For external use only.

Do not use

On irritated, infected, or reddened skin; on genital warts or warts on the face; on moles, birthmarks, or warts with hair growing from them;on mucous mempranes.

When Using

Avoid contact with eyes or face. If the product gets into the eyes, rinse thoroughly with water.

Stop Use

Discomfort persists

Ask Doctor

Ask a doctor if you have diabetes or poor blood circulation.

Keep Oot Of Reach Of Children

If swallowed, get medical help or contact a Poison control Center right away.

Directions

Wash the affected area. (Optional: soak the wart in warm water for 5 minutes.Dry the area thoroughly. If needed, cut the plaster to fit the wart. Apply the medicated plaster. Repeat every 48 hours as needed, for up to 12 weeks.

Other information: Store between 59°F and 86°F(15°C and 30°C).

Inactive ingredients

hard paraffin, lanolin, phenol, petrolatum

PRINCIPAL DISPLAY PANEL



salicylic acid 40% tag wart pat	cn								
Product Information									
Product Type	HUMAN OTC DRUG	Item Code (Source)		NDC:84010-054					
Route of Administration	TOPICAL								
Active Ingredient/Active Moiety									
Ingredient Name			Basis of Strength		Strength				
SALICYLIC ACID (UNII: 0414PZ4LPZ) (SALICYLIC ACID - UNII:0414PZ4LPZ)			SALICYLIC ACID		40 g in 100				
Inactive Ingredients									

Packaging							
Aarketing End Date							
Marketing Information							
Marketing End Date							

Labeler - Jiangxi Hemei Pharmaceutical Co., Ltd (724892056)

Establishment							
Name	Address	ID/FEI	Business Operations				
Jiangxi Hemei Pharmaceutical Co., Ltd		724892056	manufacture(84010-054)				

Revised: 12/2024

Jiangxi Hemei Pharmaceutical Co., Ltd