

LIDOCAINE PAIN RELIEF GEL-PATCH- lidocaine patch
Guangzhou Zhupuyou E-commerce Co., Ltd

Lidocaine Pain Relief Gel-Patch

Lidocaine Pain Relief Gel-Patch

Lidocaine 4%

Topical Anesthetic

Temporarily relieves muscle soreness and minor jointpains in the wrist, knees, back, neck, hips, shoulders.elbows.

For external use only

on wounds or damaged skin

with a heating pad or device

with other ointments, creams, sprays, or liniments

if you are allergic to any ingredients of this product

use only as directed

avoid contact with the eyes, mucous membranes, or rashes

do not bandage tightly

skin reactions such as redness,swelling, blistering or other discomfort occur
symptoms persist for more than 7 days

If swallowed accidentally , get medical help orcontact with Poison Control Center
immediately.

Adults and Children above 12 years old:

Clean and dry the affected area.

Tear off the protective film and apply the exposed part of the patch to the affected area.

Carefully remove remaining film while pressing the patch firmly on the skin

Remove patch from the skin after at most 8-hour application

Children under age of 12:Consult a doctor

Glycerin

Sodium Polyacrylate

Water

Methylparaben

Propylparaben

Dihydroxyaluminum aminoacetate

Tartaric acid

PVP

Polysorbate 80

Kaolin

Titanium Dioxide

Propylene glycol

Polyacrylic acid

CUT OPEN HERE

Sumifun®

Lidocaine

Pain Relief Gel-Patch

4% Lidocaine / Topical Anesthetic

Desensitizes Aggravated Nerves And Relieves Pain

- ✓ FAST-ACTING
- ✓ ODOR-FREE
- ✓ NUMBS PAIN AWAY
- ✓ STAY-PUT FLEXIBLE PATCH

1 PATCH
3¹⁵/₁₆" × 5¹/₂" (10cm × 14cm)




Drug Facts

Active ingredient **Purpose**
Lidocaine 4% Topical Anesthetic

Uses
Temporarily relieves muscle soreness and minor joint pains in the wrist, knees, back, neck, hips, shoulders, elbows.

Warnings
For external use only

Do not use

- on wounds or damaged skin
- with a heating pad or device
- with other ointments, creams, sprays, or liniments
- if you are allergic to any ingredients of this product

When using this product

- use only as directed
- avoid contact with the eyes, mucous membranes, or rashes
- do not bandage tightly

Stop use and ask a doctor if

- skin reactions such as redness, swelling, blistering or other discomfort occur
- symptoms persist for more than 7 days

Guangzhou Zhanyou E-commerce Co., Ltd
Room 202-A, No. 8, Lane 1, Xianxin New Village, Tangxia, Tianhe District, Guangzhou, 510630, China (CHN)

If pregnant or breast-feeding,
ask a health professional before use.

KEEP OUT OF REACH OF CHILDREN.
If swallowed accidentally, get medical help or contact with Poison Control Center immediately.

Directions
Adults and Children above 12 years old:

- Clean and dry the affected area.
- Tear off the protective film and apply the exposed part of the patch to the affected area.
- Carefully remove remaining film while pressing the patch firmly on the skin.
- Remove patch from the skin after at most 8-hour application

Children under age of 12: Consult a doctor

Inactive ingredients
Dihydroxyaluminum aminoacetate, Glycerin, Kaolin, Methylparaben, Propylparaben, PVP, Polysorbate 80, Propylene glycol, Polyacrylic acid, Sodium Polyacrylate, Tartaric acid, Titanium Dioxide, Water

Questions or Comments:
support@sumifunofficial.com
Business Cooperation:
business@sumifunofficial.com

Child Resistant Packaging

6 9 7 7 9 1 6 5 1 2 4 3 6

15 PATCHES

Lidocaine

Sumifun®

Lidocaine

Pain Relief Gel-Patch

4% Lidocaine / Topical Anesthetic

Desensitizes Aggravated Nerves And Relieves Pain

- ✓ FAST-ACTING
- ✓ ODOR-FREE
- ✓ NUMBS PAIN AWAY
- ✓ STAY-PUT FLEXIBLE PATCH

15 PATCHES
3¹⁵/₁₆" × 5¹/₂" (10cm × 14cm)

Guangzhou Zhanyou E-commerce Co., Ltd
Room 202-A, No. 8, Lane 1, Xianxin New Village, Tangxia, Tianhe District, Guangzhou, 510630, China (CHN)

Usage

- Remove patch from outer package
- Partially peel back protective film
- Place on affected area
- Remove remaining film while pressing patch to skin



Drug Facts

Active ingredient **Purpose**
Lidocaine 4% Topical Anesthetic

Uses
Temporarily relieves muscle soreness and minor joint pains in the wrist, knees, back, neck, hips, shoulders, elbows.

Warnings
For external use only

Do not use

- on wounds or damaged skin
- with a heating pad or device
- with other ointments, creams, sprays, or liniments
- if you are allergic to any ingredients of this product

When using this product

- use only as directed
- avoid contact with the eyes, mucous membranes, or rashes
- do not bandage tightly

Stop use and ask a doctor if

- skin reactions such as redness, swelling, blistering or other discomfort occur
- symptoms persist for more than 7 days

Guangzhou Zhanyou E-commerce Co., Ltd
Room 202-A, No. 8, Lane 1, Xianxin New Village, Tangxia, Tianhe District, Guangzhou, 510630, China (CHN)

If pregnant or breast-feeding,
ask a health professional before use.

KEEP OUT OF REACH OF CHILDREN.
If swallowed accidentally, get medical help or contact with Poison Control Center immediately.

Directions
Adults and Children above 12 years old:

- Clean and dry the affected area.
- Tear off the protective film and apply the exposed part of the patch to the affected area.
- Carefully remove remaining film while pressing the patch firmly on the skin.
- Remove patch from the skin after at most 8-hour application

Children under age of 12: Consult a doctor

Inactive ingredients
Dihydroxyaluminum aminoacetate, Glycerin, Kaolin, Methylparaben, Propylparaben, PVP, Polysorbate 80, Propylene glycol, Polyacrylic acid, Sodium Polyacrylate, Tartaric acid, Titanium Dioxide, Water

Questions or Comments:
support@sumifunofficial.com
Business Cooperation:
business@sumifunofficial.com

Child Resistant Packaging

6 9 7 7 9 1 6 5 1 2 4 3 6



40
PATCHES

Lidocaine

www.sumifun.com
 @sumifunofficial
 @sumifunofficial
 @sumifunofficial

Sumifun®

Lidocaine

Pain Relief Gel-Patch

4% Lidocaine / Topical Anesthetic

Desensitizes Aggravated Nerves And Relieves Pain

- ✓ FAST-ACTING
- ✓ ODOR-FREE
- ✓ NUMBS PAIN AWAY
- ✓ STAY-PUT FLEXIBLE PATCH



40 PATCHES
 3 3/4" x 5 1/2" (9.5cm x 14cm)

Sumifun (Chengde) Corporation Co., Ltd.
 Room 202-203, 24 Lane, Sanyuan Road, Chengde, Hebei
 Province, China, Chengde, 075000, China (CNY)

Usage



Remove patch from outer package




Partially peel back protective film



Place on affected area



Remove remaining film while pressing patch to skin



Drug Facts
Active ingredient Lidocaine 4%
Purpose Topical Anesthetic

Uses
 Temporarily relieves muscle aches and minor joint pains in the wrist, knee, back, neck, hip, shoulder, elbow.

Warnings
 For external use only
 Do not use:
 • on wounds or damaged skin
 • with heating pad or device
 • with other anesthetics, creams, sprays, or lotions
 • if you are allergic to any ingredients of the product

When using this product
 • use only as directed
 • avoid contact with the eyes, mucous membranes, or mouth
 • do not bandage tightly

Stop use and ask a doctor if
 • skin reactions such as redness, swelling, blistering or other discomfort occur
 • symptoms persist for more than 7 days

Keep out of reach of children.
 If swallowed accidentally, get medical help or contact with Poison Control Center immediately.

Directions
 Adults and Children above 12 years old:
 • Clean and dry the affected area.
 • Tear off the protective film and apply the exposed part of the patch to the affected area.
 • Carefully remove remaining film while pressing the patch firmly on the skin.
 • Remove patch from the skin after at most 8 hour application.
 Children under age of 12: Consult a doctor

Inactive Ingredients
 Glycol dimethylacetamide, Glycine, Kaolin, Methylcellulose, Propylparaben, PVP, Polyethylene glycol, Polyethylene glycol, Polypropylene glycol, Polyethylene glycol, Talc, Titanium Dioxide, Water

Questions or Comments:
 www.sumifun.com
 @sumifunofficial
 @sumifunofficial
 @sumifunofficial

Child Resistant Packaging



LIDOCAINE PAIN RELIEF GEL-PATCH

lidocaine patch

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:84165-106
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
LIDOCAINE (UNII: 98PI200987) (LIDOCAINE - UNII:98PI200987)	LIDOCAINE	0.04 g in 1 g

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
METHYLPARABEN (UNII: A2I8C7HI9T)	
TARTARIC ACID (UNII: W48881119H)	
SODIUM POLYACRYLATE (250000 MW) (UNII: 05I15JN12J)	
PROPYLPARABEN (UNII: Z8IX2SC1OH)	
POLYSORBATE 80 (UNII: 6OZP39ZG8H)	

KAOLIN (UNII: 24H4NWX5CO)

GLYCERIN (UNII: PDC6A3C0OX)

DIHYDROXYALUMINUM AMINOACETATE (UNII: DO250MG0W6)

PVP (UNII: FZ989GH94E)

POLYACRYLIC ACID (250000 MW) (UNII: 9G2MAD7J6W)

PROPYLENE GLYCOL (UNII: 6DC9Q167V3)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:84165-106-01	11 g in 1 BAG; Type 0: Not a Combination Product	01/09/2025	
2	NDC:84165-106-05	5 in 1 BOX	01/09/2025	
2	NDC:84165-106-01	11 g in 1 BAG; Type 0: Not a Combination Product		
3	NDC:84165-106-06	6 in 1 BOX	01/09/2025	
3	NDC:84165-106-01	11 g in 1 BAG; Type 0: Not a Combination Product		
4	NDC:84165-106-07	7 in 1 BOX	01/09/2025	
4	NDC:84165-106-01	11 g in 1 BAG; Type 0: Not a Combination Product		
5	NDC:84165-106-08	8 in 1 BOX	01/09/2025	
5	NDC:84165-106-01	11 g in 1 BAG; Type 0: Not a Combination Product		
6	NDC:84165-106-09	9 in 1 BOX	01/09/2025	
6	NDC:84165-106-01	11 g in 1 BAG; Type 0: Not a Combination Product		
7	NDC:84165-106-10	10 in 1 BOX	01/09/2025	
7	NDC:84165-106-01	11 g in 1 BAG; Type 0: Not a Combination Product		
8	NDC:84165-106-11	11 in 1 BOX	01/09/2025	
8	NDC:84165-106-01	11 g in 1 BAG; Type 0: Not a Combination Product		
9	NDC:84165-106-12	12 in 1 BOX	01/09/2025	
9	NDC:84165-106-01	11 g in 1 BAG; Type 0: Not a Combination Product		
10	NDC:84165-106-13	13 in 1 BOX	01/09/2025	
10	NDC:84165-106-01	11 g in 1 BAG; Type 0: Not a Combination Product		
11	NDC:84165-106-14	14 in 1 BOX	01/09/2025	
11	NDC:84165-106-01	11 g in 1 BAG; Type 0: Not a Combination Product		
12	NDC:84165-106-15	15 in 1 BOX	01/09/2025	
12	NDC:84165-106-01	11 g in 1 BAG; Type 0: Not a Combination Product		

13	NDC:84165-106-16	16 in 1 BOX	01/09/2025	
13	NDC:84165-106-01	11 g in 1 BAG; Type 0: Not a Combination Product		
14	NDC:84165-106-17	17 in 1 BOX	01/09/2025	
14	NDC:84165-106-01	11 g in 1 BAG; Type 0: Not a Combination Product		
15	NDC:84165-106-18	18 in 1 BOX	01/09/2025	
15	NDC:84165-106-01	11 g in 1 BAG; Type 0: Not a Combination Product		
16	NDC:84165-106-19	19 in 1 BOX	01/09/2025	
16	NDC:84165-106-01	11 g in 1 BAG; Type 0: Not a Combination Product		
17	NDC:84165-106-20	20 in 1 BOX	01/09/2025	
17	NDC:84165-106-01	11 g in 1 BAG; Type 0: Not a Combination Product		
18	NDC:84165-106-21	21 in 1 BOX	01/09/2025	
18	NDC:84165-106-01	11 g in 1 BAG; Type 0: Not a Combination Product		
19	NDC:84165-106-22	22 in 1 BOX	01/09/2025	
19	NDC:84165-106-01	11 g in 1 BAG; Type 0: Not a Combination Product		
20	NDC:84165-106-23	23 in 1 BOX	01/09/2025	
20	NDC:84165-106-01	11 g in 1 BAG; Type 0: Not a Combination Product		
21	NDC:84165-106-24	24 in 1 BOX	01/09/2025	
21	NDC:84165-106-01	11 g in 1 BAG; Type 0: Not a Combination Product		
22	NDC:84165-106-25	25 in 1 BOX	01/09/2025	
22	NDC:84165-106-01	11 g in 1 BAG; Type 0: Not a Combination Product		
23	NDC:84165-106-26	26 in 1 BOX	01/09/2025	
23	NDC:84165-106-01	11 g in 1 BAG; Type 0: Not a Combination Product		
24	NDC:84165-106-27	27 in 1 BOX	01/09/2025	
24	NDC:84165-106-01	11 g in 1 BAG; Type 0: Not a Combination Product		
25	NDC:84165-106-28	28 in 1 BOX	01/09/2025	
25	NDC:84165-106-01	11 g in 1 BAG; Type 0: Not a Combination Product		
26	NDC:84165-106-29	29 in 1 BOX	01/09/2025	
26	NDC:84165-106-01	11 g in 1 BAG; Type 0: Not a Combination Product		
27	NDC:84165-106-30	30 in 1 BOX	01/09/2025	
27	NDC:84165-106-01	11 g in 1 BAG; Type 0: Not a Combination Product		

28	NDC:84165-106-31	31 in 1 BOX	01/09/2025	
28	NDC:84165-106-01	11 g in 1 BAG; Type 0: Not a Combination Product		
29	NDC:84165-106-32	32 in 1 BOX	01/09/2025	
29	NDC:84165-106-01	11 g in 1 BAG; Type 0: Not a Combination Product		
30	NDC:84165-106-33	33 in 1 BOX	01/09/2025	
30	NDC:84165-106-01	11 g in 1 BAG; Type 0: Not a Combination Product		
31	NDC:84165-106-34	34 in 1 BOX	01/09/2025	
31	NDC:84165-106-01	11 g in 1 BAG; Type 0: Not a Combination Product		
32	NDC:84165-106-35	35 in 1 BOX	01/09/2025	
32	NDC:84165-106-01	11 g in 1 BAG; Type 0: Not a Combination Product		
33	NDC:84165-106-36	36 in 1 BOX	01/09/2025	
33	NDC:84165-106-01	11 g in 1 BAG; Type 0: Not a Combination Product		
34	NDC:84165-106-37	37 in 1 BOX	01/09/2025	
34	NDC:84165-106-01	11 g in 1 BAG; Type 0: Not a Combination Product		
35	NDC:84165-106-38	38 in 1 BOX	01/09/2025	
35	NDC:84165-106-01	11 g in 1 BAG; Type 0: Not a Combination Product		
36	NDC:84165-106-39	39 in 1 BOX	01/09/2025	
36	NDC:84165-106-01	11 g in 1 BAG; Type 0: Not a Combination Product		
37	NDC:84165-106-40	40 in 1 BOX	01/09/2025	
37	NDC:84165-106-01	11 g in 1 BAG; Type 0: Not a Combination Product		
38	NDC:84165-106-41	41 in 1 BOX	01/09/2025	
38	NDC:84165-106-01	11 g in 1 BAG; Type 0: Not a Combination Product		
39	NDC:84165-106-42	42 in 1 BOX	01/09/2025	
39	NDC:84165-106-01	11 g in 1 BAG; Type 0: Not a Combination Product		
40	NDC:84165-106-43	43 in 1 BOX	01/09/2025	
40	NDC:84165-106-01	11 g in 1 BAG; Type 0: Not a Combination Product		
41	NDC:84165-106-44	44 in 1 BOX	01/09/2025	
41	NDC:84165-106-01	11 g in 1 BAG; Type 0: Not a Combination Product		
42	NDC:84165-106-45	45 in 1 BOX	01/09/2025	
42	NDC:84165-106-01	11 g in 1 BAG; Type 0: Not a Combination Product		

43	NDC:84165-106-46	46 in 1 BOX	01/09/2025	
43	NDC:84165-106-01	11 g in 1 BAG; Type 0: Not a Combination Product		
44	NDC:84165-106-47	47 in 1 BOX	01/09/2025	
44	NDC:84165-106-01	11 g in 1 BAG; Type 0: Not a Combination Product		
45	NDC:84165-106-48	48 in 1 BOX	01/09/2025	
45	NDC:84165-106-01	11 g in 1 BAG; Type 0: Not a Combination Product		
46	NDC:84165-106-49	49 in 1 BOX	01/09/2025	
46	NDC:84165-106-01	11 g in 1 BAG; Type 0: Not a Combination Product		
47	NDC:84165-106-50	50 in 1 BOX	01/09/2025	
47	NDC:84165-106-01	11 g in 1 BAG; Type 0: Not a Combination Product		
48	NDC:84165-106-51	51 in 1 BOX	01/09/2025	
48	NDC:84165-106-01	11 g in 1 BAG; Type 0: Not a Combination Product		
49	NDC:84165-106-52	52 in 1 BOX	01/09/2025	
49	NDC:84165-106-01	11 g in 1 BAG; Type 0: Not a Combination Product		
50	NDC:84165-106-53	53 in 1 BOX	01/09/2025	
50	NDC:84165-106-01	11 g in 1 BAG; Type 0: Not a Combination Product		
51	NDC:84165-106-54	54 in 1 BOX	01/09/2025	
51	NDC:84165-106-01	11 g in 1 BAG; Type 0: Not a Combination Product		
52	NDC:84165-106-55	55 in 1 BOX	01/09/2025	
52	NDC:84165-106-01	11 g in 1 BAG; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M017	01/09/2025	

Labeler - Guangzhou Zhupuyou E-commerce Co., Ltd (418214143)

Establishment

Name	Address	ID/FEI	Business Operations
Foshan Aqua Gel Biotech Co., Ltd.		529128763	manufacture(84165-106)

