

**CELL FUSION C LASER SUNSCREEN BROAD SPECTRUM SPF 50- homosalate, octisalate, titanium dioxide, zinc oxide cream  
CMS LAB Inc.**

-----  
**Cell Fusion C Laser Sunscreen Broad Spectrum SPF 50+**

***Drug Facts***

**ACTIVE INGREDIENTS**

Homosalate 7.5%  
Octisalate 4.5%  
Titanium Dioxide 2.2%  
Zinc Oxide 12.7%

**PURPOSE**

Sunscreen

**USES**

- helps prevent sunburn
- if used as directed with other sun protection measures (see ***Directions***), decreases the risk of skin cancer and early skin aging caused by the sun

**WARNINGS**

**For external use only**

- **Do not use** on damaged or broken skin
- **When using this product** keep out of the eyes. Rinse with water to remove.
- **Stop use and ask a doctor** if rash occurs
- **Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

**DIRECTIONS**

**For sunscreen use:**

- apply generously and evenly 15 minutes before sun exposure
- reapply:
  - after 80 minutes of swimming or sweating
  - immediately after towel drying
  - at least every 2 hours
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures

including:

- limit time in the sun, especially from 10 a.m.-2 p.m.
- wear long-sleeved shirts, pants, hats, and sunglasses
- children under 6 months of age: Ask a doctor

### **OTHER INFORMATION**

- protect the product in this container from excessive heat and direct sun
- may stain some fabrics or surfaces.

### **INACTIVE INGREDIENTS**

WATER, CYCLOPENTASILOXANE, DIPROPYLENE GLYCOL, DISILOXANE, LAURYL PEG-10 TRIS(TRIMETHYLSILOXY) SILYLETHYL DIMETHICONE, GLYCERIN, BUTYLOCTYL SALICYLATE, SILICA, DIMETHICONE, DISTEARDIMONIUM HECTORITE, MAGNESIUM SULFATE, METHYL METHACRYLATE CROSSPOLYMER, 1,2-HEXANEDIOL, TRIETHOXYCAPRYLYLSILANE, STEARIC ACID, ALUMINUM HYDROXIDE, SORBITAN CAPRYLATE, DIMETHICONE/PEG-10/15 CROSSPOLYMER, LAVANDULA ANGUSTIFOLIA (LAVENDER) OIL, DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER, GLYCERYL CAPRYLATE, ETHYLHEXYLGLYCERIN, SODIUM CITRATE, HYDROXYDECYL UBIQUINONE, HYDROLYZED COLLAGEN, TOCOPHEROL, HYDROGENATED LECITHIN, CERAMIDE NP, SUCROSE STEARATE, CHOLESTEROL, CHOLESTERYL MACADAMIATE, PALMITIC ACID, BIOSACCHARIDE GUM-4, SACCHARIDE ISOMERATE, HYDROLYZED LUPINE PROTEIN

### **QUESTIONS?**

Call 212-804-7608

Outside U.S. +82 080-889-7760

[www.cellfusionc.com](http://www.cellfusionc.com)

### **Dist. by Dkcos**

20 W 33rd St New York, NY 10001

[www.dkcos.com](http://www.dkcos.com)

### **CMS LAB Inc.**

Made in Korea

### **PRINCIPAL DISPLAY PANEL: 50ML / 1.69 FL.OZ. Carton**

### ***Cell Fusion C***

Dermatological Laboratory

### **LASER**

### **SUNSCREEN**

Broad Spectrum SPF 50+

Effective UV Protection

Improve Overall

Skin Condition

WATER RESISTANT  
(80 minutes)

50ML / 1.69 FL.OZ.

**Cell Fusion C**  
Dermatological Laboratory

**Drug Facts**

Active Ingredients	Purpose
Homosalate (7.5%)	Sunscreen
Octisalate (4.5%)	Sunscreen
Titanium Dioxide (2.2%)	Sunscreen
Zinc Oxide (12.7%)	Sunscreen

**Uses**

- helps prevent sunburn
- if used as directed with other sun protection measures (see *Directions*) decreases the risk of skin cancer and early skin aging caused by the sun

**Warnings**

- For external use only
- Do not use on damaged or broken skin
- When using this product keep out of eyes. Rinse with water to remove.
- Stop use and ask a doctor if rash occurs
- Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

- For sunscreen use:
- apply generously and evenly 15 minutes before sun exposure
  - reapply :
    - after 80 minutes of swimming or sweating
    - immediately after towel drying
    - at least every 2 hours
  - Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad spectrum SPF value of 15 or higher and other sun protection measures including:
    - limit time in the sun, especially from 10a.m.-2p.m.
    - wear long-sleeved shirts, pants, hats, and sunglasses
    - children under 6 months of age : Ask a doctor

**Other Information**

- protect this product in this container from excessive heat and direct sun
- may stain some fabrics or surfaces.

**Questions?**

Call 212-804-7608;  
Outside U.S. +82 080-889-7760  
www.cellfusionc.com

Dist. by Dkcos  
20 W 33rd St New York, NY 10001  
www.dkcos.com

CMS LAB Inc.  
Made in Korea

**Drug Facts (Continued)**

**Inactive Ingredients**

Water, Cyclopentasiloxane, Dipropylene Glycol, Disiloxane, Lauryl PEG-10 Triis(trimethylsiloxy) Silylethyl Dimethicone, Butyloctyl Salicylate, Glycerin, Silica, Dimethicone, Distearidimonium Hectorite, Magnesium Sulfate, Methyl Methacrylate Crosspolymer, 1,2-Hexanediol, Triethoxycaprylsilane, Stearic Acid, Aluminum Hydroxide, Sorbitan Caprylate, Dimethicone/PEG-10/15 Crosspolymer, Lavandula Angustifolia (Lavender) Oil, Dimethicone/Vinyl Dimethicone Crosspolymer, Glyceryl Caprylate, Ethylhexylglycerin, Sodium Citrate, Hydrolyzed Collagen, Hydroxydecyl Ubiquinone, Tocopherol, Hydrogenated Lecithin, Ceramide NP, Sucrose Stearate, Cholesterol, Palmitic Acid, Cholesteryl Macadamiate, Biosaccharide Gum-4, Hydrolyzed Lupine Protein, Saccharide Isomerate

**Cell Fusion C**  
Dermatological Laboratory

**LASER  
SUNSCREEN**  
Broad Spectrum SPF 50+

Effective UV Protection  
Improves Overall  
Skin Condition

WATER RESISTANT  
(80 minutes)  
50ML / 1.69 FL.OZ.





**10ML / 0.33 FL.OZ.**

**Cell Fusion C**  
Dermatological Laboratory

**Drug Facts**

Active Ingredients	Purpose
Homosalate (7.5%)	Sunscreen
Octisalate (4.5%)	Sunscreen
Titanium Dioxide (2.2%)	Sunscreen
Zinc Oxide (12.7%)	Sunscreen

**Uses**

- helps prevent sunburn
- if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

**Warnings**

- For external use only**
- Do not use on damaged or broken skin
- When using this product keep out of eyes. Rinse with water to remove.
- Stop use and ask a doctor if rash occurs
- Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

- For sunscreen use:
  - apply generously and evenly 15 minutes before sun exposure
  - reapply:
    - after 80 minutes of swimming or sweating
    - immediately after towel drying
    - at least every 2 hours
- Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad spectrum SPF value of 15 or higher and other sun protection measures including:
  - limit time in the sun, especially from 10a.m.-2p.m.
  - wear long-sleeved shirts, pants, hats, and sunglasses
  - children under 6 months of age : Ask a doctor

**Other Information**

- protect the product in this container from excessive heat and direct sun.
- may stain some fabrics or surfaces.

**Questions?**  
Call 212-804-7608  
Outside U.S. +82 080-889-7760  
www.cellfusionc.com


**Drug Facts (Continued)**

**Inactive Ingredients**  
Water, Cyclopentasiloxane, Dipropylene Glycol, Disiloxane, Lauryl PEG-10 Triis(trimethylsilyloxy)silylethyl Dimethicone, Butyloctyl Salicylate, Glycerin, Silica, Dimethicone, Distearidimonium Hectorite, Magnesium Sulfate, Methyl Methacrylate Crosspolymer, 1,2-Hexanediol, Triethoxycaprylsilane, Stearic Acid, Aluminum Hydroxide, Sorbitan Caprylate, Dimethicone/PEG-10/15 Crosspolymer, Lavandula Angustifolia (Lavender) Oil, Dimethicone/Vinyl Dimethicone Crosspolymer, Glyceryl Caprylate, Ethylhexylglycerin, Sodium Citrate, Hydrolyzed Collagen, Hydroxydecyl Ubiquinone, Tocopherol, Hydrogenated Lecithin, Ceramide NP, Sucrose Stearate, Cholesterol, Palmitic Acid, Cholesteryl Macadamiate, Biosaccharide Gum-4, Hydrolyzed Lupine Protein, Saccharide Isomerate

**Cell Fusion C**  
Dermatological Laboratory

**LASER SUNSCREEN**  
Broad Spectrum SPF 50+  
Effective UV Protection  
Improves Overall Skin Condition

WATER RESISTANT  
(80 minutes)



## CELL FUSION C LASER SUNSCREEN BROAD SPECTRUM SPF 50

homosalate, octisalate, titanium dioxide, zinc oxide cream

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:52554-9052
<b>Route of Administration</b>	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>HOMOSALATE</b> (UNII: V06SV4M95S) (HOMOSALATE - UNII:V06SV4M95S)	HOMOSALATE	7.5 g in 50 mL
<b>ZINC OXIDE</b> (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	12.7 g in 50 mL
<b>OCTISALATE</b> (UNII: 4X49Y0596W) (OCTISALATE - UNII:4X49Y0596W)	OCTISALATE	4.5 g in 50 mL
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	2.2 g in 50 mL

### Inactive Ingredients

Ingredient Name	Strength
<b>WATER</b> (UNII: 059QF0KO0R)	

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:52554-9052-1	1 in 1 BOX	12/01/2024	
1		50 mL in 1 TUBE; Type 0: Not a Combination Product		
2	NDC:52554-9052-2	1 in 1 BOX	12/01/2024	
2		10 mL in 1 TUBE; Type 0: Not a Combination Product		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	12/01/2024	

**Labeler** - CMS LAB Inc. (557795012)

**Registrant** - CMS LAB Inc. (557795012)

Revised: 12/2024

CMS LAB Inc.