

**SR ACTIVE SHEER ZINC FACE STICK SPF 50- 20.6% zinc oxide stick**  
**Skinresource.md, L.L.C.**

-----

## ***Drug Facts***

### ***Active Ingredient***

**Zinc Oxide – 20.6%**

Zinc Oxide – 20.6%

ACTIVE INGREDIENTS:

## ***Directions***

- Apply liberally 15 minutes before sun exposure.

### **Reapply:**

- After 80 minutes of swimming or sweating.
- Immediately after towel drying.
- At least every 2 hours.
- Children under 6 months:  
Ask a doctor.



liberally 15 minutes before sun exposure.

Reapply:

- After 80 minutes of swimming or sweating.
- Immediately after towel drying.
- At least every 2 hours.

• Apply

- Children under 6 months: Ask a doctor.



## ***Drug Facts***

### ***Active Ingredient***

Zinc Oxide – 20.6%

### ***Uses***

- Helps prevent sunburn.
- If used as directed with other sun protection measures, (see Directions) decreases the risk of skin cancer and early skin aging caused by the sun.

### ***Warnings***

- **For external use only.**

#### ***Do not use***

- On damaged or broken skin.

#### ***When using this product***

- Keep out of eyes.
- Rinse with water to remove.

## ***Drug Facts*** (continued)

**Stop use and ask a doctor**  
if a rash occurs.

### **Keep out of reach of children**

- If swallowed, get medical help or contact a Poison Control Center right away.

### ***Directions***

- Apply liberally 15 minutes before sun exposure.

#### **Reapply:**

- After 80 minutes of swimming or sweating.
- Immediately after towel drying.
- At least every 2 hours.
- Children under 6 months:  
Ask a doctor.

#### Warnings

- For external use only. Do not use
- On damaged or broken skin. When using this product
- Keep out of eyes.
- Rinse with water to remove.

Stop use and ask a doctor  
if a rash occurs.

Keep out of reach of children

If swallowed, get medical help or contact a Poison Control Center right away.

## ***Inactive Ingredients***

Bisabolol\*, Butyloctyl Salicylate,  
Butyrospermum Parkii (Shea)  
Butter\*, Cocos Nucifera (Coconut)  
Oil\*, Copernicia Cerifera (Carnauba)  
Wax, Euphorbia Cerifera (Candelilla)  
Wax, Helianthus Annuus (Sunflower)  
Seed Oil, Olea Europaea (Olive) Fruit  
Oil, Oryzanol, Theobroma Cacao  
(Cocoa) Seed Butter, Tocopherol.  
\*Certified Organic Ingredients

Inactive Ingredients:

Bisabolol\*  
Butyloctyl Salicylate  
Butyrospermum Parkii (Shea) Butter\*  
Cocos Nucifera (Coconut) Oil\*  
Copernicia Cerifera (Carnauba) Wax  
Euphorbia Cerifera (Candelilla) Wax  
Helianthus Annuus (Sunflower) Seed Oil  
Olea Europaea (Olive) Fruit Oil  
Oryzanol  
Theobroma Cacao (Cocoa) Seed Butter  
Tocopherol  
\*Certified Organic Ingredients  
Zinc Oxide - 20.6% Sunscreen



## ***Drug Facts*** (continued)

---

**Stop use and ask a doctor**  
if a rash occurs.

### **Keep out of reach of children**

- If swallowed, get medical help or contact a Poison Control Center right away.

Children

Keep Out of Reach of

If swallowed, get medical help or contact a Poison Control Center right away.

## ***Directions***

- Apply liberally 15 minutes before sun exposure.

### **Reapply:**

- After 80 minutes of swimming or sweating.
- Immediately after towel drying.
- At least every 2 hours.
- Children under 6 months:  
Ask a doctor.



Helps prevent sunburn. • If used as directed with other sun protection measures, (see Directions) decreases the risk of skin cancer and early skin aging caused by the sun.

Sun Protection Measures:

Spending time in the sun increases your risk of skin cancer and early skin aging. To

decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:

Limit time in the sun especially from 10 a.m.

2 p.m.

Wear long-sleeved shirts, pants, hats, and sunglasses.

- For external use only.

Do not use


- On damaged or broken skin.

When using this product

Keep out of eyes.

Rinse with water to remove.

## SR Active Face Stick



Package Label

## SR ACTIVE SHEER ZINC FACE STICK SPF 50

20.6% zinc oxide stick

### Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:83694-021
Route of Administration	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	3.502 g in 17 g

## Inactive Ingredients

Ingredient Name	Strength
<b>OLEA EUROPAEA (OLIVE) FRUIT OIL</b> (UNII: 6UYK2W1W1E)	
<b>COPERNICIA CERIFERA (CARNAUBA) WAX</b> (UNII: R12CBM0EIZ)	
<b>EUPHORBIA CERIFERA (CANDELILLA) WAX</b> (UNII: WL0328HX19)	
<b>ORYZANOL</b> (UNII: SST9XCL51M)	
<b>HELIANTHUS ANNUUS (SUNFLOWER) SEED OIL</b> (UNII: 3W1JG795YI)	
<b>THEOBROMA CACAO (COCOA) SEED BUTTER</b> (UNII: 512OYT1CRR)	
<b>BUTYLOCTYL SALICYLATE</b> (UNII: 2EH13UN8D3)	
<b>BISABOLOL</b> (UNII: 24WE03BX2T)	
<b>BUTYROSPERMUM PARKII (SHEA) BUTTER</b> (UNII: K49155WL9Y)	
<b>COCOS NUCIFERA (COCONUT) OIL</b> (UNII: Q9L0O73W7L)	
<b>TOCOPHEROL</b> (UNII: R0ZB2556P8)	

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:83694-021-01	17 g in 1 TUBE; Type 0: Not a Combination Product	12/01/2024	

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	12/01/2024	

**Labeler** - Skinresource.md, L.L.C. (022050636)

Revised: 3/2025

Skinresource.md, L.L.C.