DERMFREE ORIGINAL NASAL- naphazoline hcl 0.05%original nasal spray Jiangxi Hemei Pharmaceutical Co., Ltd

84010-058

Active Ingredient

Naphazoline HCL0.05%

Purpose

Nasal Decongestant

Use

temporarily relieves

- ·Nasal congestion due to a cold, hay fever, or other upper respiratory allergies
- ·Sinus congestion and pressure

Warnings

- 1.Do not use if you are allergic to the ingredients.
- 2.Ask a doctor before use if you have

Heart disease High blood pressure Thyroid disease Diabetes Trouble urinating due to enlarged prostate gland 3. When using this product

- ·Do not exceed recommended dosage
- ·Do not use this product for more than 3 days. Use only as directed. Frequent or prolonged use may cause nasal congestion to recur or worsen.
- ·Temporary discomfort such as burning, stinging, sneezing, or increased nasal discharge may occur.
- ·Use of this container by more than one person may spread infection.

Do not use

- ·Do not use this product for more than 3 days. Use only as directed. Frequent or prolonged use may cause nasal congestion to recur or worsen.
- ·Temporary discomfort such as burning, stinging, sneezing, or increased nasaldischarge may occur.
- \cdot Use of this container by more than one person may spread infection.

children under 2 years.

When Using

- ·Do not exceed recommended dosage
- •Do not use this product for more than 3 days. Use only as directed. Frequent or prolonged use may cause nasal congestion to recur or worsen.
- ·Temporary discomfort such as burning, stinging, sneezing, or increased nasal discharge may occur.
- ·Use of this container by more than one person may spread infection.

Stop Use

Stop use and ask a doctor if symptoms persist

Ask Doctor

children 2 to under 6 years.

Keep Oot Of Reach Of Children

if swallowed, get medical help or contact a Poison Control Center right away.

Directions

Adults&children 6 years & older(with adult supervision): 2 or 3 sprays in each nostril,not more often than every 10 to 12 hours. Do not exceed 2 doses in 24 hours. Ask a doctor: children 2 to under 6 years, Do not use children under 2 years.

Shake well before use. Before using the first time, remove the protective cap & safely clip from the tip and prime metered pump by depressing firmly several times. To spray, hold bottle with thumb at base and nozzle between first and second fingers. Without tilting head, insert nozzle into nostril. Fully depresspump all the way down with a firm even stroke and sniff deeply. Wipe nozzle clean after use.

Other information

do not exceed 25°C.Retain the box for future reference on full labeling

Inactive ingredients

Borneol, Camphor, glycerin, propylene glycol

PRINCIPAL DISPLAY PANEL

..

ORIGINAL NASAL SPRAY

50*50*125

Stop use and ask a doctor if symptoms persist.

If pregnant or breast-feeding, ask a health
professional before use.

Keep out of reach of children, if swallowed,

Keep out of reach of children, if swallowed, get medical help or contact a Poison Control Center right away.

Directions

Adults&children 6 years &older(with adult supervision): 2 or 3 sprays in each nostril, not more often than every 10 to 12 hours.

Do not exceed 2 doses in 24 hours.

Ask a doctor: children 2 to under 6 years.

Do not use children under 2 years.

Shake well before use. Before using the first time, remove the protective cap & safely clip from the tip and prime metered pump by depressing firmly several times. To spray, hold bottle with thumb at base and nozzle between first and second fingers. Without tilting head, insert nozzle into nostril. Fully depress pump all the way down with a firm even stroke and sniff deeply. Wipe nozzle clean after use.

Other information :do not exceed 25°C. Retain the box for future reference on full labeling.

Country of Origin: Made In China

Inactive ingredients

Borneol, Camphor, glycerin, propylene glycol.



Drug Facts
ACTIVE INGREDIENT PURPOSE Naphazoline HCL0.05%...Nasal Decongestant temporarily relieves · Nasal congestion due to a cold.hav fever.or other upper respiratory allergies Sinus congestion and pressure Warnings 1.Do not use if you are allergic to the ingredients.

2.Ask a doctor before use if you have Heart disease, High blood pressure, Thyroid disease, Diabetes, Trouble urinating due to enlarged prostate gland 3.When using this product Do not exceed recommended dosage Do not use this product for more than 3 days. Use only as directed. Frequent or prolonged use may cause nasal congestion to recur or ·Temporary discomfort such as burning, stinging, sneezing, or increased nasal discharge may occur. · Use of this container by more than one person may spread infection. DISTRIBUTED BY: GERMANY

HEALMUSZ INTERNATIONAL CO.,LTD. UNIT 616,6/F,KAMTEEM INDUSTRIAL BUILDIN G135CO

NNAUGHT ROAD WEST, SAI WAN, HK



DERMFREE ORIGINAL NASAL

naphazoline hcl 0.05% original nasal spray

Product Information

Product Type HUMAN OTC DRUG Item Code (Source) NDC:84010-058

Route of Administration NASAL

Active Ingredient/Active Moiety

Ingredient Name

NAPHAZOLINE HCL (UNII: MZ1131787D) (NAPHAZOLINE - UNII:H231GF11BV)

Basis of Strength

NAPHAZOLINE HCL

0.05 g in 100 mL

Inactive Ingredients	
Ingredient Name	Strength
CAMPHOR (SYNTHETIC) (UNII: 5TJD82A1ET)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
BORNEOL (UNII: M89NIB437X)	

GLYCERIN (UNII: PDC6A3C0OX)	
-----------------------------	--

l	Packaging				
	#	Item Code	Package Description	Marketing Start Date	Marketing End Date
	1	NDC:84010- 058-01	30 mL in 1 BOTTLE, SPRAY; Type 0: Not a Combination Product	12/19/2024	

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M012	12/19/2024	

Labeler - Jiangxi Hemei Pharmaceutical Co., Ltd (724892056)

Establishment				
Name	Address	ID/FEI	Business Operations	
Jiangxi Hemei Pharmaceutical Co., Ltd		724892056	manufacture(84010-058)	

Revised: 12/2024 Jiangxi Hemei Pharmaceutical Co., Ltd