

SHEER- avobenzone, homosalate, octisalate, octocrylene lotion
Rite Aid Corporation

RYSHI 978.000/978AA
Sheer Touch Sunscreen SPF 70

active ingredients

Avobenzone 3%

Homosalate 15%

Octisalate 5%

Octocrylene 10%

Purpose

Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (See **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use

- on damaged or broken skin

When using this product

- keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if

- rash occurs

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control right away.

Directions

- apply liberally 15 minutes before sun exposure

- apply to all skin exposed to the sun
- reapply:
- after 80 minutes of swimming or sweating
- immediately after towel drying
- at least every 2 hours
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
- limit time in the sun, especially from 10 a.m. -2 p.m.
- wear long-sleeved shirts, pants, hats and sunglasses
- children under 6 months of age: Ask a doctor

Other information

- protect the product in this container from excessive heat and direct sun

inactive ingredients

water, styrene/acrylates copolymer, silica, diethylhexyl 2,6-naphthalate, beeswax, glyceryl stearate, PEG-100 stearate, glycerin, caprylyl methicone, cetyl dimethicone, sodium polyacrylate, acrylates/C12-22 alkyl methacrylate copolymer, dimethicone, xanthan gum, pentylene glycol, trimethylsiloxysilicate, disodium EDTA, fragrance, BHT, benzyl alcohol, chlorphenesin

Disclaimers

May stain or damage some fabrics or surfaces

*This product is not manufactured or distributed by Johnson & Johnson Consumer Inc., distributor of Neutrogena Ultra Sheer Dry-Touch Sunscreen Broad Spectrum SPF 70.

ADVERSE REACTION

DISTRIBUTED BY: RITE AID

30 HUNTER LANE

CAMP HILL, PA 17011

www.riteaid.com

SATISFACTION GUARANTEE:

If you're not satisfied, we'll happily refund your money.

principal display panel

SHEER TOUCH SUNSCREEN

SUNSCREEN LOTION

70

BROAD SPECTRUM SPF 70

WATER RESISTANT

RYSHI™

WATER RESISTANT

UP TO 80 MINUTES

QUICKLY ABSORBS

COMPARE TO NEUTROGENA® ULTRA SHEER SUNSCREEN*

3 FL OZ (88 mL)

© This product is not manufactured or distributed by Johnson & Johnson Consumer Inc., a subsidiary of Neutrogena® Ultra Sheer® Dry-Touch® Sunscreen Broad Spectrum SPF 70.

Active ingredients	Purpose
Avobenzone 3%	Sunscreen
Homosalate 15%	Sunscreen
Octisalate 5%	Sunscreen
Octocrylene 10%	Sunscreen

Uses
 ■ helps prevent sunburn ■ if used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings
 For external use only
 Do not use ■ on damaged or broken skin
 When using this product ■ keep out of eyes. Rinse with water to remove.
 Stop use and ask a doctor if ■ rash occurs
 Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions
 ■ apply liberally 15 minutes before sun exposure
 ■ apply to all skin exposed to the sun
 ■ reapply: ■ after 80 minutes of swimming or sweating
 ■ immediately after towel drying ■ at least every 2 hours
 ■ Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 ■ limit time in the sun, especially from 10 a.m. – 2 p.m.
 ■ wear long-sleeved shirts, pants, hats and sunglasses
 ■ children under 6 months of age. Ask a doctor

Other information
 ■ protect the product in this container from excessive heat and direct sun

Inactive ingredients water, styrene/acrylates copolymer, silica, diethylenyl 2,6-naphthalate, beeswax, glyceryl stearate, PEG-100 stearate, glycerin, caprylyl methicone, cetyl dimethicone, sodium polyacrylate, acrylates/C12-22 alkyl methacrylate copolymer, dimethicone, xanthan gum, pentylene glycol, trimethylsilyloxy silicate, disodium EDTA, fragrance, BHT, benzyl alcohol, chlorphenesin

May stain or damage some fabrics or surfaces

DISTRIBUTED BY: RTE AID, 30 HUNTER LANE, CAMP HILL, PA 17011, www.rteaid.com

SATISFACTION GUARANTEE: If you're not satisfied, we'll happily refund your money.

Pat. Pend. L06206961A

SHEER
 avobenzone, homosalate, octisalate, octocrylene lotion

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:11822-1978
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
AVOBENZONE (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)	AVOBENZONE	30 mg in 1 mL
HOMOSALATE (UNII: V06SV4M95S) (HOMOSALATE - UNII:V06SV4M95S)	HOMOSALATE	150 mg in 1 mL
OCTISALATE (UNII: 4X49Y0596W) (OCTISALATE - UNII:4X49Y0596W)	OCTISALATE	50 mg in 1 mL
OCTOCRYLENE (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM)	OCTOCRYLENE	100 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
STYRENE/ACRYLAMIDE COPOLYMER (500000 MW) (UNII: 5Z4DPO246A)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
DIETHYLHEXYL 2,6-NAPHTHALATE (UNII: I0DQJ7YGXM)	
YELLOW WAX (UNII: 2ZA36H0S2V)	
GLYCERYL STEARATE SE (UNII: FCZ5MH785I)	
PEG-100 STEARATE (UNII: YD01N1999R)	
GLYCERIN (UNII: PDC6A3C0OX)	
CAPRYLYL TRISILOXANE (UNII: Q95M2P1KJL)	
CETYL DIMETHICONE 150 (UNII: 5L694Y0T22)	
SODIUM POLYACRYLATE (2500000 MW) (UNII: 05I15JNI2J)	
BUTYL ACRYLATE/METHYL METHACRYLATE/METHACRYLIC ACID COPOLYMER (18000 MW) (UNII: JZ1374NL9E)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
XANTHAN GUM (UNII: TTV12P4NEE)	
PENTYLENE GLYCOL (UNII: 50C1307PZG)	
TRIMETHYLSILOXYSILICATE (M/Q 0.6-0.8) (UNII: 5041RX63GN)	
EDETATE DISODIUM ANHYDROUS (UNII: 8NLQ36F6MM)	
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)	
BENZYL ALCOHOL (UNII: LKG8494WBH)	
CHLORPHENESIN (UNII: I670DAL4SZ)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:11822-1978-1	88 mL in 1 TUBE; Type 0: Not a Combination Product	10/13/2021	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
---------------------------	---	-----------------------------	---------------------------

OTC Monograph Drug	M020	10/13/2021	
--------------------	------	------------	--

Labeler - Rite Aid Corporation (014578892)

Registrant - Nice-Pak Products, LLC (119091520)

Establishment			
Name	Address	ID/FEI	Business Operations
Nice-Pak Products, LLC		119091514	manufacture(11822-1978)

Revised: 2/2026

Rite Aid Corporation