

**WONDERBELLY MULTI-SYMPATOM- bismuth subsalicylate**  
**Ginger Health Company**

-----  
**Vanilla Bean + Orange & Creme Multi-Symptom Kit**

***Drug Facts***

**Active ingredient (in each tablet)**

Bismuth subsalicylate 262 mg

**Purposes**

Upset stomach reliever and antidiarrheal

**Uses**

relieves

- travelers' diarrhea
- diarrhea
- upset stomach due to overindulgence in food and drink, including:
- heartburn
- indigestion
- nausea
- gas
- belching
- fullness

**Warnings**

**Reye's syndrome:** Children and teenagers who have or are recovering from chicken pox or flu-like symptoms should not use this product. When using this product, if changes in behavior with nausea and vomiting occur, consult a doctor because these symptoms could be an early sign of Reye's syndrome, a rare but serious illness

**Allergy alert: Contains salicylate. Do not take if you are**

- allergic to salicylates (including aspirin)
- taking other salicylate products

**Do not use if**

you have

- an ulcer
- a bleeding problem
- bloody or black stool

**Ask a doctor before use if you have**

- fever

- mucus in the stool

### **Ask a doctor or pharmacist before use if you are**

taking any drug for

- anticoagulation (thinning the blood)
- diabetes
- gout
- arthritis

### **When using this product**

a temporary, but harmless, darkening of the stool and/or tongue may occur

### **Stop use and ask a doctor if**

- symptoms get worse or last more than 2 days
- ringing in the ears or loss of hearing occurs
- diarrhea lasts more than 2 days

### **If pregnant or breast feeding,**

ask a health professional before use.

### **Keep out of reach of children.**

In case of overdose, get medical help or contact a Poison Control Center right away.

### **Directions**

- chew or crush tablets completely before swallowing. Do not swallow tablets whole.
- adults and children 12 years of age and over:
- for diarrhea: 2 tablets (1 dose) every 1/2 hour or 4 tablets (2 doses) every hour as needed
- for overindulgence (upset stomach, heartburn, indigestion, nausea): 2 tablets (1 dose) every 1/2 hour as needed
- do not exceed 8 doses (16 tablets) in 24 hours
- use until diarrhea stops but not more than 2 days
- children under 12 years of age: ask a doctor
- drink plenty of clear fluids to help prevent dehydration caused by diarrhea

### **Other information**

- each tablet contains: **calcium 65 mg, salicylate 102 mg**
- avoid excessive heat (over 104°C or 40°C)
- **do not use if safety seal on carton printed with "SEALED FOR YOUR SAFETY" is torn or missing**
- read and keep outer carton for full warnings and directions

### **Inactive ingredients**

calcium carbonate, corn starch, natural flavors, sucrose, vegetable magnesium stearate

## **Questions or comments?**

Call 1-512-551-9770

Distributed by:

Ginger Health Company

Austin, Texas 78702

## **Principal Display Panel**

No Talc, No Dyes, No Titanium Dioxide, No Artificial Sweeteners

WONDERBELLY

MULTI-SYMP TOM

Bismuth Subsalicylate 262 mg

Upset Stomach Reliever | Antidiarrheal

Fast, Clean & Tasty Relief of

Upset Stomach

Nausea

Indigestion

Diarrhea

Fullness

2x 12 Count Bottles, Total 24 Chewable Tablets



## WONDERBELLY MULTI-SYMPTOM

bismuth subsalicylate kit

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:82431-391
---------------------	----------------	---------------------------	---------------

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:82431-391-12	1 in 1 CARTON; Type 0: Not a Combination Product	03/01/2025	

### Quantity of Parts

Part #	Package Quantity	Total Product Quantity
Part 1	1 BOTTLE	12
Part 2	1 BOTTLE	12

## Part 1 of 2

### WONDERBELLY MULTI-SYMPTOM

bismuth subsalicylate tablet, chewable

#### Product Information

Item Code (Source)	NDC:82431-304
Route of Administration	ORAL

#### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
BISMUTH SUBSALICYLATE (UNII: 62TEY51RR1) (SALICYLIC ACID - UNII:O414PZ4LPZ)	BISMUTH SUBSALICYLATE	262 mg

#### Inactive Ingredients

Ingredient Name	Strength
CALCIUM CARBONATE (UNII: H0G9379FGK)	
SUCROSE (UNII: C151H8M554)	
STARCH, CORN (UNII: O8232NY3SJ)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	

#### Product Characteristics

Color	white	Score	no score
Shape	ROUND	Size	14mm
Flavor	ORANGE (creme)	Imprint Code	W,304
Contains			

#### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:82431-304-12	1 in 1 CARTON		
1		12 in 1 BOTTLE; Type 0: Not a Combination Product		

#### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M008	03/01/2025	

## Part 2 of 2

### WONDERBELLY MULTI-SYMP TOM

bismuth subsalicylate tablet, chewable

#### Product Information

Item Code (Source) NDC:82431-302

Route of Administration ORAL

#### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
BISMUTH SUBSALICYLATE (UNII: 62TEY51RR1) (SALICYLIC ACID - UNII:O414PZ4LPZ)	BISMUTH SUBSALICYLATE	262 mg

#### Inactive Ingredients

Ingredient Name	Strength
CALCIUM CARBONATE (UNII: H0G9379FGK)	
SUCROSE (UNII: C151H8M554)	
STARCH, CORN (UNII: O8232NY3SJ)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	

#### Product Characteristics

Color	white	Score	no score
Shape	ROUND	Size	14mm
Flavor	VANILLA (bean)	Imprint Code	W;302
Contains			

#### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:82431-302-12	1 in 1 CARTON		
1		12 in 1 BOTTLE; Type 0: Not a Combination Product		

#### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M008	03/01/2025	

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M008	02/01/2025	

**Labeler** - Ginger Health Company (118431122)

Revised: 12/2024

Ginger Health Company