

**MILK TINT SPF 43 TINTED PRIMER SERUM DEEPEST- zinc oxide lotion  
COSMAX USA, CORPORATION**

-----  
**BEEKMAN MILK TINT SPF 43 Tinted Primer Serum DEEPEST**

***Active Ingredients***

Zinc Oxide 12.0015%

***Purpose***

Sunscreen

**USES**

***Uses***

- helps prevent sunburn
- if used as directed with other sun protection measures ( ***see Directions***), decreases the risk of skin cancer and early skin aging cause by the sun

**WARNINGS**

***Warnings***

**For external use only**

**Do not use** on damaged or broken skin

**Stop use and ask a doctor if**

- rash or irritation develops and lasts

**When using this product** keep out of eyes. Rinse with water to remove.

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

**DIRECTIONS**

***Directions***

For sunscreen use:

- apply liberally 15 minutes before sun exposure
- use a water resistant sunscreen if swimming or sweating
- reapply at least every 2 hours
- children under 6 months of age: **ask a doctor**

**Sun Protection Measures**

Spending time in the sun increases you risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:

- limit time in the sun, especially from 10 a.m. - 2 p.m.


- wear long-sleeve shirts, pants, hats, and sunglasses

Water (Aqua), Squalane, Isoamyl Laurate, Butyloctyl Salicylate, Propanediol, Caprylic/Capric Triglyceride, Polyglyceryl-3 Diisostearate, Methylpropanediol, Isopropyl Isostearate, Niacinamide, Sodium Chloride, Polyglyceryl-6 Polyricinoleate, Silica, Sorbitan Sesquiosostearate, Caprae Lac (Goat Milk), Bifida Ferment Lysate, Milk Protein, Eryngium Alpinum (Blue Thistle) Flower Extract, Carthamus Tinctorius (Safflower) Seed Oil, Sambucus Nigra (Elderberry) Flower Extract, Leuconostoc/Radish Root Ferment Filtrate, Isostearic Acid, Lecithin, Polyglyceryl-3 Polyricinoleate, Polyhydroxystearic Acid, Hydroxyacetophenone, Mica, 1,2-Hexanediol, Caprylyl Glycol, Lauroyl Lysine, Glycerin, Tocopheryl Acetate, Trisodium Ethylenediamine Disuccinate, Lactose May Contain: Titanium Dioxide (CI 77891), Iron Oxides (CI 77492), Iron Oxides (CI 77491), Iron Oxides (CI 77499)

### **Primary Package- FAIR**



### **Secondary Package- DEEPEST**



## MILK TINT SPF 43 TINTED PRIMER SERUM DEEPEST

zinc oxide lotion

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:68577-172
<b>Route of Administration</b>	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>ZINC OXIDE</b> (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	12.0015 mg in 100 mg

### Inactive Ingredients

Ingredient Name	Strength
<b>TRISODIUM ETHYLENEDIAMINE DISUCCINATE</b> (UNII: YA22H34H9Q)	
<b>BUTYLOCTYL SALICYLATE</b> (UNII: 2EH13UN8D3)	
<b>SQUALANE</b> (UNII: GW89575KF9)	
<b>POLYHYDROXYSTEARIC ACID (2300 MW)</b> (UNII: YXH47AOU0F)	
<b>ALPHA-TOCOPHEROL ACETATE</b> (UNII: 9E8X80D2L0)	
<b>POLYGLYCERYL-3 PENTARICINOLEATE</b> (UNII: 7Q0OK5DOT4)	
<b>SORBITAN SESQUISTEARATE</b> (UNII: VU97D01BF9)	
<b>MILK PROTEIN</b> (UNII: AY96EDV46J)	
<b>METHYLPROPANEDIOL</b> (UNII: N8F53B3R4R)	
<b>ERYNGIUM ALPINUM FLOWER</b> (UNII: D381NNL4PD)	

<b>NIACINAMIDE</b> (UNII: 25X51I8RD4)
<b>SODIUM CHLORIDE</b> (UNII: 451W47IQ8X)
<b>ISOSTEARIC ACID</b> (UNII: X33R8U0062)
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP)
<b>ISOAMYL LAURATE</b> (UNII: M1SLX00M3M)
<b>HYDROXYACETOPHENONE</b> (UNII: G1L3HT4CMH)
<b>MICA</b> (UNII: V8A1AW0880)
<b>1,2-HEXANEDIOL</b> (UNII: TR046Y3K1G)
<b>CAPRYLYL GLYCOL</b> (UNII: 00YIU5438U)
<b>LAUROYL LYSINE</b> (UNII: 113171Q70B)
<b>CARTHAMUS TINCTORIUS (SAFFLOWER) SEED OIL</b> (UNII: 65UEH262IS)
<b>LEUCONOSTOC/RADISH ROOT FERMENT FILTRATE</b> (UNII: D2QHA03458)
<b>LECITHIN, SUNFLOWER</b> (UNII: 834K0WOS5G)
<b>CAPRYLIC/CAPRIC TRIGLYCERIDE</b> (UNII: C9H2L21V7U)
<b>POLYGLYCERYL-3 DIISOSTEARATE</b> (UNII: 46P231IQV8)
<b>GOAT MILK</b> (UNII: XE5K5I4RP7)
<b>PROPANEDIOL</b> (UNII: 5965N8W85T)
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)
<b>SILICA</b> (UNII: ETJ7Z6XBU4)
<b>POLYGLYCERYL-6 POLYRICINOLEATE</b> (UNII: YPM0ZOC2HR)
<b>SAMBUCUS NIGRA FLOWER</b> (UNII: 07V4DX094T)
<b>WATER</b> (UNII: 059QF0KO0R)
<b>ISOPROPYL ISOSTEARATE</b> (UNII: C67IXB9Y7T)
<b>LACTOSE</b> (UNII: J2B2A4N98G)
<b>IRON OXIDES</b> (UNII: 1K09F3G675)

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:68577-172-00	1 in 1 CARTON	01/01/2024	
1		30 mg in 1 BOTTLE; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	01/01/2024	

**Labeler** - COSMAX USA, CORPORATION (010990210)