

**NARS RADIANCE PRIMER BROAD SPECTRUM SPF 35 SUNSCREEN- octisalate, octocrylene, avobenzone, homosalate lotion  
COSMAX USA, CORPORATION**

-----  
**NARS Radiance Primer Broad Spectrum SPF 35 Sunscreen**

***Active Ingredients***

Homosalate 6%

Octisalate 5%

Octocrylene 1.6%

Avobenzone 2%

***Purpose***

Sunscreen

**USES**

***Uses***

- helps prevent sunburn
- if used as directed with other sun protection measures (see ***Directions***), decreases the risk of skin cancer and early skin aging cause by the sun

**Warnings**

***Warnings***

**For external use only**

**Do not use** on damaged or broken skin

**When using this product** keep out of eyes. Rinse with water to remove.

**Stop use and ask a doctor if** rash occurs

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

**DIRECTIONS**

***Directions***

For sunscreen use:

- apply liberally 15 minutes before sun exposure
- use a water resistant sunscreen if swimming or sweating
- reapply at least every 2 hours

Sun Protection Measures.

Spending time in the sun increases your risk of skin cancer and early skin aging. To

decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:

limit time in the sun, especially from 10 a.m. - 2 p.m.

wear long-sleeve shirts, pants, hats, and sunglasses

- children under 6 months: Ask a doctor

***Inactive ingredients:***

Water • Caprylyl Methicone • Dipropylene Glycol • Propanediol • Dimethicone • Butyloctyl Salicylate • Lactobacillus Ferment • Isododecane • Ammonium Acryloyldimethyltaurate/VP Copolymer • Trisiloxane • Polysorbate 60 • Trimethylsiloxysilicate • Dextrin Palmitate • Phenoxyethanol • C14-22 Alcohols • Hydroxyethyl Acrylate/Sodium Acryloyldimethyl Taurate Copolymer • Hydrolyzed Wheat Protein/PVP Crosspolymer • Panthenol • Fragrance • Evodia Rutaecarpa Fruit Extract • Dibutyl Ethylhexanoyl Glutamide • Dibutyl Lauroyl Glutamide • Disodium EDTA • C12-20 Alkyl Glucoside • Dipotassium Glycyrrhizate • Tocopheryl Acetate • Sodium Hyaluronate • Butylene Glycol • Pentylene Glycol • Tin Oxide • Potassium Sorbate • Hydroxyphenyl Propamidobenzoic Acid • Ethylhexylglycerin • Ascorbyl Palmitate • Mica • Titanium Dioxide • Red 4 • Yellow 5 •

**OTHER INFORMATION**

***Other information***

- Protect the product in this container from excessive heat and direct sun

**QUESTIONS or COMMENTS**

***Questions or comments?***

Call toll free 1-888-788-NARS

Packaging

### Drug Facts

#### Active ingredients

Avobenzone 2%  
Homosalate 6%  
Octisalate 5%  
Octocrylene 1.6%

#### Purpose

Sunscreen

#### Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see *Directions*), decreases the risk of skin cancer and early skin aging caused by the sun

#### Warnings

**For external use only**

**Do not use on**

**damaged or broken skin**

**When using this product**

keep out of eyes. Rinse

with water to remove.

**Stop use and ask a**

**doctor if rash occurs**

**Keep out of reach of**

**children. If product is**

**swallowed, get medical**

**help or contact a**

**Poison Control Center**

**right away.**

#### Directions

For sunscreen use:

- apply liberally 15 minutes

- before sun exposure

- use a water resistant

- sunscreen if swimming

- or sweating

- reapply at least

- every 2 hours

- Sun Protection**

- Measures.**

Spending time in the

sun increases your

risk of skin cancer and

early skin aging. To

decrease this risk,

regularly use a

sunscreen with a

broad spectrum SPF

of 15 or higher and

other sun protection

measures including:

- limit time in the sun,

- especially from

- 10 a.m. - 2 p.m.

- wear long-sleeve

- shirts, pants, hats,

- and sunglasses

- children under

- 6 months:

- Ask a doctor

### Drug Facts (continued)

#### Inactive ingredients

Water - Caprylyl  
Methicone -  
Dipropylene Glycol -  
Propanediol -  
Dimethicone - Butyloctyl  
Salicylate - Lactobacillus  
Ferment - Isododecane -  
Ammonium  
Acryloyldimethyltaurate/VP  
Copolymer - Trisiloxane -  
Polysorbate 80 -  
Trimethylsiloxysilicate -  
Dextrin Palmitate -  
Phenoxyethanol - C14-22  
Alcohols - Hydroxyethyl  
Acrylate/Sodium  
Acryloyldimethyl  
Taurate Copolymer -  
Hydrolyzed Wheat Protein/  
PVP Crosspolymer -  
Panthenol - Fragrance -  
Evydia Rutaecarpa  
Fruit Extract - Dibutyl  
Ethylhexanoyl  
Glutamide - Dibutyl  
Lauroyl Glutamide -  
Disodium EDTA - C12-20  
Alkyl Glucoside -  
Dipotassium Glycyrrhizate -  
Tocopheryl Acetate -  
Sodium Hyaluronate -  
Butylene Glycol -  
Pentylene Glycol - Tin  
Oxide - Potassium  
Sorbate - Hydroxyphenyl  
Propamidobenzoic Acid -  
Ethylhexylglycerin -  
Ascorbyl Palmitate -  
Mica - Titanium Dioxide -  
Red 4 - Yellow 5 -

#### Other information

- protect this product in this container from excessive heat and direct sun

#### Questions or comments?

Call toll free  
1-888-788-NARS

**NARS™**  
NARS COSMETICS  
NEW YORK, NY 10022 DIST.  
NEW YORK - PARIS -  
LONDON (UK) WC1A 1HB  
MADE IN USA  
MAKEUP YOUR MIND™  
WWW.NARSCOSMETICS.COM

**RADIANCE PRIMER**

RADIANCE PRIMER  
BROAD SPECTRUM  
SPF 35 SUNSCREEN

ENERGIZING. REVITALIZING.  
OIL-FREE. RADIANCE  
BOOSTING COMPLEX WORKS  
TO INSTANTLY REVIVE DULL,  
FATIGUED SKIN AND HELPS  
ADD VITALITY TO THE  
COMPLEXION. WITH ENCAP-  
SULATED SUNSCREEN BEADS  
THAT RELEASE ON CONTACT,  
DELIVERING LUXURIOUSLY  
FRESH BROAD SPECTRUM  
PROTECTION. PROLONGS  
AND ENHANCES THE LOOK  
OF MAKEUP.

OIL-FREE.  
NON-COMEDOGENIC.  
DERMATOLOGIST TESTED.

DIRECTIONS FOR USE:  
AFTER SKINCARE AND  
BEFORE MAKEUP, APPLY A  
SMALL AMOUNT TO THE  
FACE OR DESIRED AREAS  
USING FINGERTIPS.

RADIANCE PRIMER  
BROAD SPECTRUM  
SPF 35 SUNSCREEN

NET WT.  
1 Oz. 30 mL

607845022305

## NARS RADIANCE PRIMER BROAD SPECTRUM SPF 35 SUNSCREEN

octisalate, octocrylene, avobenzone, homosalate lotion

### Product Information

#### Product Type

HUMAN OTC DRUG

#### Item Code (Source)

NDC:68577-173

#### Route of Administration

TOPICAL

**Active Ingredient/Active Moiety**

<b>Ingredient Name</b>	<b>Basis of Strength</b>	<b>Strength</b>
<b>AVOBENZONE</b> (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)	AVOBENZONE	2 mg in 100 mg
<b>HOMOSALATE</b> (UNII: V06SV4M95S) (HOMOSALATE - UNII:V06SV4M95S)	HOMOSALATE	6 mg in 100 mg
<b>OCTOCRYLENE</b> (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM)	OCTOCRYLENE	1.6 mg in 100 mg
<b>OCTISALATE</b> (UNII: 4X49Y0596W) (OCTISALATE - UNII:4X49Y0596W)	OCTISALATE	5 mg in 100 mg

**Inactive Ingredients**

<b>Ingredient Name</b>	<b>Strength</b>
<b>C12-20 ALKYL GLUCOSIDE</b> (UNII: K67N5Z1RUA)	
<b>FD&amp;C RED NO. 4</b> (UNII: X3W0AM1JLX)	
<b>GLYCYRRHIZINATE DIPOTASSIUM</b> (UNII: CA2Y0FE3FX)	
<b>PENTYLENE GLYCOL</b> (UNII: 50C1307PZG)	
<b>ASCORBYL PALMITATE</b> (UNII: QN83US2B0N)	
<b>ISODODECANE</b> (UNII: A8289P68Y2)	
<b>.ALPHA.-TOCOPHEROL ACETATE</b> (UNII: 9E8X80D2L0)	
<b>DIBUTYL LAUROYL GLUTAMIDE</b> (UNII: 3V7K3IA58X)	
<b>DEXTRIN PALMITATE (CORN; 20000 MW)</b> (UNII: 89B2BSF9I3)	
<b>HYALURONATE SODIUM</b> (UNII: YSE9PPT4TH)	
<b>TRIMETHYLSILOXYSILICATE (M/Q 0.6-0.8)</b> (UNII: 5041RX63GN)	
<b>PROPANEDIOL</b> (UNII: 5965N8W85T)	
<b>STANNIC OXIDE</b> (UNII: KM7N50LOS6)	
<b>CAPRYLYL TRISILOXANE</b> (UNII: Q95M2P1KJL)	
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>DIMETHICONE</b> (UNII: 92RU3N3Y1O)	
<b>TRISILOXANE</b> (UNII: 9G1ZW13R0G)	
<b>PHENOXYETHANOL</b> (UNII: HIE492ZZ3T)	
<b>HYDROXYETHYL ACRYLATE/SODIUM ACRYLOYLDIMETHYL TAURATE COPOLYMER (45000 MPA.S AT 1%)</b> (UNII: 86FQE96TZ4)	
<b>PANTHENOL</b> (UNII: WW9CM0O67Z)	
<b>EDETATE DISODIUM</b> (UNII: 7FLD91C86K)	
<b>BUTYLENE GLYCOL</b> (UNII: 3XUS85KORA)	
<b>POTASSIUM SORBATE</b> (UNII: 1VPU26JZZ4)	
<b>ETHYLHEXYLGLYCERIN</b> (UNII: 147D247K3P)	
<b>LIMOSILACTOBACILLUS REUTERI</b> (UNII: 9913I24QEE)	
<b>C14-22 ALCOHOLS</b> (UNII: B1K89384R)	
<b>TETRADIIUM RUTICARPUM FRUIT</b> (UNII: Q413WWMJ3X9)	
<b>AMMONIUM ACRYLOYLDIMETHYLTAURATE/VP COPOLYMER</b> (UNII: W59H9296ZG)	
<b>HYDROXYPHENYL PROPAMIDOBENZOIC ACID</b> (UNII: 25KRT26H77)	
<b>DIPROPYLENE GLYCOL</b> (UNII: E107L85C40)	
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP)	
<b>POLYSORBATE 60</b> (UNII: CAL22UVI4M)	
<b>DIBUTYL ETHYLHEXANOYL GLUTAMIDE</b> (UNII: 0IAF2L30VS)	
<b>FD&amp;C YELLOW NO. 5</b> (UNII: I753WB2F1M)	
<b>MICA</b> (UNII: V8A1AW0880)	

**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:68577-173-00	1 in 1 CARTON	06/01/2023	
1		2 mg in 1 TUBE; Type 0: Not a Combination Product		

**Marketing Information**

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	06/01/2023	

**Labeler** - COSMAX USA, CORPORATION (010990210)**Registrant** - COSMAX USA, CORPORATION (010990210)**Establishment**

Name	Address	ID/FEI	Business Operations
COSMAX USA. CORPORATION		010990210	manufacture(68577-173)

Revised: 12/2024

COSMAX USA, CORPORATION