HAIR REGEN HAIR REGROWTH TREATMENT- mens liquid minoxidil 1pk liquid YIWU YIZHOU TRADING CO.,LTD

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.

84232-002

Active Ingredient(s)

Minoxidil 5%

Purpose

HAIR REGROWTH TREATMENT

Use

USE to regrow hair on top of scalp (vertex only, see pictures on side of box)

Warnings

For external use only. For use by men only.

Do not use

- You are a woman.
- Your amount of hair loss is different than that shown on the side of this carton or your hair loss is on the front of the scalp. Minoxidil topical solution 5% is not intended for frontal baldness or receding hairline.
- You have no family history of hair loss.
- Your hair loss is sudden and/or patchy.
- You do not know the reason for your hair loss.
- You are under 18 years of age. Do not use on babies and children.
- Your scalp is red, inflamed, infected, rritated, or painful.
- You use other medicines on the scalp.

When using this product.

- ●Do not apply on other parts of your body.
- Avoid contact with the eyes. In case accidental contact, rinse eyes with large amounts of cool tap water.
- •Some people have experienced changes in hair color and/or texture.
- ●It takes time to regrow hai, results may occur at 2 months with twice a day usage. For

some men, you may need to use this product for at least 4 months before you see results.

●The amount of hair regrowth is different for each person. This product will not work on all men,

Stop use

- ●Chest pain, rapid heartbeat, faintness, or dizziness occurs
- •Sudden, unexplained weight gain occurs
- Your hands or feet swell
- Scalp rritation or redness ocurs
- Unwanted facial hair growth occurs
- You do not see hair growth in 4 months

Keep away from fire or flame

Directions

- ●Apply one mL. with dropper 2 times a day directly onto the scalp in the hair loss area.
- •Using more or more often will not improve resufts.
- •continued use is necessary to increase and keep your hair regrowth, or hair loss will begin again.

Other information

- See hair loss pictures on side of box
- Before use, read all information on box and enclosed instructions.
- •Keep the box, it contains important information.
- Hair regrowth has not been shown to last longer than 48 weeks in large clinical trials with continuous treatment with minoxidil topical sol ution 5% for men.
- ●In Clinical studies with mostly white men aged 18-49 years with moderate degrees of hair loss, minoxidil topical solution 5% for men provided more hair regrowth than minoxidil topical sol lution 2%
- ●Store at 20° to 25*C (68° to 77*F). Keep tightly closed

Inactive ingredients

alcohol, propylene glycol, purified water

Package Label - Principal Display Panel



Working Title: MINOXIDIL 1PK - Box Art



4455 E. Nunneley Rd, #101 Gilbert, AZ, 85296

CONFIDENTIAL Copyright Material



Read and keep carton and leaflet for full product information Active ingredient Minoxidil 5% w/v

Warnings

For external use only. For use by men only. Flammable: Keep away from fire or flame

Do not use if

- you are a woman
- you have no family history of hair loss
- your hair loss is sudden and/or patchy
- you do not know the reason for your hair loss
- you are under 18 years of age. Do not use on babies and children.
- your scalp is red, inflamed, infected, irritated, or painful
- vou use other medicines on the scalp

Ask a doctor before use if you have heart disease

When using this product

- do not apply on other parts of the body
- avoid contact with the eyes. In case of accidental contact, rinse eyes with large amounts of cool tap water.
- some people have experienced changes in hair color and/or texture

Stop use and ask a doctor if

- chest pain, rapid heartbeat, faintness, or dizziness occurs
- sudden, unexplained weight gain occurs
- your hands or feet swell
- scalp irritation or redness occurs
- unwanted facial hair growth occurs

May be harmful if used when pregnant or breast-feeding. Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away. (1-800-222-1222)

Directions

- apply one mL 2 times a day directly onto the scalp in the hair loss area
- see carton and enclosed leaflet for complete directions
- using more or more often will not improve results
- continued use is necessary or hair loss will begin again

Inactive ingredients

alcohol, propylene glycol, purified water

Store at 20° to 25°C (68° to 77°F). Keep tightly closed.



Distributed by HA(R **REGEN**™

167 Madison Avenue Ste 205 #236 New York City, NY 10016

LOT NO. GRH463 EXP. 08/2027

HAIR REGEN HAIR REGROWTH TREATMENT

mens liquid minoxidil 1pk liquid

60 mL (2 FL OZ)

Product Information

Product Type HUMAN OTC DRUG Item Code (Source) NDC:84232-002

Route of Administration TOPICAL

Active Ingredient/Active Moiety

Ingredient Name
Basis of Strength
MINOXIDIL (UNII: 5965120SH1) (MINOXIDIL - UNII:5965120SH1)
MINOXIDIL
5 g in 100 mL

Inactive Ingredients Ingredient Name Strength ALCOHOL (UNII: 3K9958V90M) PROPYLENE GLYCOL (UNII: 6DC9Q167V3) WATER (UNII: 059QF0KO0R)

F	Packaging							
#	tem Code	Package Description	Marketing Start Date	Marketing End Date				
1	NDC:84232-002-	60 mL in 1 BOTTLE; Type 0: Not a Combination Product	01/08/2025					

Marketing Information									
Application Number or Monograph Citation	Marketing Start Date	Marketing End Date							
	12/20/2024								
	Application Number or Monograph	Application Number or Monograph Marketing Start Citation Date							

Labeler - YIWU YIZHOU TRADING CO.,LTD (840905001)

Establishment								
Name	Address	ID/FEI	Business Operations					
YIWU YIZHOU TRADING CO.,LTD		840905001	manufacture(84232-002)					

Revised: 1/2025 YIWU YIZHOU TRADING CO.,LTD