

**HAIR REGEN HAIR REGROWTH TREATMENT- womens liquid minoxidil 1pk liquid
YIWU YIZHOU TRADING CO.,LTD**

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.

84232-003

Active Ingredient(s)

Minoxidil 2% w/v

Purpose

HAIR REGROWTH TREATMENT

Use

to regrow hair on top of scalp (vertex only, see pictures on side of box)

Warnings

For external use only. For use by women Flammable: Keep away from fire or flame

Do not use

- Your degree of hair loss is different than that shown on the side of this carton, because this product may not work for you
- You have no family history of hair loss.
- Your hair loss is sudden and/or patchy.
- You do not know the reason for your hair loss.
- You are under 18 years of age. Do not use on babies and children.
- Your scalp is red, inflamed, infected, irritated, or painful.
- You use other medicines on the scalp.

When using this product.

- Do not apply on other parts of your body.
- Avoid contact with the eyes. In case of accidental contact, rinse eyes with cool tap water.
- Some people have experienced changes in hair color and/or texture.
- It takes time to regrow hair, results may occur at 2 months with twice a day usage. For some women, you may need to use this product for at least 4 months before you see results.
- The amount of hair regrowth is different for each person. This product will not work on all women.

Stop use

- Chest pain, rapid heartbeat, faintness, or dizziness occurs
- Sudden, unexplained weight gain occurs
- Your hands or feet swell
- Scalp irritation or redness occurs
- Unwanted facial hair growth occurs
- You do not see hair growth in 4 months
- May be harmful if used when pregnant or breast-feeding.
- Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away. .

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Apply one mL. with dropper 2 times a day directly onto the scalp in the hair loss area.
- Using more or more often will not improve results.
- continued use is necessary to increase and keep your hair regrowth, or hair loss will begin again.

Other information

- See hair loss pictures on side of box.
- Before use, read all information on box and enclosed instructions.
- Keep the box, it contains important information.
- Hair regrowth has not been shown to last longer than 48 weeks in large clinical trials with continuous treatment with minoxidil topical solution 2% for women.
- In clinical studies of mostly white women aged 18-45 with mild to moderate hair loss, 19% showed moderate hair regrowth after 8 months of using 2% minoxidil topical solution, compared to 7% with a placebo. Additionally, 40% had minimal regrowth with minoxidil, while 33% saw minimal regrowth with the placebo.
- Store at 20° to 25°C (68° to 77°F). Keep cap tightly closed.

Inactive ingredients

alcohol, propylene glycol, purified water.

Package Label - Principal Display Panel

Font: Helvetica Neue LT Com
77 Bold Condensed
Font: Helvetica Neue LT Std
57 Condensed

HAIR REGEN

Extra Strength For *Women*

MINOXIDIL
HAIR REGROWTH TREATMENT

TOPICAL SOLUTION USP, 2%

USE TWICE DAILY
For best results apply directly to scalp

1 MONTH SUPPLY

- Unscented
- Clinically Proven To Help Regrow Hair
- Reactivates Hair Follicles To Stimulate Regrowth
- Topical Solution

60 mL (2 FL OZ)

Read and keep carton and leaflet for full product information

Active ingredient Minoxidil 2% w/v

Warnings
For external use only
Flammable: Keep away from fire or flame

Do not use if

- you have no family history of hair loss
- your hair loss is sudden and/or patchy
- your hair loss is associated with childbirth
- you do not know the reason for your hair loss
- you are under 18 years of age. Do not use on babies and children.
- your scalp is red, inflamed, infected, irritated, or painful
- you use other medicines on the scalp

Ask a doctor before use if you have heart disease

When using this product

- do not apply to other parts of the body
- avoid contact with the eyes. In case of accidental contact, rinse eyes with large amounts of cool tap water
- some people have experienced changes in hair color and/or texture

Stop use and ask a doctor if

- chest pain, rapid heartbeat, faintness, or dizziness occurs
- sudden, unexplained weight gain occurs
- your hands or feet swell
- scalp irritation or redness occurs
- unwanted facial hair growth occurs

May be harmful if used when pregnant or breast-feeding.
Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away. (1-800-222-1222)

Directions

- apply one mL 2 times a day directly onto the scalp in the hair loss area
- see carton and enclosed leaflet for complete directions
- using more or more often will not improve results
- continued use is necessary or hair loss will begin again

Inactive ingredients
alcohol, propylene glycol, purified water

Store at 20° to 25°C (68° to 77°F)
Keep tightly closed

HAIR REGEN™
Distributed by
HAIR REGEN™
167 Madison Avenue
Ste 205 #236
New York City, NY 10016

LOT NO. WHD972
EXP. 12/2028

• Font: Myriad Pro Semibold - Live for changes
• Font attached with file



• Font: Myriad Pro Semibold - Live for changes
 • Font attached with file

4455 E. Nunnely Rd, #101 Gilbert, AZ, 85296

CONFIDENTIAL
 Copyright Material

HAIR REGEN HAIR REGROWTH TREATMENT

womens liquid minoxidil 1pk liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:84232-003
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
MINOXIDIL (UNII: 5965120SH1) (MINOXIDIL - UNII:5965120SH1)	MINOXIDIL	2 g in 100 mL

Inactive Ingredients

Ingredient Name	Strength
ALCOHOL (UNII: 3K9958V90M)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
WATER (UNII: 059QF0KO0R)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:84232-003-01	60 mL in 1 BOTTLE; Type 0: Not a Combination Product	01/08/2025	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		01/08/2025	

Labeler - YIWU YIZHOU TRADING CO.,LTD (840905001)

Establishment

Name	Address	ID/FEI	Business Operations
YIWU YIZHOU TRADING CO.,LTD		840905001	manufacture(84232-003)

Revised: 1/2025

YIWU YIZHOU TRADING CO.,LTD