

**LIDOCAINE PAIN RELIEF PATCH- lidocaine pain relief patch paste**  
**Henan Shouerkang Health Industry Co., Ltd**

-----  
**85056-001**

**Active Ingredient(s)**

Lidocaine 4%

Menthol 1%

**Purpose**

Topical Analgesic  
Pain Relief

**Use**

Temporarily relieves muscle soreness and minor joint pains  
in the wrist, knees, back, neck, hips, shoulders, elbows.

**Warnings**

For external use only.

**Do not use**

on wounds or damaged skin with a heating pad or device with other ointments, creams,  
sprays, or liniments  
if your are allergic to any ingredients of this product

use only as directed. avoid contact with the eyes, mucous membranes, or rashes  
do not bandage tightly

if skin reactions such as redness, swelling, blistering or other discomfort occur  
symptoms persist for more than 7 days  
If pregnant or breast-feeding ask a health professional before use. Keep out of reach of  
children.  
If swallowed accidentally , get medical help or contact with Poison Control Center  
immediately

Keep out of reach of children.

## Directions

Adults and children above 12 years old;

Clean and dry the affected area.

Tear off the protective film and apply the exposed part of the patch to the the affected area.

Carefully remove remaining film while pressing the patch firmly on the skin.

Remove patch from the skin after at most 8 hours application.

Children under age of 12:Consult a doctor

## Other information

No Data

## Inactive ingredients

Glycerine, Alcohol, Aluminium glycinat, Sodium Polyacrylate, Pvpk-90, Tartaric acid, Propylparaben, Methylparaben, Water

**LIDOCAINE**  
**PAIN RELIEF PATCH**

ODOR-FREE  
MAXIMUM STRENGTH  
EASY TO APPLY AND REMOVE  
SINGLE-USE APPLICATION

18 BAG in 1 BOX / 1 patch in 1 BAG

**Lidocaine Pain Relief Patch**

Active ingredients:	Purpose
Lidocaine 4% .....	Topical Analgesic
Menthol 1% .....	Pain Relief

**Uses:**  
Temporarily relieves muscle soreness and minor joint pains in the wrist, knees, back, neck, hips, shoulders, elbows.

**Warnings:**  
For external use only

**Do not use:**  
on wounds or damaged skin with a heating pad or device with other ointments, creams, sprays, or liniments if you are allergic to any ingredients of this product

**When using this product:**  
use only as directed.  
avoid contact with the eyes, mucous membranes, or rashes  
do not bandage tightly

**Stop use and ask a doctor:**  
if skin reactions such as redness, swelling, blistering or other discomfort occur symptoms persist for more than 7 days  
If pregnant or breast-feeding ask a health professional before use.  
Keep out of reach of children.  
If swallowed accidentally, get medical help or contact with Poison Control Center immediately

**Directions:**  
Adults and children above 12 years old;  
Clean and dry the affected area.  
Tear off the protective film and apply the exposed part of the patch to the the affected area.  
Carefully remove remaining film while pressing the patch firmly on the skin.  
Remove patch from the skin after at most 8 hours application.  
Children under age of 12:Consult a doctor

**Ingredients:**  
Glycerine, Alcohol, Aluminium glycinat, Sodium Polyacrylate, Pvpk-90, Tartaric acid, Propylparaben, Methylparaben, Water


**Manufactured by:**  
Henan Shouer kang Health Industry Co., Ltd

**Address:**  
No. 007 Huanghe Avenue, Pingyuan Demonstration Zone, Xinxiang City, Henan Province, China

# LIDOCAINE

## PAIN RELIEF PATCH

ODOR-FREE  
MAXIMUM STRENGTH  
EASY TO APPLY AND REMOVE  
SINGLE-USE APPLICATION



08 BAG in 1 BOX / 1patch in 1 BAG

### Lidocaine Pain Relief Patch

Active ingredients:	Purpose
Lidocaine 4% .....	Topical Analgesic
Menthol 1% .....	Pain Relief

**Uses:**  
Temporarily relieves muscle soreness and minor joint pains in the wrist, knees, back, neck, hips, shoulders, elbows.

**Warnings:**  
For external use only

**Do not use:**  
on wounds or damaged skin with a heating pad or device with other ointments, creams, sprays, or liniments if you are allergic to any ingredients of this product

**When using this product:**  
use only as directed, avoid contact with the eyes, mucous membranes, or rashes do not bandage tightly

**Stop use and ask a doctor:**  
if skin reactions such as redness, swelling, blistering or other discomfort occur symptoms persist for more than 7 days If pregnant or breast-feeding ask a health professional before use. Keep out of reach of children. If swallowed accidentally, get medical help or contact with Poison Control Center immediately

**Directions:**  
Adults and children above 12 years old; Clean and dry the affected area. Tear off the protective film and apply the exposed part of the patch to the affected area. Carefully remove remaining film while pressing the patch firmly on the skin. Remove patch from the skin after at most 8 hours application. Children under age of 12: Consult a doctor

**Ingredients:**  
Glycerine, Alcohol, Aluminium glycinat, Sodium Polyacrylate, Pvpk-90, Tartaric acid, Propylparaben, Methylparaben, Water


**Manufactured by:**  
Henan Shouerkang Health Industry Co., Ltd

**Address:**  
No. 007 Huanghe Avenue, Pingyuan Demonstration Zone, Xinxiang City, Henan Province, China

# LIDOCAINE

## PAIN RELIEF PATCH

ODOR-FREE  
MAXIMUM STRENGTH  
EASY TO APPLY AND REMOVE  
SINGLE-USE APPLICATION



28 BAG in 1 BOX / 1patch in 1 BAG

### Lidocaine Pain Relief Patch

Active ingredients:	Purpose
Lidocaine 4% .....	Topical Analgesic
Menthol 1% .....	Pain Relief

**Uses:**  
Temporarily relieves muscle soreness and minor joint pains in the wrist, knees, back, neck, hips, shoulders, elbows.

**Warnings:**  
For external use only

**Do not use:**  
on wounds or damaged skin with a heating pad or device with other ointments, creams, sprays, or liniments if you are allergic to any ingredients of this product

**When using this product:**  
use only as directed.  
avoid contact with the eyes, mucous membranes, or rashes do not bandage tightly

**Stop use and ask a doctor:**  
if skin reactions such as redness, swelling, blistering or other discomfort occur symptoms persist for more than 7 days  
If pregnant or breast-feeding ask a health professional before use.  
Keep out of reach of children.  
If swallowed accidentally, get medical help or contact with Poison Control Center immediately

**Directions:**  
Adults and children above 12 years old;  
Clean and dry the affected area.  
Tear off the protective film and apply the exposed part of the patch to the affected area.  
Carefully remove remaining film while pressing the patch firmly on the skin.  
Remove patch from the skin after at most 8 hours application.  
Children under age of 12: Consult a doctor

**Ingredients:**  
Glycerine, Alcohol, Aluminium glycinat, Sodium Polyacrylate, Pvpk-90, Tartaric acid, Propylparaben, Methylparaben, Water


**Manufactured by:**  
Henan Shouer kang Health Industry Co., Ltd

**Address:**  
No. 007 Huanghe Avenue, Pingyuan Demonstration Zone, Xinxiang City, Henan Province, China

# LIDOCAINE

## PAIN RELIEF PATCH

ODOR-FREE  
MAXIMUM STRENGTH  
EASY TO APPLY AND REMOVE  
SINGLE-USE APPLICATION



32 BAG in 1 BOX / 1patch in 1 BAG

### Lidocaine Pain Relief Patch

Active ingredients:	Purpose
Lidocaine 4% .....	Topical Analgesic
Menthol 1% .....	Pain Relief

**Uses:**  
Temporarily relieves muscle soreness and minor joint pains in the wrist, knees, back, neck, hips, shoulders, elbows.

**Warnings:**  
For external use only

**Do not use:**  
on wounds or damaged skin with a heating pad or device  
with other ointments, creams, sprays, or liniments  
if you are allergic to any ingredients of this product

**When using this product:**  
use only as directed.  
avoid contact with the eyes, mucous membranes, or rashes  
do not bandage tightly

**Stop use and ask a doctor:**  
if skin reactions such as redness, swelling, blistering or other discomfort occur symptoms persist for more than 7 days  
If pregnant or breast-feeding ask a health professional before use.  
Keep out of reach of children.  
If swallowed accidentally, get medical help or contact with Poison Control Center immediately

**Directions:**  
Adults and children above 12 years old;  
Clean and dry the affected area.  
Tear off the protective film and apply the exposed part of the patch to the affected area.  
Carefully remove remaining film while pressing the patch firmly on the skin.  
Remove patch from the skin after at most 8 hours application.  
Children under age of 12: Consult a doctor

**Ingredients:**  
Glycerine, Alcohol, Aluminium glycinat, Sodium Polyacrylate, Pvpk-90, Tartaric acid, Propylparaben, Methylparaben, Water


**Manufactured by:**  
Henan Shouerkang Health Industry Co., Ltd

**Address:**  
No. 007 Huanghe Avenue, Pingyuan Demonstration Zone, Xinxiang City, Henan Province, China

# LIDOCAINE

## PAIN RELIEF PATCH

ODOR-FREE  
MAXIMUM STRENGTH  
EASY TO APPLY AND REMOVE  
SINGLE-USE APPLICATION



15 BAG in 1 BOX / 1patch in 1 BAG

### Lidocaine Pain Relief Patch

Active ingredients:	Purpose
Lidocaine 4% .....	Topical Analgesic
Menthol 1% .....	Pain Relief

**Uses:**  
Temporarily relieves muscle soreness and minor joint pains in the wrist, knees, back, neck, hips, shoulders, elbows.

**Warnings:**  
For external use only

**Do not use:**  
on wounds or damaged skin with a heating pad or device with other ointments, creams, sprays, or liniments if you are allergic to any ingredients of this product

**When using this product:**  
use only as directed.  
avoid contact with the eyes, mucous membranes, or rashes do not bandage tightly

**Stop use and ask a doctor:**  
if skin reactions such as redness, swelling, blistering or other discomfort occur symptoms persist for more than 7 days If pregnant or breast-feeding ask a health professional before use. Keep out of reach of children. If swallowed accidentally, get medical help or contact with Poison Control Center immediately

**Directions:**  
Adults and children above 12 years old;  
Clean and dry the affected area.  
Tear off the protective film and apply the exposed part of the patch to the affected area.  
Carefully remove remaining film while pressing the patch firmly on the skin.  
Remove patch from the skin after at most 8 hours application.  
Children under age of 12. Consult a doctor

**Ingredients:**  
Glycerine, Alcohol, Aluminium glycinate, Sodium Polyacrylate, Pvpk-90, Tartaric acid, Propylparaben, Methylparaben, Water


**Manufactured by:**  
Henan Shouer kang Health Industry Co., Ltd

**Address:**  
No. 007 Huanghe Avenue, Pingyuan Demonstration Zone, Xinxiang City, Henan Province, China

# LIDOCAINE

## PAIN RELIEF PATCH

ODOR-FREE  
MAXIMUM STRENGTH  
EASY TO APPLY AND REMOVE  
SINGLE-USE APPLICATION



16 BAG in 1 BOX / 1patch in 1 BAG

### Lidocaine Pain Relief Patch

Active ingredients:	Purpose
Lidocaine 4% .....	Topical Analgesic
Menthol 1% .....	Pain Relief

**Uses:**  
Temporarily relieves muscle soreness and minor joint pains in the wrist, knees, back, neck, hips, shoulders, elbows.

**Warnings:**  
For external use only

**Do not use:**  
on wounds or damaged skin with a heating pad or device with other ointments, creams, sprays, or liniments if you are allergic to any ingredients of this product

**When using this product:**  
use only as directed.  
avoid contact with the eyes, mucous membranes, or rashes do not bandage tightly

**Stop use and ask a doctor:**  
if skin reactions such as redness, swelling, blistering or other discomfort occur symptoms persist for more than 7 days If pregnant or breast-feeding ask a health professional before use. Keep out of reach of children. If swallowed accidentally, get medical help or contact with Poison Control Center immediately

**Directions:**  
Adults and children above 12 years old;  
Clean and dry the affected area.  
Tear off the protective film and apply the exposed part of the patch to the affected area.  
Carefully remove remaining film while pressing the patch firmly on the skin. Remove patch from the skin after at most 8 hours application.  
Children under age of 12:Consult a doctor

**Ingredients:**  
Glycerine, Alcohol, Aluminium glycinat, Sodium Polyacrylate, Pvpk-90, Tartaric acid, Propylparaben, Methylparaben, Water


**Manufactured by:**  
Henan Shouer kang Health Industry Co., Ltd

**Address:**  
No. 007 Huanghe Avenue, Pingyuan Demonstration Zone, Xinxiang City, Henan Province, China

# LIDOCAINE

## PAIN RELIEF PATCH

ODOR-FREE  
MAXIMUM STRENGTH  
EASY TO APPLY AND REMOVE  
SINGLE-USE APPLICATION



20 BAG in 1 BOX / 1patch in 1 BAG

### Lidocaine Pain Relief Patch

Active ingredients:	Purpose
Lidocaine 4% .....	Topical Analgesic
Menthol 1% .....	Pain Relief

**Uses:**  
Temporarily relieves muscle soreness and minor joint pains in the wrist, knees, back, neck, hips, shoulders, elbows.

**Warnings:**  
For external use only

**Do not use:**  
on wounds or damaged skin with a heating pad or device  
with other ointments, creams, sprays, or liniments  
if you are allergic to any ingredients of this product

**When using this product:**  
use only as directed.  
avoid contact with the eyes, mucous membranes, or rashes  
do not bandage tightly

**Stop use and ask a doctor:**  
if skin reactions such as redness, swelling, blistering or other discomfort occur symptoms persist for more than 7 days  
If pregnant or breast-feeding ask a health professional before use.  
Keep out of reach of children.  
If swallowed accidentally, get medical help or contact with Poison Control Center immediately

**Directions:**  
Adults and children above 12 years old;  
Clean and dry the affected area.  
Tear off the protective film and apply the exposed part of the patch to the affected area.  
Carefully remove remaining film while pressing the patch firmly on the skin.  
Remove patch from the skin after at most 8 hours application.  
Children under age of 12. Consult a doctor

**Ingredients:**  
Glycerine, Alcohol, Aluminium glycinat, Sodium Polyacrylate, Pvpk-90, Tartaric acid, Propylparaben, Methylparaben, Water


**Manufactured by:**  
Henan Shouer Kang Health Industry Co., Ltd

**Address:**  
No. 007 Huanghe Avenue, Pingyuan Demonstration Zone, Xinxiang City, Henan Province, China

# LIDOCAINE

## PAIN RELIEF PATCH

ODOR-FREE  
MAXIMUM STRENGTH  
EASY TO APPLY AND REMOVE  
SINGLE-USE APPLICATION



10 BAG in 1 BOX / 1 patch in 1 BAG

### Lidocaine Pain Relief Patch

Active ingredients:	Purpose
Lidocaine 4% .....	Topical Analgesic
Menthol 1% .....	Pain Relief

**Uses:**  
Temporarily relieves muscle soreness and minor joint pains in the wrist, knees, back, neck, hips, shoulders, elbows.

**Warnings:**  
For external use only

**Do not use:**  
on wounds or damaged skin with a heating pad or device with other ointments, creams, sprays, or liniments if you are allergic to any ingredients of this product

**When using this product:**  
use only as directed, avoid contact with the eyes, mucous membranes, or rashes do not bandage tightly

**Stop use and ask a doctor:**  
if skin reactions such as redness, swelling, blistering or other discomfort occur symptoms persist for more than 7 days If pregnant or breast-feeding ask a health professional before use. Keep out of reach of children. If swallowed accidentally, get medical help or contact with Poison Control Center immediately

**Directions:**  
Adults and children above 12 years old; Clean and dry the affected area. Tear off the protective film and apply the exposed part of the patch to the affected area. Carefully remove remaining film while pressing the patch firmly on the skin. Remove patch from the skin after at most 8 hours application. Children under age of 12: Consult a doctor

**Ingredients:**  
Glycerine, Alcohol, Aluminium glycinat, Sodium Polyacrylate, Pvpk-90, Tartaric acid, Propylparaben, Methylparaben, Water


**Manufactured by:**  
Henan Shouerkang Health Industry Co., Ltd

**Address:**  
No. 007 Huanghe Avenue, Pingyuan Demonstration Zone, Xinxiang City, Henan Province, China

# LIDOCAINE

## PAIN RELIEF PATCH

ODOR-FREE  
MAXIMUM STRENGTH  
EASY TO APPLY AND REMOVE  
SINGLE-USE APPLICATION



12 BAG in 1 BOX / 1patch in 1 BAG

### Lidocaine Pain Relief Patch

Active ingredients:	Purpose
Lidocaine 4% .....	Topical Analgesic
Menthol 1% .....	Pain Relief

**Uses:**  
Temporarily relieves muscle soreness and minor joint pains in the wrist, knees, back, neck, hips, shoulders, elbows.

**Warnings:**  
For external use only

**Do not use:**  
on wounds or damaged skin with a heating pad or device with other ointments, creams, sprays, or liniments if you are allergic to any ingredients of this product

**When using this product:**  
use only as directed.  
avoid contact with the eyes, mucous membranes, or rashes do not bandage tightly

**Stop use and ask a doctor:**  
if skin reactions such as redness, swelling, blistering or other discomfort occur symptoms persist for more than 7 days  
If pregnant or breast-feeding ask a health professional before use.  
Keep out of reach of children.  
If swallowed accidentally, get medical help or contact with Poison Control Center immediately

**Directions:**  
Adults and children above 12 years old:  
Clean and dry the affected area.  
Tear off the protective film and apply the exposed part of the patch to the affected area.  
Carefully remove remaining film while pressing the patch firmly on the skin.  
Remove patch from the skin after at most 8 hours application.  
Children under age of 12: Consult a doctor

**Ingredients:**  
Glycerine, Alcohol, Aluminium glycinat, Sodium Polyacrylate, Pvpk-90, Tartaric acid, Propylparaben, Methylparaben, Water


**Manufactured by:**  
Henan Shouerkang Health Industry Co., Ltd

**Address:**  
No. 007 Huanghe Avenue, Pingyuan Demonstration Zone, Xinxiang City, Henan Province, China

# LIDOCAINE

## PAIN RELIEF PATCH

ODOR-FREE  
 MAXIMUM STRENGTH  
 EASY TO APPLY AND REMOVE  
 SINGLE-USE APPLICATION



25 BAG in 1 BOX / 1patch in 1 BAG

### Lidocaine Pain Relief Patch

Active ingredients:	Purpose
Lidocaine 4% .....	Topical Analgesic
Menthol 1% .....	Pain Relief

**Uses:**  
 Temporarily relieves muscle soreness and minor joint pains in the wrist, knees, back, neck, hips, shoulders, elbows.

**Warnings:**  
 For external use only

**Do not use:**  
 on wounds or damaged skin with a heating pad or device with other ointments, creams, sprays, or liniments if you are allergic to any ingredients of this product

**When using this product:**  
 use only as directed, avoid contact with the eyes, mucous membranes, or rashes do not bandage tightly

**Stop use and ask a doctor:**  
 if skin reactions such as redness, swelling, blistering or other discomfort occur symptoms persist for more than 7 days If pregnant or breast-feeding ask a health professional before use. Keep out of reach of children. If swallowed accidentally, get medical help or contact with Poison Control Center immediately

**Directions:**  
 Adults and children above 12 years old; Clean and dry the affected area. Tear off the protective film and apply the exposed part of the patch to the affected area. Carefully remove remaining film while pressing the patch firmly on the skin. Remove patch from the skin after at most 8 hours application. Children under age of 12:Consult a doctor

**Ingredients:**  
 Glycerine, Alcohol, Aluminium glycinat e, Sodium Polyacrylate, Pvpk-90, Tartaric acid, Propylparaben, Methylparaben, Water

**Manufactured by:**  
 Henan Shouerkang Health Industry Co., Ltd

**Address:**  
 No. 007 Huanghe Avenue, Pingyuan Demonstration Zone, Xinxiang City, Henan Province,China

## LIDOCAINE PAIN RELIEF PATCH

lidocaine pain relief patch paste

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:85056-001
<b>Route of Administration</b>	CUTANEOUS		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>MENTHOL</b> (UNII: L7T10EIP3A) (MENTHOL - UNII:L7T10EIP3A)	MENTHOL	1 g in 100
<b>LIDOCAINE</b> (UNII: 98PI200987) (LIDOCAINE - UNII:98PI200987)	LIDOCAINE	4 g in 100

### Inactive Ingredients

Ingredient Name	Strength
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>PVP</b> (UNII: FZ989GH94E)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>SODIUM POLYACRYLATE (8000 MW)</b> (UNII: 285CYO341L)	

**DIHYDROXYALUMINUM AMINOACETATE** (UNII: DO250MG0W6)

**METHYLPARABEN** (UNII: A2I8C7HI9T)

**PROPYLPARABEN** (UNII: Z8IX2SC1OH)

**ALCOHOL** (UNII: 3K9958V90M)

**TARTARIC ACID** (UNII: W4888I119H)

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:85056-001-08	15 in 1 BOX	12/18/2024	
1	NDC:85056-001-07	1 in 1 BAG; Type 0: Not a Combination Product		
2	NDC:85056-001-02	8 in 1 BOX	12/18/2024	
2	NDC:85056-001-01	1 in 1 BAG; Type 0: Not a Combination Product		
3	NDC:85056-001-06	12 in 1 BOX	12/18/2024	
3	NDC:85056-001-05	1 in 1 BAG; Type 0: Not a Combination Product		
4	NDC:85056-001-04	10 in 1 BOX	12/18/2024	
4	NDC:85056-001-03	1 in 1 BAG; Type 0: Not a Combination Product		
5	NDC:85056-001-10	16 in 1 BOX	12/18/2024	
5	NDC:85056-001-09	1 in 1 BAG; Type 0: Not a Combination Product		
6	NDC:85056-001-12	18 in 1 BOX	12/18/2024	
6	NDC:85056-001-11	1 in 1 BAG; Type 0: Not a Combination Product		
7	NDC:85056-001-14	20 in 1 BOX	12/18/2024	
7	NDC:85056-001-13	1 in 1 BAG; Type 0: Not a Combination Product		
8	NDC:85056-001-16	25 in 1 BOX	12/18/2024	
8	NDC:85056-001-15	1 in 1 BAG; Type 0: Not a Combination Product		
9	NDC:85056-001-18	28 in 1 BOX	12/18/2024	
9	NDC:85056-001-17	1 in 1 BAG; Type 0: Not a Combination Product		
10	NDC:85056-001-20	32 in 1 BOX	12/18/2024	
10	NDC:85056-001-19	1 in 1 BAG; Type 0: Not a Combination Product		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
--------------------	--	----------------------	--------------------

OTC Monograph Drug	505G(a)(3)	12/18/2024	
--------------------	------------	------------	--

**Labeler** - Henan Shouerkang Health Industry Co., Ltd (707635167)

**Establishment**

Name	Address	ID/FEI	Business Operations
Henan Shouerkang Health Industry Co., Ltd		707635167	manufacture(85056-001)

Revised: 1/2026

Henan Shouerkang Health Industry Co., Ltd