

YIMIMDE PAIN RELIEF GEL-PATCH- lidocaine and menthol patch **Shenzhen Ishan Technology Co., Ltd**

Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.

Inactive Ingredients

Water, Dihydroxyaluminum Aminoacetate, Glycerol, Kaolin, Methylparaben, Polyacrylic Acid, Polysorbate80 Povidone K90 Propylene Glycol, Propylparaben, Sodium Polyacrylate, Tartaric Acid, Titanium Dioxide.

Active ingredients

Active ingredients Purpose Lidocaine 4%---Topical anesthetic

Menthol 1%---Topical anesthetic

Keep out of reach of children

if swallowed, call poison control or seek medical help.

Ask a doctor

before using on children under 2 years of age.

Stop use

Stop use and ask a doctor if ● symptoms persist for more than 7 days

● conditions worsen.

● symptoms clear up and occur again within a few days. ● localized skin reactions, such as rash, itching, redness, pain, swelling and blistering develop.

Uses

For temporary relief of pain.

Other information

Store in a clean, dry place outside of direct sunlight. Protect product from excessive moisture.

Directions

Adults and children 12 years of age and over: ● clean and dry affected area.

● apply 1 patch at a time to affected area, not more than 3 to 4 times daily. ● remove film from patch and apply to the skin. Children under 12 years of age: consult a doctor

When using this product

When using this product * use only as directed.

* do not bandage tightly.

* avoid contact with the eyes, mucous membranes or rashes.

Warnings

Warnings

For external use only

Do not use

* more than 1 patch at a time.

* on wounds, damaged skin or with a heating pad.

* if you are allergic to any ingredients of this product.

Dosage and administration

Lable

170mm

NDC: 73076-302-01

Yimimde®

Lidocaine 4%
+ **Menthol 1%**

**Maximum Strength
PAIN RELIEF
Gel-Patch**

Desensitize aggravated nerves & Relieve Muscle Pain

- Fast Acting
- NO Irritation
- Cooling & Numbs Pain Away



4
PATCHES
3.3" x 3.5"
10 cm x 14 cm

Fast Acting & Targeted Pain Relief

Drug facts		
Active ingredients		
Lidocaine 4%	Topical anesthetic	
Menthol 1%	Topical anesthetic	
Uses For temporary relief of pain.		
Warnings		
For external use only		
Do not use		
<ul style="list-style-type: none"> ● more than 1 patch at a time. ● on wounds or damaged skin. 	<ul style="list-style-type: none"> ● if you are allergic to any ingredients of this product. ● with a heating pad. 	
When using this product		
<ul style="list-style-type: none"> ● use only as directed. ● do not bandage tightly. ● avoid contact with the eyes, mucous membranes or rashes. 		
Stop use and ask a doctor if		
<ul style="list-style-type: none"> ● symptoms persist for more than 7 days. ● conditions worsen. ● symptoms clear up and occur again within a few days. ● localized skin reactions, such as rash, itching, redness, pain, swelling and blistering develop. 		
How to apply		
 <p>Clean and dry the affected area</p>	 <p>Remove the film</p>	 <p>Apply to the affected area</p>
If pregnant or breast feeding, ask a health professional before use.		
Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.		
Directions		
Adults and children 12 years of age and over.		
<ul style="list-style-type: none"> ● clean and dry affected area. ● apply 1 patch at a time to affected area, not more than 3 to 4 times daily. ● remove film from patch and apply to the skin. 		
Children under 12 years of age: consult a doctor.		
Other information		
<ul style="list-style-type: none"> ● Store in a clean, dry place outside of direct sunlight. Protect product from excessive moisture. 		
Inactive ingredients		
Dihydroxyaluminum Aminoacetate, Glycerol, Kaolin, Methylparaben, Polyacrylic Acid, Polysorbate80, Povidone K90, Propylene Glycol, Propylparaben, Sodium Polyacrylate, Tartaric Acid, Titanium Dioxide, Water.		
Manufactured by		
Shenzhen (Shan) Technology Co., Ltd. Shenzhen 518000, China. Tel: +86400838739 info@yimimde.com http://www.yimimde.com		
Lot:	V20241121	
Mfg:	Made in China	
Exp:		

Fast Acting & Targeted Pain Relief

Fast Acting & Targeted Pain Relief

125mm

10mm



YIMIMDE PAIN RELIEF GEL-PATCH

lidocaine and menthol patch

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:73076-302(NDC:73557-172)
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
MENTHOL (UNII: L7T10EIP3A) (MENTHOL - UNII:L7T10EIP3A)	MENTHOL	1 g in 100 g
LIDOCAINE (UNII: 98PI200987) (LIDOCAINE - UNII:98PI200987)	LIDOCAINE	4 g in 100 g

Inactive Ingredients

Ingredient Name	Strength
POLYSORBATE 80 (UNII: 6OZP39ZG8H)	
TARTARIC ACID (UNII: W4888119H)	
GLYCERIN (UNII: PDC6A3C0OX)	

POLYACRYLIC ACID (300000 MW) (UNII: A8371R0U5J)
POVIDONE K90 (UNII: RDH86HJV5Z)
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)
PROPYLPARABEN (UNII: Z8IX2SC1OH)
SODIUM POLYACRYLATE (2500000 MW) (UNII: 05I15JNI2J)
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)
WATER (UNII: 059QF0KO0R)
DIHYDROXYALUMINUM AMINOACETATE (UNII: DO250MG0W6)
KAOLIN (UNII: 24H4NWX5CO)
METHYLPARABEN (UNII: A2I8C7HI9T)

Product Characteristics

Color	white	Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:73076-302-01	4 in 1 BOX	12/01/2024	
1		12 g in 1 PATCH; Type 0: Not a Combination Product		
2	NDC:73076-302-02	8 in 1 BOX	12/01/2024	
2		12 g in 1 PATCH; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved homeopathic		12/01/2024	

Labeler - Shenzhen Ishan Technology Co., Ltd (554484192)

Establishment

Name	Address	ID/FEI	Business Operations
SHANGHAI CHUANGSHI MEDICALTECHNOLOGY (GROUP)CO., LTD		546872672	manufacture(73076-302)

Establishment

Name	Address	ID/FEI	Business Operations
Shenzhen Ishan Technology Co., Ltd		554484192	repack(73076-302)

