

GENTLE LAXATIVE- bisacodyl tablet, delayed release
H E B

HEB 44-327

Active ingredient (in each tablet)

Bisacodyl USP, 5 mg

Purpose

Stimulant laxative

Uses

- for relief of occasional constipation and irregularity
- this product generally produces bowel movement in 6 to 12 hours

Warnings

Do not use

if you cannot swallow without chewing.

Ask a doctor before use if you have

- stomach pain, nausea or vomiting
- a sudden change in bowel habits that lasts more than 2 weeks

When using this product

- do not use within 1 hour after taking an antacid or milk
- do not chew or crush tablet(s)
- it may cause stomach discomfort, faintness, and cramps

Stop use and ask a doctor if

- you have rectal bleeding or fail to have a bowel movement after use of a laxative. These could be signs of a serious condition.
- you need to use a laxative for more than 1 week

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

- **do not take more than directed**
- take with a glass of water

adults and children 12 years and over	take 1 to 3 tablets in a single daily dose
children 6 to under 12 years	take 1 tablet in a single daily dose
children under 6 years	ask a doctor

Other information

- **TAMPER EVIDENT: DO NOT USE IF OUTER PACKAGE IS OPENED OR BLISTER IS TORN OR BROKEN**
- avoid excessive humidity
- store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F)
- see end flap for expiration date and lot number

Inactive ingredients

acacia, ammonium hydroxide, calcium carbonate, carnauba wax, colloidal anhydrous silica, corn starch, D&C yellow #10 aluminum lake, FD&C yellow #6 aluminum lake, hypromellose, iron oxide black, lactose anhydrous, magnesium stearate, methylparaben, polydextrose, polyethylene glycol, polyvinyl acetate phthalate, povidone, propylene glycol, propylparaben, shellac glaze, simethicone, sodium alginate, sodium benzoate, sodium bicarbonate, stearic acid, sucrose, talc, titanium dioxide, triacetin, triethyl citrate

Questions or comments?

1-800-426-9391

Principal Display Panel

Compare to *Dulcolax*® Laxative Tablets

active ingredient*

NDC 37808-327-15

H-E-B®

Gentle Laxative

Bisacodyl USP, 5 mg

Stimulant Laxative

Gentle, Predictable Overnight Relief

50 ENTERIC COATED TABLETS

actual

size

**TAMPER EVIDENT: DO NOT USE IF PACKAGE IS
OPENED OR IF BLISTER UNIT IS TORN, BROKEN OR
SHOWS ANY SIGNS OF TAMPERING**

*This product is not
manufactured or distributed
by A. Nattermann & Cie.
GmbH, owner of the
registered trademark
Dulcolax® Laxative Tablets.

50844 REV0923C32715

**MADE WITH PRIDE AND CARE FOR
H-E-B®, SAN ANTONIO, TX 78204**



50844 REV0923C32715 43086-2402

Questions or comments? 1-800-426-9391
Drug Facts (continued)

Inactive ingredients acacia, ammonium hydroxide, calcium carbonate, carnauba wax, croscollanthyrus silica, corn starch, D&C yellow #10 aluminum lake, FD&C yellow #6 aluminum lake, hypromellose, iron oxide black, lactose, anhydrous, magnesium stearate, methylparaben, polydextrose, polyethylene glycol, polyvinylacetate phtalate, polydioxane, propylene glycol, propylparaben, shellac glaze, simethicone, sodium alginate, sodium benzoate, sodium bicarbonate, stearic acid, sucrose, talc, titanium dioxide, triacetin, triethyl citrate

Other information
■ TAMPER EVIDENT: DO NOT USE IF OUTER PACKAGE IS OPENED OR BLISTER IS TORN OR BROKEN
■ see end flap for expiration date and lot number
■ avoid excessive humidity
■ 15°-30° C (59°-86°F)
■ store at 25° C (77°F); excursions permitted between

Directions
Do not take more than directed
■ take with a glass of water
adults and children take 1 to 3 tablets in a single daily dose
12 years and over
children 6 to under 12 years take 1 tablet in a single daily dose
children under 6 ask a doctor

Warnings
Do not use if you cannot swallow without chewing.
Ask a doctor before use if you have stomach pain, nausea or vomiting
■ a sudden change in bowel habits that lasts more than 2 weeks
When using this product
■ do not chew or crush tablet(s)
■ do not use within 1 hour after taking an antacid or milk
■ may cause stomach discomfort, flatness, and cramps
Stop use and ask a doctor if
■ you have rectal bleeding or fail to have a bowel movement after use of a laxative. These could be signs of a serious condition.
■ you need to use a laxative for more than 1 week
If pregnant or breast-feeding, ask a health professional before use.
Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

Uses
■ for relief of occasional constipation and irregularly
■ this product generally produces bowel movement in 6 to 12 hours
Active ingredient (in each tablet) Purpose
Bisacodyl USP, 5 mg Stimulant laxative
Drug Facts
KEEP OUTER PACKAGE FOR COMPLETE PRODUCT INFORMATION

NO PRINT / NO VARNISH

TAMPER EVIDENT: DO NOT USE IF PACKAGE IS OPENED OR IF BLISTER UNIT IS TORN, BROKEN OR SHOWS ANY SIGNS OF TAMPERING

MADE WITH PRIDE AND CARE FOR
H-E-B®, SAN ANTONIO, TX 78204

100% GUARANTEE
If you aren't completely pleased with this product, we'll be happy to replace it or refund your money. You have our word on it.
pharmie

*This product is not manufactured or distributed by A. Nattermann & Cie. GmbH, owner of the registered trademark Dulcolax® Laxative Tablets.



Gentle Laxative

Bisacodyl USP, 5 mg

Stimulant Laxative

Compare to Dulcolax® Laxative Tablets active ingredient*

NDC 37808-327-15



Gentle Laxative

Bisacodyl USP, 5 mg

Stimulant Laxative

Gentle, Predictable Overnight Relief



actual size

50 ENTERIC COATED TABLETS

B-0712-327-15-RR
REV0923C32715

GENTLE LAXATIVE

bisacodyl tablet, delayed release

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:37808-327
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
BISACODYL (UNII: 10X0709Y6I) (DEACETYLBISACODYL - UNII:R09078E41Y)	BISACODYL	5 mg

Inactive Ingredients

Ingredient Name	Strength
ACACIA (UNII: 5C5403N26O)	
AMMONIA (UNII: 5138Q19F1X)	
CALCIUM CARBONATE (UNII: H0G9379FGK)	
CARNAUBA WAX (UNII: R12CBM0EIZ)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
STARCH, CORN (UNII: O8232NY3SJ)	
D&C YELLOW NO. 10 ALUMINUM LAKE (UNII: CQ3XH3DET6)	
FD&C YELLOW NO. 6 ALUMINUM LAKE (UNII: GYP6Z2JR6Q)	
HYPROMELLOSE, UNSPECIFIED (UNII: 3NXW29V3WO)	
FERROSO FERRIC OXIDE (UNII: XM0M87F357)	
ANHYDROUS LACTOSE (UNII: 3SY5LH9PMK)	
MAGNESIUM STEARATE (UNII: 70097M6130)	
METHYL PARABEN (UNII: A2I8C7HI9T)	
POLYDEXTROSE (UNII: VH2XOU12IE)	
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)	
Polyvinyl Acetate Phthalate (UNII: 58QVG85GW3)	
POVIDONE, UNSPECIFIED (UNII: FZ989GH94E)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
PROPYL PARABEN (UNII: Z8IX2SC1OH)	
SHELLAC (UNII: 46N107B71O)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
WATER (UNII: 059QF0KO0R)	
SODIUM ALGINATE (UNII: C269C4G2ZQ)	
SODIUM BENZOATE (UNII: OJ245FE5EU)	
SODIUM BICARBONATE (UNII: 8MDF5V39QO)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
SUCROSE (UNII: C151H8M554)	
TALC (UNII: 7SEV7J4R1U)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
TRACETIN (UNII: XHX3C3X673)	
TRIETHYL CITRATE (UNII: 8Z96QXD6UM)	

Product Characteristics

Color	orange	Score	no score
Shape	ROUND	Size	6mm
Flavor		Imprint Code	5
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:37808-327-15	2 in 1 CARTON	03/25/2002	
1		25 in 1 BLISTER PACK; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	505G(a)(3)	03/25/2002	

Labeler - H E B (007924756)

Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		038154464	manufacture(37808-327) , pack(37808-327)

Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		832867837	manufacture(37808-327) , pack(37808-327)

Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		832867894	manufacture(37808-327)

Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		967626305	pack(37808-327)

Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		117025878	manufacture(37808-327)