

**LANCÔME PARIS RENERGIE LIFT MULTI-ACTION SUNSCREEN BROAD SPECTRUM  
SPF 15 FIRMING ANTIWRINKLE- avobenzone, octisalate and  
octocrylene cream  
SICOS ET CIE**

-----

**Drug Facts**

**Active ingredients**

Avobenzone 3%

Octisalate 5%

Octocrylene 7%

**Purpose**

Sunscreen

**Uses**

- helps prevent sunburn
- if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

**Warnings**

**For external use only**

**Do not use**

on damaged or broken skin

**When using this product**

keep out of eyes. Rinse with water to remove.

**Stop use and ask a doctor if**

rash occurs

**Keep out of reach of children.**

If swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

For sunscreen use:

- apply generously and evenly 15 minutes before sun exposure
- reapply at least every 2 hours
- use a water resistant sunscreen if swimming or sweating
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
  - limit time in the sun, especially from 10 a.m. - 2 p.m.
  - wear long-sleeved shirts, pants, hats and sunglasses
  - children under 6 months of age: Ask a doctor

### Other information

- protect the product in this container from excessive heat and direct sun

### Inactive ingredients

water, dimethicone, glycerin, hydrogenated polyisobutene, beeswax, poly C10-30 alkyl acrylate, yeast extract, guanosine, sucrose stearate, secale cereale (rye) seed extract, tocopherol, sodium polyacrylate, sodium hydroxide, red 4, stearic acid, phenoxyethanol, adenosine, PEG-100 stearate, ethylhexylglycerin, palmitic acid, silica, chlorphenesin, yellow 5, dimethicone/vinyl dimethicone crosspolymer, dimethiconol, limonene, pentylene glycol, benzyl alcohol, linalool, caprylyl glycol, acrylates/C10-30 alkyl acrylate crosspolymer, myristic acid, disodium stearyl glutamate, disodium EDTA, citronellol, aluminum starch octenylsuccinate, coumarin, glyceryl stearate, fragrance

### Questions or comments?

**1-800-LANCOME (1-800-526-2663) Monday - Friday (9 a.m. - 5 p.m. EST)**

<p><b>Drug Facts (continued)</b></p> <ul style="list-style-type: none"> <li>• <b>Sun Protection Measures.</b> Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:                     <ul style="list-style-type: none"> <li>• limit time in the sun, especially from 10 a.m. - 2 p.m.</li> <li>• wear long-sleeved shirts, pants, hats and sunglasses</li> <li>• children under 6 months of age: Ask a doctor</li> </ul> </li> </ul> <p><b>Other information</b></p> <ul style="list-style-type: none"> <li>• protect the product in this container from excessive heat and direct sun</li> </ul> <p><b>Inactive ingredients</b></p> <p>water, dimethicone, glycerin, hydrogenated polyisobutene, beeswax, poly C10-30 alkyl acrylate, yeast extract, guanosine, sucrose stearate, secale cereale (rye) seed extract, tocopherol, sodium polyacrylate, sodium hydroxide, red 4, stearic acid, phenoxyethanol, adenosine, PEG-100 stearate, ethylhexylglycerin, palmitic acid, silica, chlorphenesin, yellow 5, dimethicone/vinyl dimethicone crosspolymer, dimethiconol, limonene, pentylene glycol, benzyl alcohol, linalool, caprylyl glycol, acrylates/C10-30 alkyl acrylate crosspolymer, myristic acid, disodium stearyl glutamate, disodium EDTA, citronellol, aluminum starch octenylsuccinate, coumarin, glyceryl stearate, fragrance</p> <p><b>Questions or comments?</b> 1-800-LANCOME (1-800-526-2663) Monday - Friday (9 a.m. - 5 p.m. EST)</p> <p>B2644101 761346 8</p>	<p style="text-align: center;"><b>LANCÔME</b> PARIS</p> <p style="text-align: center;"><b>RÉNERGIE</b></p> <p style="text-align: center;"><b>LIFT MULTI-ACTION</b></p> <p style="text-align: center;"><b>SUNSCREEN BROAD SPECTRUM SPF 15</b> FIRMING - ANTI-WRINKLE CREAM</p> <p style="text-align: center;">50 ml 1.69 FL. OZ.</p>	<p style="text-align: center;">PROVEN BY SCIENCE POWERED BY TECH</p> <div style="text-align: center;">  <p>SCAN FOR YOUR PERSONALIZED SKIN DIAGNOSIS</p> </div> <p style="text-align: center;">MADE IN FRANCE LANCÔME.COM</p>	<p><b>Drug Facts</b></p> <table border="1"> <thead> <tr> <th>Active ingredients</th> <th>Purpose</th> </tr> </thead> <tbody> <tr> <td>Avobenzone 3%</td> <td>Sunscreen</td> </tr> <tr> <td>Octisalate 5%</td> <td>Sunscreen</td> </tr> <tr> <td>Octocrylene 7%</td> <td>Sunscreen</td> </tr> </tbody> </table> <p><b>Uses</b></p> <ul style="list-style-type: none"> <li>• helps prevent sunburn</li> <li>• if used as directed with other sun protection measures (see <b>Directions</b>), decreases the risk of skin cancer and early skin aging caused by the sun</li> </ul> <p><b>Warnings</b></p> <p><b>For external use only</b></p> <p><b>Do not use on damaged or broken skin</b></p> <p><b>When using this product keep out of eyes.</b> Rinse with water to remove.</p> <p><b>Stop use and ask a doctor if rash occurs</b></p> <p><b>Keep out of reach of children.</b> If swallowed, get medical help or contact a Poison Control Center right away.</p> <p><b>Directions</b></p> <p><b>For sunscreen use:</b></p> <ul style="list-style-type: none"> <li>• apply generously and evenly 15 minutes before sun exposure</li> <li>• reapply at least every 2 hours</li> <li>• use a water resistant sunscreen if swimming or sweating</li> </ul> <p style="text-align: right;">SVC</p>	Active ingredients	Purpose	Avobenzone 3%	Sunscreen	Octisalate 5%	Sunscreen	Octocrylene 7%	Sunscreen
Active ingredients	Purpose										
Avobenzone 3%	Sunscreen										
Octisalate 5%	Sunscreen										
Octocrylene 7%	Sunscreen										



**Drug Facts** (continued)

**Other information**  
 • protect the product in this container from excessive heat and direct sun

**Inactive ingredients**  
 water, dimethicone, glycerin, hydrogenated polyisobutene, beeswax, poly C10-30 alkyl acrylate, yeast extract, guanosine, sucrose stearate, saccharomyces (yeast) seed extract, tocopherol, sodium polyacrylate, sodium hydroxide, red 4, stearic acid, phenylethanol, adenosine, PEG-100 stearate, ethylhexylglycerin, palmitic acid, silica, chloropheniramine, yellow 5, dimethylsiloxyl dimethylsiloxane crosspolymer, dimethylsiloxane, limonene, pentaerythritol glycol, benzyl alcohol, linoleic acid, pinene, benzaldehyde, caprylyl glycol, acrylates/C10-30 alkyl acrylate crosspolymer, myristic acid, caprylic acid, sodium stearyl glutamate, disodium EDTA, tetramethyl acetyloctahydrophthalimides, citronellol, citrus aurantium peel oil, aluminum starch octylsuccinate, coumarin, glyceryl stearate se, glyceryl stearate, fragrance

**Questions or comments?**  
 1-800-LANCOME (1-800-528-2983)

V2844102 781346 8

**LANCÔME**  
PARIS



**RÉNERGIE**

LIFT MULTI-ACTION

SUNSCREEN BROAD SPECTRUM SPF 15  
FIRMING - ANTI-WRINKLE CREAM

75 ml 2.5 FL. OZ.

PROVEN BY SCIENCE  
POWERED BY TECH

SCAN FOR YOUR PERSONALIZED SKIN DIAGNOSIS

MADE IN FRANCE  
LANCÔME.COM

**Drug Facts**

Active ingredients	Purpose
Avobenzone 3%	Sunscreen
Octisalate 6%	Sunscreen
Octocrylene 7%	Sunscreen

**Uses**  
 • helps prevent sunburn  
 • if used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun

**Warnings**  
**For external use only**  
 Do not use on damaged or broken skin  
 When using this product keep out of eyes. Rinse with water to remove.  
 Stop use and ask a doctor if rash occurs.  
 Keep out of reach of children.  
 If swallowed, get medical help or contact a Poison Control Center right away.

**Directions**  
 For sunscreen use:  
 • apply generously and evenly 15 minutes before sun exposure  
 • reapply at least every 2 hours  
 • use a water resistant sunscreen if swimming or sweating  
 • Sun Protection Measures: Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:  
 • limit time in the sun, especially from 10 a.m. to 2 p.m.  
 • wear long-sleeved shirts, pants, hats and sunglasses  
 • children under 6 months of age: Ask a doctor



SV



5220779

THE INFORMATION CONTAINED HEREIN IS PRESENTED AS A SERVICE TO OUR CUSTOMERS. IT IS NOT INTENDED TO BE USED AS A SUBSTITUTE FOR THE INFORMATION CONTAINED IN THE PRODUCT'S LABELING. THE INFORMATION CONTAINED HEREIN IS NOT INTENDED TO BE USED AS A SUBSTITUTE FOR THE INFORMATION CONTAINED IN THE PRODUCT'S LABELING.

# LANCÔME PARIS RÉNERGIE LIFT MULTI-ACTION SUNSCREEN BROAD SPECTRUM SPF 15 FIRMING ANTIWRINKLE

avobenzone, octisalate and octocrylene cream

## Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:51150-418
<b>Route of Administration</b>	TOPICAL		

## Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>AVOBENZONE</b> (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)	AVOBENZONE	30 mg in 1 mL
<b>OCTISALATE</b> (UNII: 4X49Y0596W) (OCTISALATE - UNII:4X49Y0596W)	OCTISALATE	50 mg in 1 mL
<b>OCTOCRYLENE</b> (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM)	OCTOCRYLENE	70 mg in 1 mL

## Inactive Ingredients

Ingredient Name	Strength
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>DIMETHICONE</b> (UNII: 92RU3N3Y1O)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>HYDROGENATED POLYISOBUTENE (1300 MW)</b> (UNII: 7D1YQ9Y5EZ)	
<b>BEEWAX</b> (UNII: 2Z A36H0S2V)	
<b>YEAST, UNSPECIFIED</b> (UNII: 3NY3SM6B8U)	
<b>GUANOSINE</b> (UNII: 12133JR80S)	
<b>SUCROSE STEARATE</b> (UNII: 274KWO050M)	
<b>RYE</b> (UNII: 0R4AQI398X)	

<b>TOCOPHEROL</b> (UNII: R0ZB2556P8)
<b>SODIUM POLYACRYLATE (2500000 MW)</b> (UNII: 05115JN12J)
<b>SODIUM HYDROXIDE</b> (UNII: 55X04QC32I)
<b>RED 4</b> (UNII: X3W0AM1JLX)
<b>STEARIC ACID</b> (UNII: 4ELV7Z65AP)
<b>PHENOXYETHANOL</b> (UNII: HIE492ZZ3T)
<b>ADENOSINE</b> (UNII: K72T3FS567)
<b>PEG-100 STEARATE</b> (UNII: YD01N1999R)
<b>ETHYLHEXYLGLYCERIN</b> (UNII: 147D247K3P)
<b>PALMITIC ACID</b> (UNII: 2V16EO95H1)
<b>SILICA</b> (UNII: ETJ7Z6XBU4)
<b>CHLORPHENESIN</b> (UNII: I670DAL4SZ)
<b>YELLOW 5</b> (UNII: I753WB2F1M)
<b>DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (HARD PARTICLE)</b> (UNII: H895X08VNO)
<b>DIMETHICONOL (100000 CST)</b> (UNII: OSA9UP217S)
<b>LIMONENE, (+)-</b> (UNII: GFD7C86Q1W)
<b>PENTYLENE GLYCOL</b> (UNII: 50C1307PZG)
<b>BENZYL ALCOHOL</b> (UNII: LKG8494WBH)
<b>LINALOOL</b> (UNII: D81QY6I88E)
<b>LINALYL ACETATE</b> (UNII: 5K47SSQ51G)
<b>PINENE</b> (UNII: 996299PUKB)
<b>BENZALDEHYDE</b> (UNII: TA269SD04T)
<b>CAPRYLYL GLYCOL</b> (UNII: 00YIU5438U)
<b>ACRYLATES/C10-30 ALKYL ACRYLATE CROSSPOLYMER (60000 MPA.S)</b> (UNII: 8Z5ZAL5H3V)
<b>MYRISTIC ACID</b> (UNII: 0I3V7S25AW)
<b>CARVONE</b> (UNII: 75GK9XIA8I)
<b>DISODIUM STEAROYL GLUTAMATE</b> (UNII: 45ASM2L11M)
<b>EDETATE SODIUM</b> (UNII: MP1J8420LU)
<b>TETRAMETHYL ACETYLOCTAHYDRONAPHTHALENES</b> (UNII: 2JU6ZH6GRE)
<b>CITRONELLOL</b> (UNII: P01OUT964K)
<b>CITRUS AURANTIUM PEEL OIL</b> (UNII: 9TLV70SV6I)
<b>ALUMINUM STARCH OCTENYLSUCCINATE</b> (UNII: I9PJ006294)
<b>COUMARIN</b> (UNII: A4VZ22K1WT)
<b>GLYCERYL STEARATE SE</b> (UNII: FCZ5MH785I)
<b>GLYCERYL STEARATE</b> (UNII: 230OU9XXE4)

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:51150-418-01	1 in 1 CARTON	05/14/2026	
1		50 mL in 1 JAR; Type 0: Not a Combination Product		
2	NDC:51150-418-02	1 in 1 CARTON	05/14/2026	
2		75 mL in 1 JAR; Type 0: Not a Combination Product		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	05/14/2026	

**Labeler** - SICOS ET CIE (276993581)

## Establishment

Name	Address	ID/FEI	Business Operations
SICOS ET CIE		276993581	manufacture(51150-418) , pack(51150-418)

Revised: 5/2026

SICOS ET CIE